

Safed Musli Farming: New entries in Medicinal Plant Database by Pankaj Oudhia. 194.

List of Documents

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Abelmoschus crinitus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Abelmoschus esculentus* (L.) MOENCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Abelmoschus ficulneus* (L.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Abelmoschus manihot* (L.) MEDIK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Abelmoschus moschatus* MEDIK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Abies densa* W. Griff. ex.Parker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Abies pindrow* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Abies spectabilis* (D.DON) SPACH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Abies webbiana* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Abrus fruticulosus* WALL. EX WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Abrus precatorius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Abrus pulchellus* WALL. EX THWAITES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Abutilon asiaticum* (L.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Abutilon avicennae* GAETR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Abutilon glaucum* SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Abutilon graveolens* (ROXB. EX HORNEM.) WIGHT & ARN. EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Abutilon hirtum* (LAM.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Abutilon indicum* (L.) SWEET guineense (SCHUMACH.) BORSSUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Abutilon indicum* (L.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Abutilon pannosum* (G. FORST.) SCHLTDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Abutilon persicum* (BURM.F.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Abutilon theophrasti* MEDIK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia arabica* SENSU BAKER vediana COOKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia arabica* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia caesia* (L.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia catechu* (L.F.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia catechu* (L.F.) WILLD. *sundra* (DC.) PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia chundra* (ROXB. EX ROTTLER) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia concinna* (WILLD.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia dealbata* LINK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia decurrens* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia eburnea* (L.F.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia farnesiana* (L.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia ferruginea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia indica* DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia intsia* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia jacquemontii* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia leucophloea* (ROXB.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia melonoxylon* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia modesta* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia nilotica* (L.) WILLD. EX DEL. *indica* (BENTH.) BRENNAN and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia pennata* (L.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia planifrons* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia polyacantha* WILLD. *polyacantha* BRENAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia polyantha* SPRENG EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia pseudo-eburnea* DRUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia pycnantha* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia rugata* (LAM.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia senegal* WILLD. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia sinuata* (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia speciosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia suma* (ROXB.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia tomentosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia torta* (ROXB) CRAIB NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acalypha alnifolia* KLEIN EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acalypha betulina* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acalypha ciliata* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acalypha fruticosa* FORSSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acalypha hispida* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acalypha indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acalypha paniculata* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acalypha racemosa* WALL. EX BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acampe carinata* (GRIFF) PANIGR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acampe papillosa* (LINDL.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acampe praemorsa* (ROXB.) BLATT. & MCCANN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acampe wightiana* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acanthopanax trifoliatum* (LINN.) VOSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acanthospermum hispidum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acanthospermum hispidum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acanthus ilicifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acer caesium* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acer cappadocicum* GLEDITSCH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acer laevigatum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acer mono* MAXIM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acer oblongum* WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acer pentapomicum* STEWART. EX BRAND NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acer pictum* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Achillea millefolium* LEDEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Achillea santolina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Achras zapota* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Achyranthes aquatica* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Achyranthes aspera* L. rubrofusca HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Achyranthes bidentata* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Achyranthes lanata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Achyranthes porphyristachya* WALL. EX MOQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aconitum atrox* (BRUHL) MUK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aconitum balfourii* STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aconitum bisma* (HAM.) RAPAICS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aconitum chasmanthum* STAPF EX HOLMES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aconitum deinorrhizum* STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aconitum elwesii* STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aconitum falconeri* STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aconitum ferox* WALL. EX SERINGE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aconitum heterophyllum* WALL. EX ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aconitum kashmiricum* STAPF EX COVENTRY NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aconitum laciniatum* (BRUEHL) STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aconitum laeve* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aconitum lethale* GRIFF. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aconitum luridum* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aconitum moschatum* (BRUEHL) STAPF NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aconitum napellus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aconitum palmatum* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aconitum rotundifolium* KAR. & KIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aconitum soonoricum* STAPF NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aconitum spicatum* (BRUHL) STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aconitum violaceum* JACQ. EX STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aconogonum rumicifolium* (ROYLE EX BAB.)HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aconogonum tortuosum* (D.DON)HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acorus calamus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acorus gramineus* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acrocarpus fraxinifolius* WIGHT & ARNOLAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acrocephalus hispidus* (L.) NICOLS. & SIVADASAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acrocephalus indicus* (BURM.F.) KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acronychia laurifolia* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acronychia pedunculata* (L.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acroptilon repens* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acrostichum aureum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acotrema arnottianum* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Actaea racemosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Actaea spicata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Actiniopteris australis* (L.F.) LINK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Actiniopteris dichotoma* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Actinopteris radiata* (SW.) LINK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Actinodaphne angustifolia* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Actinodaphne dichotoma* FLORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Actinodaphne hookeri* MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Actinodaphne obovata* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Adansonia digitata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Adenantha pavonina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Adenema hyssopifolium* G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Adenia heterophylla* (BLUME) KOORD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Adenia hondala* (GAERTN.) W.J.DE WILDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Adenia nicobarica* KING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Adenia palmata* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Adenia penangiana* (DON) DE WILDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Adenia wightiana* (WALL. EX WIGHT & ARN.) ENGLER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Adenosma capitatum* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Adenosma indianum* (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Adenosma indicum* MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Adenostemma lavenia* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Adhatoda beddomei* C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Adhatoda vasica* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Adhatoda zeylanica* MEDIK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Adiantum aethiopicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Adiantum capillus-veneris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Adiantum caudatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Adiantum cuneipinnulum* NAIR & GHOSH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Adiantum flabellulatum* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Adiantum incisum* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Adiantum lunulatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Adiantum melanacaulon* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Adiantum pedatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Adiantum peruvianum* A.BR.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Adiantum philippense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Adiantum tinetum* MOORE F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Adiantum trapiziforme* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Adiantum venustum* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Adina cordifolia* BENTH. & HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Adinobotrys atropurpureus* DUNN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Adonis aestivalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Adonis chrysocyathus* HOOK.F. & THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Adonis majus* GAERTN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Adonis scrobiculata* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Adonis vernalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aegiceras corniculatum* (L.) BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aeginetia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aegle marmelos* (L.) CORREA EX. SCHULTZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aerides crispum* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aerides fieldingii* WILLMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aerides multiflorum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aerides odorata* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aerides rosea* LINDL. & PAXT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aerides williamsii* WARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aerva javanica* (BURM.F.) JUSS. EX SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aerva lanata* (L.) JUSS. EX SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aerva monsonia* MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aerva pseudotomentosa* BLATT. & HALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aerva sanguinolenta* (L.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aerva tomentosa* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aerva wightii* HOOK .F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aeschynanthus hookerii* CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aeschynanthus maculata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aeschynomene aspera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aeschynomene indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aesculus assamica* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aesculus hippocastanum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aesculus indica* COLEBR. EX CAMBESS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aframomum melegueta* (ROSC.) K.

SCHUM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aganosma calycina* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aganosma caryophyllata* G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aganosma cymosa* (ROXB.) G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aganosma dichotoma* (ROTH) K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aganosma marginata* G. DON. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aganosma wallichii* G.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Agapanthus africanus* (L.)HOFFMANN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Agathis robusta* F.M.BAILEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Agati grandiflora* (L.) DEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Agave americana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Agave angustifolia* HAW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Agave cantala* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Agave sisalana* PERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Agave vera-cruz* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Agave vivipara* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ageratina adenophora* (SPR.) KING & ROB., NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ageratum conyzoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ageratum houstonianum* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aglaia diepenhorstii* MIQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aglaia domestica* (CORREA EMEND. JACK) PELLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aglaia elaeagoidea* (JUSS.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aglaia lawii* (WIGHT.) SALDANHA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aglaia minutiflora* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aglaia odorata* LOUR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aglaia odoratissima* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aglaia roxburghiana* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Agni-jwalamonia eupatoria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Agni-jwalamonia pilosa* LEDEB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Agropyron repens* BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Agrostemma githago* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Agrostis linearis* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Agrostistachys meeboldii* PAX & HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ailanthus altissima* SWINGLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ailanthus excelsa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ailanthus glandulosa* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ailanthus malabarica* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ailanthus triphysa* (DENNST.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ainsliaea angustifolia* HOOK.F. & TH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ainsliaea aptera* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ainsliaea pteropoda* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aisandra butyracea* (ROXB.) BAEHNI and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ajuga bracteosa* WALL. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ajuga macrocarpa* WALL EX. BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ajuga macrosperma* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ajuga parviflora* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alangium begonifolium* MARM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alangium decapetalum* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alangium hexapetalum* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alangium kurzii* CRAIB NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alangium lamarckii* THWAITES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alangium salvifolium* (L.F.) WANG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Albizia amara* (ROXB.) BOIVIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Albizia chinensis* (OSBECK) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Albizia julibrissin* DURASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Albizia lebbeck* (L.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Albizia lucida* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Albizia lucidior* (STEND.) NIELSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Albizia marginata* MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Albizia myriophylla* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Albizia odoratissima* (L.F.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Albizia procera* (ROXB.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Albizia stipulata* BOIVIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alcornoja javensis* MULL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alcornoja rugosa* (LOUR) MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alcea rosea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alchornea tiliacifolia* MUELL.-ARG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alectra parasitica* RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alectra parasitica* A.RICH. *chitrakutensis* RAU. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aleurites moluccana* (L.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alhagi camelorum* FISCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alhagi maurorum* DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alhagi pseudalhagi* (BIEB.) DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alisma plantago* L. NULL and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alisma plantago-aquatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alisma plantagoauatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alkanna tinctoria* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *AllamKalam cathartica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alliaria officinalis* ANDRZEJ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alliaria petiolata* (BIEB.)CAVARA & GRANDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Allium ampeloprasum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Allium ascalonicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Allium carolinianum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Allium cepa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Allium chinense* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Allium consanguineum* KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Allium hookeri* THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Allium humile* KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Allium leptophyllum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Allium macleani* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Allium porrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Allium rubellum* M.BIEB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Allium sativum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Allium schoenoprasum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Allium stracheyi* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Allium tuberosum* ROTTL. EX SPRENG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Allium victorialis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Allium wallichii* KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Allmania nodiflora* (L.) R.BR. EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Allophylus cobbe* (L.) RAEUSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Allophylus rheedii* (WIGHT.) RADLK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Allophylus serratus* (ROXB.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alloteropsis cimicina* (L.) STAPR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alnus nepalensis* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alnus nitida* ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alocasia cucullata* SCHOTT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alocasia denudata* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alocasia fornicata* (ROXB.) SCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alocasia indica* (LOUR.) SPACH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alocasia macrorhiza* (L.) G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alocasia montana* SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alocasia odora* (ROXB.) C.KOCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aloe abyssinica* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aloe barbadensis* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aloe ferox* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aloe indica* (SCHOTT) G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aloe littoralis* KOEN. EX. BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aloe perryi* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aloe spicata* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aloe succotrina* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aloe variegata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aloe vera* L. *chinensis* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aloe vera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aloe vera* L. *littoralis* KOEING EX BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aloe vera*(typica) (L.) BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aloysia triphylla* (L'HER.) BRITT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alphonsea veratricosa* HOOK. F. & THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alpinia allhugas* ROSCOE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alpinia calcarata* ROSCOE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alpinia chinensis* ROSCOE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alpinia conchigera* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alpinia galanga* (L.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alpinia khulanjan* M. SHERIFF and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alpinia malaccensis* (BURM.F.) ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alpinia nigra* (GAERTN.) BURTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alpinia nutans* ROSCOE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alpinia officinarum* HANCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alpinia speciosa* K.SCHWM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alpinia zerumbet* BURTT & R.M. SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alseodaphne semicarpifolia* NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alstonia constricta* F MUELL. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alstonia kurzii* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alstonia macrophylla* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alstonia scholaris* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alstonia spectabilis* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alstonia venenata* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alternanthera ficoidea* (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alternanthera philoxeroides* (MAR.) GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alternanthera pungens* H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alternanthera sessilis* (L.) R.BR.EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alternanthera triandra* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Althaea ludwigii* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Althaea officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Althaea rosea* (L.) CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Altingia excelsa* NORONHA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alysicarpus bupleurifolius* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alysicarpus longifolius* WIGHT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alysicarpus monilifer* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alysicarpus vaginalis* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alyxia reinwartii* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alyxia stellata* ROEM. & SCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amaranthus atropurpureus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amaranthus blitum* L. oleracea DUTHIE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amaranthus blitum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amaranthus campestris* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amaranthus caudatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amaranthus dubius* E.H.L.KRAUSE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amaranthus fasciatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amaranthus gangeticus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amaranthus gangeticus* LINN. tristis PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amaranthus gracilis* DESF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amaranthus graecizans* AUCT. HISP. EX CUT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amaranthus hybridus* L. hybridus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amaranthus hybridus* L. paniculatus THELL. cruentus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amaranthus hypochondriacus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amaranthus lividus* L. polygonoides (MIQ.) THELL. EX PROBS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amaranthus lividus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amaranthus mangostanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amaranthus oleraceus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amaranthus paniculatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amaranthus polygamus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amaranthus polygonoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amaranthus spinosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amaranthus tenuifolius* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amaranthus tricolor* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amaranthus tristis* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amaranthus viridis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amaryllis belladonna* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amberboa divaricata* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amberboa hookeri* (HASSK.) HARA and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amberboa ramosa* (ROXB.) JAFRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amblyanthus glandulosus* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ambroma augusta* (L.) L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amentotaxus assamica* D.K.Ferguson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amischophacelus axillaris* ROLLA RAO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amischotolype hookeri* (HASSK.) HARA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ammannia auriculata* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ammannia baccifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ammannia senegalensis* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ammannia vesicatoria* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ammi majus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amomum aromaticum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amomum costatum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amomum dealbatum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amomum fenzlii* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amomum granum-paradisi* L. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amomum kepulaga* SPRAGUE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amomum melegueta* ROSC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amomum racemosum* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amomum subulatum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amomum xanthioides* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amomum zingiber* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amoora cucullata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amoora rohituka* (ROXB.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amorpha fruticosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amorphophallus bulbifer* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amorphophallus campanulatus* BLUME EX DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amorphophallus commutatus* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amorphophallus dubius* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amorphophallus paeoniifolius* (DENNST.) NICOLSON *campanulatus* (DECNE.) SIVADASAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amorphophallus paeoniifolius* (DENNST.) NICOLSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amorphophallus prainii* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amorphophallus sylvaticus* (ROXB.) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ampelocissus araneosa* (DALZ. & CRIBBS.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ampelocissus arnottiana* PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ampelocissus barbata* (WALL.) PLANCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ampelocissus indica* (L.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ampelocissus latifolia* (ROXB.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ampelocissus tomentosa* (ROTH.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amphicome emodi* LINDL. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amphilophis odorata* CAMUS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amphineuron extensus* (BI.) HOLTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amyris gileadensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anacardium occidentale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anacolosa densiflora* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anacyclus pyrethrum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anagallis arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anamirta cocculus* (L.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ananas comosus* (L.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ananas sativus* SCHULT.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anaphalis adnata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anaphalis brevifolia* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anaphalis cinnamomea* C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anaphalis contorta* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anaphalis cuneifolia* HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anaphalis neelgerriana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anaphalis nubigena* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anaphalis sarmentosa* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anaphalis semepervivoides* JACQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anaphalis triplinervis* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anastatica hierochuntica* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anchusa strigosa* LABILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ancistrocladus heyneanus* WALL. EX GRAHAM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ancistrocladus tectorius* (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Andira araroba* AGUIAR NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Andrachne cadishaw* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Andrachne cordifolia* MUELL. ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Andrographis atropurpurea* (DENNST.) ALSTON EX MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Andrographis echioides* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Andrographis lineata* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Andrographis macrobotrys* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Andrographis paniculata*

(BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Andrographis paniculata* (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Andrographis paniculata* (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Andrographis paniculata* (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Andrographis paniculata* (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Andrographis paniculata* (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Andrographis paniculata* (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Andrographis paniculata* (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Andrographis paniculata* (BURM.F.) WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Andrographis paniculata* (BURM.F.) WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Andrographis paniculata* (BURM.F.) WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Andrographis paniculata* (BURM.F.) WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Andrographis serpyllifolia* (ROTTL. EX VAHL) WIGHT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Andropogon citratus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Andropogon contortus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Andropogon halepensis* BROTT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Andropogon jwarancusa* JONES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Andropogon laniger* DUTHIE NON DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Andropogon martini* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Andropogon muricatus* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Andropogon nardus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Andropogon odoratus* DNA LISBOA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Clerodendrum phlomidis* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Clerodendrum serratum* (L.) Moon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Clerodendrum thomsonae* Balf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Clerodendrum waiiichii* Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Duranta erecta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gmelina arborea* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gmelina asiatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gmelina philippensis* Cham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Holmskioldia sanguinea* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lantana camara* L. var. *aculeata* (L.) Mold. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lantana camara* L. var. *splendens* (Medic.)

Mold. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lantana indica* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lantana trifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lantana veronicifolia* Hayek and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lippia citriodora* H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lippia javanica* (Burm.f.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Petrea volubilis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phyla nodiflora* (L.) Greene and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Premna balakrishnanii* Rajendran & P.Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Premna coriacea* Clarke var. *coriacea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Premna coriacea* Clarke var. *villosa* (C. B. Clarke) Rajendran & Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Premna corymbosa* (Burm.f.) Rottl. & Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Premna glaberrima* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Premna herbacea* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Premna latifolia* Rozb. var. *latifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Premna latifolia* Roxb. var. *henryi* D. Naras. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Premna latifolia* Rozb. var. *mollissima* (Roth) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Premna latifolia* Roxb. var. *viburnoides* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Premna mundanthuraiensis* Rajendran & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Premna paucinervis* (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Premna serratifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Premna tomentosa* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Premna wightiana* Schauer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Priva cordifolia* (L.f.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stachytarpheta jamaicensis* (L.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stachytarpheta mutabilis* (Jacq.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stachytarpheta urticaefolia* (Salisb.) Sims and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tectona grandis* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Verbena bipinnatifida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Verbena bonariensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Verbena x hybrida* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Verbena rigida* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vitex altissima* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vitex leucoxydon* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vitex negundo* L. var. *negundo* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vitex negundo* L. var. *purpurascens* Sivar. & Moldenke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vitex peduncularis* Wall. ex Schauer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vitex pinnata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vitex trifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Congea tomentosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sphenodesme paniculata* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Symphorema involucratum* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Avicennia alba* Blume and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Avicennia marina* (Forssk.) Vierh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Avicennia officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acrocephalus hispidus* (L.) Nicolson & Sadasivan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acrocephalus palniensis* Mukerjee and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anisochilus argenteus* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anisochilus carnosus* (L.f.) Wall. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anisochilus dysophylloides* Benth. var. *dysophylloides* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anisochilus dysophylloides* Benth. var. *purpureus* (Wight) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anisochilus eriocephalus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anisochilus henryi* Ravikumar & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anisochilus paniculatus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anisochilus robustus* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anisochilus scaber* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anisochilus sericeus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anisochilus suffruticosus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anisochilus wightii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anisomeles heyneana* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anisomeles indica* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anisomeles malabarica* (L.) R. Br. ex Sims and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Basilicum polystachyon* (L.) Moench and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Becium filamentosum* (Forssk.) Chiov. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Clinopodium umbrosum* (M. Bieb.) K. Koch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Colebrookea oppositifolia* J.E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Elsholtzia ciliata* (Thunb.) Hyland and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Endostemon viscosus* (Roth) M. Ashby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eusteralis cruciata* (Benth.) Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eusteralis deccanensis* Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eusteralis quadrifolia* (Benth.) Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Geniosporum elongatum* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Geniosporum menthoides* (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Geniosporum menthoides* (L.) Merr. var. *longiracemosum* (Ramam. & Sebastine) Press & Sivar. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gomphostemma eriocarpon* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gomphostemma heyneanum* Wall. ex Benth. var. *heyneanum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gomphostemma heyneanum* Wall. ex Benth. var. *rottleri* Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gomphostemma keralensis* Vivek., Gopalan & Ansari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gomphostemma strobilinum* Wall. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hyptis suaveolens* (L.) Poit. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Isodon coetsa* (D. Don) Kudo and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Isodon nigrescens* (Benth.) H. Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Isodon nilgherriensis* (Benth.) H. Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Isodon walkeri* (Arn.) H.Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Isodon wightii* (Benth.) H. Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lavendula angustifolia* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lavandula lawii* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leonotis leonurus* R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leonotis nepetifolia* (L.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leonurus sibiricus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leucas anKalamraoana* Umamahesw. & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leucas angularis* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leucas aspera* (Willd.) Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leucas biflora* (Vahl) R.Br. var. *biflora* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leucas cephalotes* (Roth) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leucas chinensis* (Retz.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leucas ciliata* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leucas diffusa* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leucas eriostoma* Hook.f. var. *eriostoma*

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leucas eriostoma* Hook.f. var. *lanata* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leucas eriostoma* Hook.f. var. *latifolia* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leucas flaccida* R.Br. var. *scaberula* (Hook.f.) Srinivasan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leucas helianthemifolia* Desf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leucas hirta* (Heyne ex Roth) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leucas indica* (L.) R.Br. ex Vatke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leucas lamifolia* Desf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leucas lanata* Benth. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leucas lanceaefolia* Desf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leucas marrubioides* Desf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leucas martinicensis* (Jacq.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leucas montana* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leucas nutans* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leucas prostrata* (Hook.f.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leucas pubescens* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leucas rosmarinifolia* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leucas stelligera* Wall. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leucas stricta* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leucas suffruticosa* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leucas ternifolia* Desf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leucas urticaefolia* (Vahl) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leucas vestita* Benth. var. *vestita* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leucas vestita* Benth. var. *angustifolia* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leucas vestita* Benth. var. *oblongifolia* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leucas vestita* Benth. var. *sericostoma* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leucas wightiana* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leucas zeylanica* (L.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mentha arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mentha canadensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mentha x piperita* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Meriandra bengalensis* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Micromeria biflora* (Buch.-Ham.ex D.Don.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Micromeria capitellata* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nepeta hindostana* (Roth) Haines and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ocimum americanum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ocimum basilicum* L. var. *basilicum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ocimum basilicum* L. var. *pilosum* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ocimum basilicum* L. var. *purpurascens* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ocimum basilicum* L. var. *thrysiflorum* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ocimum gratissimum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ocimum tenuiflorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Origanum hortensis* Moench and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Orthosiphon aristatus* (Blume) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Orthosiphon comosus* Wight ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Orthosiphon pallidus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Orthosiphon rubicundus* (D.Don) Benth. var. *rubicundus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Orthosiphon rubicundus* (D.Don) Benth. var. *hohenackeri* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Orthosiphon thymiflorus* (Roth) Sleensen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plectranthus amboinicus* (Lour.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plectranthus barbatus* Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plectranthus bishopianus* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plectranthus bourneae* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plectranthus caninus* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plectranthus coleoides* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plectranthus deccanicus* Briq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plectranthus malabaricus* (Benth.) Willemse and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plectranthus mollis* (Ait.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plectranthus rivularis* Wight ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plectranthus rotundifolius* (Poir.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plectranthus scutellarioides* (L.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plectranthus stocksii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plectranthus subincisus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plectranthus urticifolius* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plectranthus vettiveroides* (Jacob) Singh & Sharma and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pogostemon atropurpureus* Benth. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pogostemon auricularius* (L.) Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pogostemon benghalensis* (Burm.f.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pogostemon cablin* (Blanco) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pogostemon gardneri* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pogostemon hedgei* V.S. Kumar & B. Sharma and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pogostemon heyneanus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pogostemon mollis* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pogostemon myosuroides* (Roth) El Gazzar & L. Watson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pogostemon nilagiricus* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pogostemon paludosus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pogostemon paniculatus* (Willd.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pogostemon pubescens* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pogostemon purpurascens* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pogostemon rotundatus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pogostemon rugosus* (Hook.f.) El Gazzar & L. Watson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pogostemon speciosus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pogostemon wightii* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Prunella vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rosmarinus officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Salvia coccinea* Buc'hoz ex Etlinger and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Salvia farinacea* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Salvia grahamii* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Salvia involucrata* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Salvia leucantha* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Salvia microphylla* Kunth var. *neurepia* (Fernald) Epling and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Salvia officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Salvia patens* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Salvia rutilans* Carr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Salvia splendens* Sell. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Salvia uliginosa* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Salvia verbenacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Satureja umbrosa* (Bieb.) Scheele and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scutellaria colebrookiana* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scutellaria rivularis* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scutellaria violacea* Heyne ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scutellaria wightiana* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tetradenia riparia* (Hochst.) Codd and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Teucrium fruticans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Teucrium plectranthoides* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Teucrium tomentosum* Heyne ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Teucrium wightii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Thymus vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plantago afra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plantago erosa* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plantago exigua* Juss.ex Murr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plantago lanceolata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plantago ovata* Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Commicarpus chinensis* (L.) Heimerl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Boerhavia crispa* Heyne ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Wild Boerhavia diffusa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Boerhavia erecta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Boerhavia helenae* Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bougainvillea glabra* Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bougainvillea spectabilis* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mirabilis jalapa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mirabilis longiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pisonia aculeata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pisonia grandis* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Achyranthes aspera* L. var. *aspera* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Achyranthes aspera* L. var. *porphyristachya* (Wall. ex Moq.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Achyranthes aspera* L. var. *rubro-fusca* (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Achyranthes bidentata* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aerva lanata* (L.) Juss. ex Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aerva persica* (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aerva sanguinolenta* (L.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aerva wightii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Allmania nodiflora* (L.) R. Br. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alternanthera paronychioides* A.St. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alternanthera philoxeroides* (C. Martiu) Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alternanthera pungens* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alternanthera sessilis* (L.) R.Br. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alternanthera tenella* Colla. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alternanthera tenella* Colla. var. *bettzickiana* (Regel) Veldkamp and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amaranthus blitum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amaranthus caudatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amaranthus graecizans* subsp. *thelProstateianus* (Nevski) Gusev. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amaranthus hybridus* L. subsp. *cruentus* (L.) Thell. var. *paniculatus* (L.) Thell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amaranthus spinosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amaranthus tricolor* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amaranthus viridis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Celosia argentea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Celosia cristata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Celosia polygonoides* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Celosia pulchella* Moq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyathula prostrata* (L.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Digera muricata* (L.) Mart. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gomphrena globosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gomphrena serrata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Indobanalia thyrsoflora* (Moq.) Henry & Roy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Iresine herbastii* Hook.f. ex Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nothosaerva brachiata* (L.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Psilotrichum elliotii* Baker & Clarke and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Psilotrichum nudum* (Heyne ex Wall.) Moq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pupalia lappacea* (L.) Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trichuriella monsoniae* (L.f.) Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arthrocnemum glaucum* (Del.) Ung.-Sternb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arthrocnemum indicum* (Willd.) Moq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Atriplex repens* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Atriplex stockesii* Boiss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Beta vulgaris* L. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chenopodium album* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chenopodium ambrosioides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chenopodium carinatum* R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chenopodium giganteum* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chenopodium murale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chenopodium pumilo* R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Haloxylon recurvum* (Moq.) Bunge and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Kochia indica* Wight. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Salicornia brachiata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Spinacia oleracea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Suaeda maritima* (L.) Dumort. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Suaeda monoica* Forssk. ex Gmel. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Suaeda vermiculata* Forssk. ex J.F.Gmel. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Basella rubra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ercilla spicata* Moq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Petiveria alliacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phytolacca dioica* L. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phytolacca octandra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rivina humilis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Antigonon leptopus* Hook. & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Coccoloba uvifera* (L.) L. Syst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Emex spinosus* (L.) Campdera and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fagopyrum esculentum* Moench and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Muehlenbeckia gracillima* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Muehlenbeckia platyclada* (F.v. Muell. ex Hook.) Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Persicaria attenuata* (R.Br.) Sojak subsp. *pulchra* (Blume) K.L.Wilson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Persicaria barbata* (L.) Hara var. *gracilis* (Danser) H.Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Persicaria barbata* (L.) Hara var. *stagnina* (Buch.-Ham. ex Meisn.) S.K.Dixit B.Datt & G.P.Roy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Persicaria capitata* (Buch.-Ham. ex D.Don) H.Gross and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Persicaria chinensis* (L.) H.Gross and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Persicaria dichotoma* (Blume) S.K.Dixit B.Datt & G.P.Roy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Persicaria hydropiper* (L.) Spach var. *hydropiper* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Persicaria hydropiper* (L.) Spach subsp.

flaccida (Meisn.) Munshi & Javeid and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Persicaria lapathifolia* (L.) Gray var. *lanigera* (R.Br.) Chantar. & Tubtimtong and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Persicaria nepalensis* (Meisn.) H.Gross and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Persicaria peduncularis* (Meissner) Nemato and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygonum dichotomum* Blume var. *angustissima* (Hook.f.) Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygonum dichotomum* Blume var. *nilagirica* (Hook.f.) Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygonum dichotomum* Blume var. *robusta* (Hook.f.) Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygonum glabrum* Willd. var. *glabrum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygonum glabrum* Willd. var. *scabrinervis* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygonum minus* Huds. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygonum molle* D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygonum orientale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygonum plebeium* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygonum sphaerocephalum* Wall.ex Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rheum rhaponticum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rumex acetosella* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rumex crispus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rumex maritimus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rumex nepalensis* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rumex vesicarius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dalzellia zeylanica* (Gard.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Farmeria indica* Willis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Indotristicha ramosissima* (Wight) Royen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Indotristicha tirunelveliana* Sharma, Karthik. & Shetty and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Podostemon barberi* Willis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Podostemon subulatus* Gard. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polypleurum dichotomum* (Gard.) Hall and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polypleurum stylosum* (Wight) Hall and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Willisia selaginoides* (Bedd.) Warm. ex Willis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zeylanidium lichenoides* (Kurz) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zeylanidium olivaceum* (Gard.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aristolochia bracteolata* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aristolochia cymbifera* Mart. & Zucc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aristolochia grandiflora* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aristolochia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aristolochia ringens* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aristolochia tagala* Cham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Thottea barberi* (Gamble) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Thottea siliquosa* (Lam.) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lepianthes umbellata* (L.) Rafin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Peperomia blKalam* (Jacq.) Kunth var. *floribunda* (Miq.) Huber and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Peperomia heyneana* Miq. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Peperomia pellucida* (L.) H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Peperomia candolleana* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Peperomia tetraphylla* (Forst.f.) Hook. & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Peperomia pseudo - rhombi* C. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Peperomia wightiana* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Piper argyrophyllum* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Piper barberi* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Piper betle* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Piper galeatum* C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Piper glaberrima* C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Piper hapnium* Buch.-Ham. ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Piper hymenophyllum* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Piper longum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Piper mullesia* Buch.-Ham. ex D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Piper nigrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Piper obtusifolium* C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Piper ootacamunbense* C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Piper opacilimum* C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Piper ovatostemon* C.DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Piper pykarahense* C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Piper schmidtii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Piper trichostachyon* (Miq.) C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Piper trioicum* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Piper wightii* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sarcandra chloranthoides* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Knema attenuata* (Wall. ex Hook.f.&

Thoms.) Warb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Myristica dactyloides* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Myristica fatua* Houtt. var. *magnifica* (Bedd.) Sinclair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Myristica fragrans* Houtt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Actinodaphne bourdillonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Actinodaphne bourneae* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Actinodaphne campanulata* Hook.f. var. *campanulata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Actinodaphne campanulata* Hook.f. var. *obtusata* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Actinodaphne lanata* Meisner and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Actinodaphne lawsonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Actinodaphne maderaspatana* Bedd. ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Actinodaphne malabarica* Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Actinodaphne salicina* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Actinodaphne tadulingamii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alseodaphne semecarpifolia* Nees var. *semecarpifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alseodaphne semecarpifolia* Nees var. *angustifolia* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alseodaphne semecarpifolia* Nees var. *parvifolia* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Apollonias arnottii* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Beilschmiedia bourdillonii* Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Beilschmiedia gammieana* King ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Beilschmiedia wightii* (Nees) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cassytha capillaris* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cassytha filiformis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cinnamomum bejolghota* (Buch. - Ham.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cinnamomum camphora* (L.) Presl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cinnamomum filipedicellatum* Kosterm and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cinnamomum keralaense* Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cinnamomum macrocarpum* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cinnamomum malabatum* (Burm.f.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cinnamomum multiflorum* (Roxb.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cinnamomum nitidum* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cinnamomum perrottetii* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cinnamomum riparium* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cinnamomum sulphuratum* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cinnamomum travancoricum* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cinnamomum verum* Presl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cinnamomum walaiwarensense* Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cinnamomum wightii* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cryptocarya anamalayana* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cryptocarya beddomei* Gamble and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cryptocarya bourdillonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cryptocarya lawsonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cryptocarya neilgherrensis* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cryptocarya stocksii* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Laurus nobilis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Litsea beddomei* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Litsea bourdillonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Litsea coriacea* (Heyne ex Meisner) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Litsea deccanensis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Litsea floribunda* (Blume) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Litsea glabrata* (Wall. ex Nees) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Litsea glutinosa* (Lour.) C. Robinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Litsea hookeriana* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Litsea insignis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Litsea laevigata* (Nees) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Litsea monopetala* (Roxb.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Litsea nigrescens* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Litsea oleoides* (Meisner) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Litsea quinqueflora* (Dennst.) Suresh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Litsea stocksii* (Meisner) Hook.f. var. *stocksii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Litsea stocksii* (Meisner) Hook.f. var. *glabrescens* (Meisner) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Litsea travancorica* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Litsea venulosa* (Meisner) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Litsea wightiana* (Nees) Hook.f. var. *wightiana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Litsea wightiana* (Nees) Hook.f. var. *tomentosa* (Meisner) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Neolitsea cassia* (L.) Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Neolitsea fischeri* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Neolitsea foliosa* (Nees) Gamble var. *caesia* (Meisner) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Neolitsea scrobiculata* (Meisner) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Persea americana* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Persea macrantha* (Nees) Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phoebe lanceolata* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phoebe paniculata* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phoebe wightii* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gyrocarpus asiaticus* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Banksia marginata* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Grevillea banksii* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Grevillea bipinnatifida* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Grevillea hilliana* F.v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Grevillea punicea* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Grevillea robusta* A. Cunn. ex R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hakea laurina* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hakea salicifolia* (Vent.) Burt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hakea sericea* Schrader and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Helicia nilagirica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Helicia robusta* (Roxb.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leucadendron argenteum* (L.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Macadamia ternifolia* F.v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Petrophile pulchella* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stenocarpus salignus* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gnidia glauca* (Fresen.) Gilg var. *glauca* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gnidia glauca* (Fresen.) Gilg var. *sisparensis* (Gard.) Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gyrinops walla* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ovidia humboldtia* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Wikstroemia indica* (L.) C. Meyer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Elaeagnus conferta* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Elaeagnus indica* Servettaz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Elaeagnus kologa* Schlecht. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dendrophthoe falcata* (L.f.) Etting. var. *falcata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dendrophthoe falcata* (L.f.) Etting. var. *pubescens* (Hook.f.) Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dendrophthoe memecylifolia* (Wight & Arn.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dendrophthoe neelgherrensis* (Wight & Arn.) Tieghem and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dendrophthoe sarcophylla* (Wight & Arn.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dendrophthoe trigona* (Wight & Arn.) Danser ex Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Helicanthus elastica* (Desr.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Helixanthera hookeriana* (Wight & Arn.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Helixanthera intermedia* (Wight) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Helixanthera lepidophylla* (Walp.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Helixanthera obtusata* (Schultes) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Helixanthera wallichiana* (Schultes) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Macrosolen capitellatus* (Wight & Arn.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Macrosolen parasiticus* (L.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scurrula cordifolia* (Wall.) G. Don and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scurrula parasitica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Taxillus courtallensis* (Gamble) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Taxillus cuneatus* (Heyne ex Roth) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Taxillus heyneanus* (Schultes) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Taxillus recurvus* (Wall. ex DC.) Tieghem and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Taxillus sclerophyllus* (Thw.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Taxillus tomentosus* (Heyne ex Roth) Tieghem and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Korthalsella japonica* (Thunb.) Engler and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Viscum angulatum* Heyne ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Viscum articulatum* Burm.f. var. *articulatum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Viscum articulatum* Burm.f. var. *dichotomum* Kurz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Viscum articulatum* Burm.f. var. *thelocarpum* (Danser) R. Rao and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Viscum capitellatum* J.E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Viscum heyneanum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Viscum monoicum* Roxb.ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Viscum orientale* Willd. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Viscum ramosissimum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Viscum trilobatum* Talbot and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Osyris quadripartita* Salzm. ex Decne. var. *quadripartita* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Osyris quadripartita* Salzm. ex Decne. var. *puberula* (Hook.f.) Kumari

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Santalum album* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scleropyrum pentandrum* (Dennst.) Mabblerley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Thesium wightianum* Wall. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Balanophora fungosa* J.R. & G. Forst. subsp. *indica* (Arn.) Hansen var. *indica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Balanophora fungosa* J.R. & G. Forst. subsp. *indica* (Arn.) Hansen var. *minor* (Eichl.) Hansen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Balanophora fungosa* J.R. & G. Forst. subsp. *indica* (Arn.) Hansen var. *agastyamalayana* Viswanathan Prem Kumar & Ramesh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Balanophora fungosa* J.R. & G. Forst. subsp. *indica* (Arn.) Hansen var. *tirunelveli*ensis Viswanathan Prem Kumar & Ramesh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acalypha alnifolia* Klein ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acalypha brachystachya* Hornem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acalypha ciliata* Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acalypha fruticosa* Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acalypha hispida* Burm.f. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acalypha indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acalypha lanceolata* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acalypha malabarica* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acalypha racemosa* Heyne ex Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acalypha amentacea* Roxb. subsp. *wilkesiana* (Muell.Arg.) Fosberg and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Actephila excelsa* (Dalz.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Agrostistachys borneensis* Becc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Agrostistachys indica* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aleurites moluccana* (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Antidesma acidum* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Antidesma alexiteria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Antidesma buniis* (L.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Antidesma ghaesembilla* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Antidesma menasu* (Tul.) Miq. ex Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Antidesma walkeri* (Tul.) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aporosa acuminata* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aporosa fusiformis* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aporosa lindleyana* (Wight) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Baccaurea courtallensis* (Wight) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Baliospermum montanum* (Willd.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bischofia javanica* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Blachia calycina* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Blachia reflexa* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Blachia umbellata* (Willd.) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Breynia retusa* (Dennst.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Breynia vitis-idaea* (Burm.f.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bridelia cinerascens* Gehrm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bridelia crenulata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bridelia retusa* (L.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bridelia scandens* (Roxb.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chrozophora prostrata* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chrozophora rottleri* (Geiseler) Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Claoxylon anomalum* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Claoxylon wightii* Hook.f. var. *angustatum* Susila et Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Claoxylon wightii* Hook.f. var. *hirsutum* (Hook.f.) Sushila et Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cleidion spiciflorum* (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cleistanthus collinus* (Roxb.) Benth. ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cleistanthus patulus* (Roxb.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cleistanthus travancorensis* Jablonszky and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Codiaeum variegatum* (L.) Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Coelodepas calycinum* Bedd. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Croton bonplandianum* Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Croton caudatus* Geiseler var. *caudatus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Croton caudatus* Geiseler var. *obovoides* Balakr. & Chakrab. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Croton hirtus* L'Herit and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Croton klotzchianus* (Wight) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Croton laccifer* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Croton malabaricus* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Croton oblongifolius* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Croton tiglium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Croton zeylanicus* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dalechampia indica* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dalechampia scandens* L. var. *velutina* (Wight) Mull. Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dimorphocalyx beddomei* (Benth.) Airy Shaw and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dimorphocalyx glabellus* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dimorphocalyx lawianus* (Muell.-Arg.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Drypetes elata* (Bedd.) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Drypetes longifolia* (Blume) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Drypetes malabarica* (Bedd.) Airy Shaw

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Drypetes porteri* (Gamble) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Drypetes roxburghii* (Wall.) Hurusawa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Drypetes sepiaria* (Wight & Arn.) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Drypetes venusta* (Wight) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Drypetes wightii* (Hook.f.) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Epiprinus mallotiformis* (Muell.-Arg.) Croizat and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia agowensis* Hochst. ex Boiss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia antiquorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia balakrishnanii* Binojk. & Gopalan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia barnhartii* Croizat and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia chamaesyce* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia corrigioloides* Boiss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia cotinifolia* L. subsp. *cotinoides* (Miq.) Christenh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia cristata* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia cyathophora* Murr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia dracunculoides* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia heterophylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia helioscopia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia heyneana* Spreng. subsp. *heyneana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia heyneana* Spreng. subsp. *nilagirica* (Miq.) Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia hirta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia indica* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia laciniata* Panigrahi and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia longistyla* Boiss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia neriifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia milii* Des and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia nivulia* Buch.-Ham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia pulcherrima* Willd.ex Klotzsch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia pycnostegia* Boiss. var. *zornioides* (Boiss.) Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia rosea* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia rothiana* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia santapau* Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia serpens* H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia thymifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia tirucalli* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia trigona* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia tortilis* Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia vajravelui* Binojk. & Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Excoecaria agallocha* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Excoecaria cochinchinensis* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Excoecaria crenulata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Excoecaria robusta* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fahrenheitia zeylanica* (Thw.) Airy Shaw and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Flueggea leucopyrus* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Flueggea virosa* (Willd) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Givotia rottleriformis* Griff. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Glochidion arboreum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Glochidion balakrishnanii* G.J. Jothi, V.S. Manickam, V. Sundaresan & M. Josphine Mary and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Glochidion bourdillonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Glochidion candolleianum* (Wight & Arn.) Chakrab. & Gangop and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Glochidion ellipticum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Glochidion fagifolium* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Glochidion malabaricum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Glochidion neilgherrense* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Glochidion pauciflorum* Gamble and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Glochidion tomentosum* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Glochidion velutinum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Glochidion zeylanicum* (Gaertn.) Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hevea brasiliensis* (Willd. ex Juss.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Homonoia retusa* (Graham ex Wight) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Homonoia riparia* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hura crepitans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jatropha curcas* L. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jatropha glandulifera* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jatropha gossypifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jatropha heynei* Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jatropha integerrima* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jatropha maheshwarii* Subram. & Nayar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jatropha multifida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jatropha tanjorensis* Ellis & Saroja and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jatropha villosa* Wight var. *villosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jatropha villosa* Wight var. *ramnadensis* Ramam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Macaranga flexuosa* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Macaranga indica* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Macaranga peltata* (Roxb.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mallotus atrovirens* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mallotus aureo-punctatus* (Dalz.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mallotus beddomei* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mallotus distans* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mallotus philippensis* (Lam.) Muell.-Arg. var. *philippensis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mallotus philippensis* (Lam.) Muell.-Arg. var. *tomentosus* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mallotus repandus* (Willd.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mallotus resinosa* (Blanco) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mallotus rhamnifolius* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mallotus stenanthus* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mallotus subramanyamii* Ellis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mallotus tetracoccus* (Roxb.) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Manihot esculenta* Crantz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Manihot glaziovii* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Margaritaria indica* (Dalz.) Airy Shaw and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Meineckia longipes* (Wight) Webster and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Meineckia parvifolia* (Wight) Webster and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Micrococca beddomei* (Hook.f.) Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Micrococca mercurialis* (L.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Micrococca wightii* (Hook.f.) prain var. *wightii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Micrococca wightii* (Hook.f.) prain var. *hirsutum* (Hook.f.) Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mischodon zeylanicus* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Paracroton integrifolius* (Airy Shaw) Balakr. & Chakrab and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pedilanthus tithymaloides* (L.) Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phyllanthus acidus* (L.) Skeels and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phyllanthus amarus* Schum. & Thonn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phyllanthus baillonianus* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phyllanthus beddomei* (Gamble) Mohanan

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phyllanthus chandrasei* Govaerts & Radcl. - Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phyllanthus debilis* Klein ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phyllanthus emblica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phyllanthus fimbriatus* (Wight) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phyllanthus gageana* (Gamble) Mohanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phyllanthus gardnerianus* (Wight) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phyllanthus indofischeri* Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phyllanthus kozhikodianus* Sivar. &

Manilal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phyllanthus lawii* Graham ex Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phyllanthus leschenaultii* Muell. Arg., and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phyllanthus longiflorus* Heyne ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phyllanthus macraei* Muell.-Arg. var. *macraei* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phyllanthus macraei* Muell.-Arg. var. *hispidus* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phyllanthus macrocalyx* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phyllanthus maderaspatensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phyllanthus megacarpa* (Gamble) Kumari & Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phyllanthus myrtifolius* Moon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phyllanthus pinnatus* (Wight) Webster and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phyllanthus polyphyllus* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phyllanthus reticulatus* Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phyllanthus rheedii* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phyllanthus rotundifolius* Klein ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phyllanthus singampattiana* (Sebastine & Henry) Kumari & Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phyllanthus speciosus* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phyllanthus urinaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phyllanthus virgatus* Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pseudoglochidion anamalayanum* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ricinus communis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sapium insigne* (Royle) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sapium sebiferum* (Michaux) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sauropus androgynus* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sauropus bacciformis* (L.) Airy Shaw and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sauropus quadrangularis* (Willd.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sebastiania chamaelea* (L.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Suregada lanceolata* (Willd.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Synadenium grantii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tragia bicolor* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tragia involucrata* L. var. *involucrata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tragia involucrata* L. var. *angustifolia* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tragia muelleriana* Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tragia plukenetii* R. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trewia nudiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trewia polycarpa* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trigonostemon nemoralis* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vernicia montana* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Daphniphyllum neilgherrense* (Wight) K. Rosenth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Buxus sempervirens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sarcococca brevifolia* (Muell.-Arg.) Stapf ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sarcococca saligna* (D. Don.) Muell. Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Boehmeria glomerulifera* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Boehmeria macrophylla* Hornem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Boehmeria nivea* (L.) Gaudich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chamabaina cuspidata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Debregeasia ceylanica* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Debregeasia longifolia* (Burm.f.) Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Debregeasia wallichiana* (Wedd.) Wedd.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dendrocnide sinuata* (Blume) Chew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Droguetia iners* (Forssk.) Schweinf. subsp. *urticoides* (Wight) Friis & Wilmot- Dear and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Elatostema acuminatum* (Poir.) Brongn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Elatostema cuneatum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Elatostema lineolatum* Wight var. *lineolatum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Elatostema lineolatum* Wight var. *falcigera* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Elatostema lineolatum* Wight var. *linearis* Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Elatostema lineolatum* Wight var. *setosum* Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Elatostema sessile* Forst. var. *sessile* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Elatostema sessile* Forst. var. *cuspidata* (Wight) Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Elatostema sessile* Forst. var. *pubescens* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Elatostema surculosum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Elatostema wightii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Girardinia diversifolia* (Link) Friis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Laportea bulbifera* (Sieb. & Zucc.) Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Laportea interrupta* (L.) Chew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lecanthus peduncularis* (Wall. ex Royle) Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oreocnide frutescens* (Thunb.) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oreocnide integrifolia* (Gaudich.) Miq. var. *integrifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oreocnide integrifolia* (Gaudich.) Miq. var. *sylvatica* (Hassk.) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Parietaria micrantha* Ledeb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pellionia heyneana* Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pilea angulata* (Blume) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pilea kingii* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pilea melastomoides* (Poir.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pilea microphylla* (L.) Liebm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pilea wightii* Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pouzolzia auriculata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pouzolzia bennettiana* Wight var. *bennettiana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pouzolzia bennettiana* Wight var. *acuta* (Wight) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pouzolzia bennettiana* Wight var. *gardneri* (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pouzolzia bennettiana* Wight var. *macrophylla* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pouzolzia bennettiana* Wight var. *mysorensis* (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pouzolzia bennettiana* Wight var. *ovalifolia* (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pouzolzia bennettiana* Wight var. *quadrialata* (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pouzolzia bennettiana* Wight var. *tomentosa* (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pouzolzia cymosa* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pouzolzia hirta* (Blume) Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pouzolzia pentandra* (Roxb.) Benn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pouzolzia wightii* Benn. var. *wightii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pouzolzia wightii* Benn. var. *caudata* (Benn.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pouzolzia wightii* Benn. var. *lawsoniana* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pouzolzia wightii* Benn. var. *nilghirensis* (Wight) Hook.f and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pouzolzia wightii* Benn. var. *scabra* (Wight) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pouzolzia wightii* Benn. var. *wallichiana* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pouzolzia zeylanica* (L.) Benn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Procris crenata* Robinson and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Urtica hyperborea* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Urtica parviflora* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aphananthe cuspidata* (Blume) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Celtis australis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Celtis philippensis* Blanco var. *wightii* (Planch.) Soep. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Celtis tetrandra* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Celtis timorensis* Spanoghe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Holoptelea integrifolia* (Roxb.) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trema orientalis* (L.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cannabis sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Antiaris toxicaria* (Pers.) Lesch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Artocarpus incisus* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Artocarpus gomezianus* Wall. ex Trec. subsp. *zeylanicus* Jarrett and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Artocarpus heterophyllus* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Artocarpus hirsutus* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Broussonetia papyrifera* Vent. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cudrania cochinchinensis* (Lour.) Kudo &

Masamune and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dorstenia indica* Wall. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus albipila* (Miq.) King and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus amplissima* J.E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus amplocarpa* Govindarajulu & Masilamoney and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus angladei* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus arnottiana* (Miq.) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus auriculata* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus beddomei* King and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus benghalensis* L. var. *benghalensis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus benghalensis* L. var. *krishnae* C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus benjamina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus callosa* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus carica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus dalhousiae* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus drupacea* Thunb. var. *pubescens* (Roth) Corner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus elastica* Roxb. ex Hornem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus exasperata* Vahl and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus glaberrima* Blume var. *bracteata* Corner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus guttata* (Wight) Kurz ex King and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus heterophylla* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus hispida* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus hookeriana* Corner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus laevis* Blume var. *macrocarpa* (Miq.) Corner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus microcarpa* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus mollis* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus nervosa* Heyne ex Roth var. *nervosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus nervosa* Roth var. *minor* King and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus palmata* Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus pumila* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus racemosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus religiosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus talbotii* King and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus tinctoria* Forst.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus tsjahela* Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus virens* Ait. var. *virens* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus virens* Ait. var. *lambertiana* (Miq.) Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus virens* Ait. var. *wightiana* (Miq.) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Morus alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Morus australis* Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Morus nigra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plecosperrum spinosum* Trec. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Streblus asper* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Streblus taxoides* (Heyne ex Roth) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Platanus orientalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Juglans regia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Casuarina glauca* Sieber. ex A.Dc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Casuarina equisetifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Casuarina junghuhniana* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Casuarina stricta* Dryand. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Casuarina suberosa* Otto & Dietr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Casuarina torulosa* Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alnus nepalensis* D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Betula alnoides* Buch.-Ham. ex D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Castanea crenata* Sieb. & Zucc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Castanea sativa* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Castanopsis indica* (Roxb.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Castanopsis roxburghiana* S.N. Biswas and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fagus sylvatica* L. var. *sylvatica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fagus sylvatica* L. var. *cuprea* Loud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Quercus baloot* Griff. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Quercus coccifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Quercus leucotrichophora* A. Camus ex Bahadur and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Quercus robur* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Quercus serrata* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Salix babylonica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Salix tetrasperma* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ceratophyllum demersum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Blyxa aubertii* Rich. var. *echinosperma* (Clarke) Cook & Luond and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Blyxa octandra* (Roxb.) Planch ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Enhalus acoroides* (L. f.) Royle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Halophila beccarii* Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Halophila decipiens* Ostenf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Halophila ovalis* (R. Br.) Hook.f. subsp. *ovalis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Halophila ovalis* (R. Br.) Hook.f. subsp. *ramamurthiana* Ravikumar & Ganesan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Halophila ovata* Gaudich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Halophila stipulacea* (Forssk.) Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hydrilla verticillata* (L. f.) Royle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nechamandra alternifolia* (Roxb.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ottelia alismoides* (L.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Thalassia hemprichii* (Ehrenb.) Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vallisneria natans* (Lour.) Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Burmattia candelabrum* Gagnep. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Burmattia coelestis* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Burmattia wallichii* (Miers) Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acampe praemorsa* (Roxb.) Blatter & McCann and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acanthephippium bicolor* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aenhenrya rotundifolia* (Blatter) Sathish & Rasmussen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aerides crispa* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aerides maculosum* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aerides ringens* (Lindl.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anoectochilus elatus* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anoectochilus rotundifolius* (Blatter) Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aphyllorchis montana* Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arundina graminifolia* (D. Don) Hochr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Brachycorythis iantha* (Wight) Summerh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Brachycorythis splendida* Summerh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bulbophyllum acutiflorum* A. Rich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bulbophyllum albidum* (Wight) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bulbophyllum aureum* (Hook. f.) J. J. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bulbophyllum elegantulum* (Rolfe) J. J.

Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bulbophyllum fischeri* Seidenfaden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bulbophyllum fuscopurpureum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bulbophyllum kaitiense* Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bulbophyllum sterile* (Lam) Suresh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bulbophyllum tremulum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bulbophyllum xylophyllum* Par. & Reichb. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Calanthe sylvatica* (Thouars) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Calanthe triplicata* (Willem.) Ames and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Calanthe vestita* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cheirostylis flabellata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cheirostylis parvifolia* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chiloschista fasciata* (F. Muell.) Seidenf. & Ormerod and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chrysoglossum hallbergii* Blatter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chrysoglossum maculatum* (Thw.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Coelogyne breviscapa* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Coelogyne glandulosa* Lindl. var. *glandulosa* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Coelogyne glandulosa* Lindl. var. *bournei* Das & Jain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Coelogyne glandulosa* Lindl. var. *sathyanarayanae* Das & Jain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Coelogyne mossiae* Rolfe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Coelogyne nervosa* A. Rich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Coelogyne odoratissima* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Coelogyne ovalis* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Coelogyne prolifera* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Coelogyne uniflora* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Corymborkis veratrifolia* (Reinw.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cottonia peduncularis* (Lindl.) Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crepidium purpureum* (Lindl.) Szlach and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cymbidium aloifolium* (L.) Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cymbidium bicolor* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cymbidium ensifolium* (L.) Sw. var. *haematodes* (Lindley) D. Du Put & P. Cribb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dendrobium anamalayanum* Chandrabose, Chandrasekaran & N. C. Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dendrobium aqueum* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dendrobium barbatulum* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dendrobium diodon* Reichb.f. subsp. *kodayarensis* Gopalan & A.N. Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dendrobium haemoglossum* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dendrobium herbaceum* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dendrobium heterocarpum* Wall. ex Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dendrobium heyneanum* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dendrobium macrostachyum* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dendrobium microbulbon* A. Rich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dendrobium nanum* Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dendrobium nutantiflorum* Hawkes & Heller and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dendrobium wightii* A. Hawkers & A. H. Heller and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dendrobium panduratum* Lindl. subsp. *villosum* Gopalan & Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Didymoplexis pallens* Griff. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Diplocentrum congestum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Diplocentrum recurvum* Lindl. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Disperis neilgherrensis* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Epidendrum radicans* Pav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Epipactis veratrifolia* Boiss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Epipogium roseum* (D. Don) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eria albiflora* Rolfe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eria dalzellii* (Hook. ex Dalz) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eria microchilos* (Dalz.) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eria mysorensis* Lindl. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eria nana* A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eria pauciflora* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eria polystachya* A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eria pseudoclavicaulis* Blatter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eria reticosa* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eulophia cullenii* (Wight) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eulophia epidendreae* (Koen.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eulophia graminea* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eulophia pulchra* (Thouars) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eulophia pratensis* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eulophia spectabilis* (Dennst.) Suresh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Flickingeria nodosa* (Dalz.) Seidenfaden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gastrochilus acaulis* (Lindl.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gastrochilus calceolaris* (Buch.- Ham. ex J. E. Smith) D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Geodorum densiflorum* (Lam.) Schlte and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Goodyera fumata* Thwaites and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Goodyera procera* (Ker-Gawl) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Habenaria acuminata* (Thw.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Habenaria barnesii* Summerh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Habenaria cephalotes* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Habenaria crassifolia* A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Habenaria crinifera* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Habenaria decipens* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Habenaria denticulata* Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Habenaria digitata* Lindl. var. *digitata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Habenaria digitata* Lindl. var. *foliosa* (A. Rich) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Habenaria digitata* Lindl. var. *travancorica* (Hook. f.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Habenaria elliptica* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Habenaria elwesii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Habenaria furcifera* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Habenaria grandifloriformis* Blatter & McCann and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Habenaria heyneana* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Habenaria hollandiana* Sant. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Habenaria longicorniculata* Granham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Habenaria longicornu* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Habenaria macrostachya* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Habenaria marginata* Coleb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Habenaria multicaudata* Sedgw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Habenaria ovalifolia* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Habenaria pallideviridis* Seidenf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Habenaria perrottetiana* A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Habenaria plantaginea* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Habenaria polyodon* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Habenaria rariflora* A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Habenaria richardiana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Habenaria roxburghii* Nicolson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Habenaria virens* (Lindl.) Abeyw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Habenaria viridiflora* (Rottl. Ex Sw.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hetaeria ovalifolia* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Kingidium deliciosum* (Reichb.f.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Liparis atropurpurea* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Liparis beddomei* Ridley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Liparis biloba* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Liparis caespitosa* (Thouars) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Liparis duthiei* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Liparis elliptica* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Liparis nervosa* (Sw.) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Liparis platyphylla* Ridley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Liparis prazeri* King & Pantl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Liparis resupinata* Ridley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Liparis viridiflora* (Blume) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Liparis walkeriae* Graham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Liparis wightiana* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Luisia birchea* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Luisia zeylanica* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Malleola gracilis* (Lindl.) Schltr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nervilia aragoana* Gaudich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nervilia carinata* (Roxb.) Schltr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nervilia plicata* (Andr.) Schltr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nervilia prainiana* (Ling & Prantl) Seidenfaden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oberonia anamalayana* Joseph and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oberonia balakrishnanii* R. Ansari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oberonia brunoniana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oberonia ensiformis* (J. E. Smith) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oberonia iridifolia* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oberonia platycaulon* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oberonia proudlockii* King & Pantl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oberonia santapau* Kapadia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oberonia sebastiana* Shetty & Vivek and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oberonia seidenfadeniana* Joseph & Vajravelu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oberonia tenuis* Lindl. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oberonia verticillata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oberonia wightiana* Lindl. var. *wightiana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oberonia wightiana* Lindl. var. *arnottiana* (Wight) R. Ansari N. C. Nair & V. J. Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oberonia wightiana* Lindl. var. *nilgiriensis* R. Ansari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oberonia zeylanica* Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pachystoma senile* (Lindl.) Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Paphiopedilum druryi* (Bedd.) Pfitz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Papilionanthe cylindrica* (Lindl.) Seidenf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pecteilis gigantea* (J. E. Smith) Rafin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Peristylus aristatus* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Peristylus brachyphyllus* A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Peristylus densus* (Lindl.) Sant. & Kapadia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Peristylus goodyeriodes* (D. Don) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Peristylus lawii* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Peristylus plantagineus* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pholidota recurva* Lindl. (Allelopathically enriched) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Peristylus secundus* (Lindl.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Peristylus spiralis* A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Peristylus stocksii* (Hook. f.) Kraenzl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pholidota pallida* Lindl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Podochilus falcatus* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polystachya concreta* (Jacq.) Garay & Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Porpax jerdoniana* (Wight) Rolfe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Porpax reticulata* Lindl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Proteroceras leopoldianum* (Par. Reichb.f.) Seidenf. & Smitin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhynchosyris retusa* (L.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhynchosyris nodosus* (Rolfe) Garay Hamer & Siegerist and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Robiquetia josephiana* Manilal & Satish Kumar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Satyrium nepalense* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Schoenorchis jerdoniana* (Wight) Garay and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Seidenfadeniella filiformis* (Richb.f.) E.A.Christ & Ormerod and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Seidenfia densiflora* (A. Rich.) Szlach. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Seidenfia intermedia* (A. Rich.) Szlach. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Seidenfia rheedii* (Sw.) Szlach. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Seidenfia versicolor* (Lindley) Marg. & Szlach. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sirhookera lanceolata* (Wight) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sirhookera latifolia* (Wight) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Smithsonia maculata* (Dalz.) Saldanha and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Spathoglottis plicata* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Spiranthes sinensis* (Pers.) Ames var.

sinensis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Spiranthes sinensis* (Pers.) Ames var. *wightiana* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Taeniophyllum alwisii* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tainia bicornis* (Lindl.) Reichb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Thelasis pygmaea* (Griff.) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Thrixspermum muscaeflorum* A. S. Rao & Joseph var. *nilagiricum* Joseph & Vajravelu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trias stocksii* Benth ex Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trichoglottis tenera* (Lindl.) Schltr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tropidia angulosa* (Lindl.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tropidia curculigoides* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *VKalam spathulata* (L.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *VKalam tessellata* (Roxb.) Hook ex. G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *VKalam testaceae* (Lindl.) Reichb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *VKalam wightii* Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vanilla planifolia* Andrews and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vanilla walkeriae* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vanilla wightiana* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zeuxine affinis* (Lindl.) Benth.ex. Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zeuxine gracilis* (Breda) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zeuxine longilabris* (Lindl.) Benth ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alpinia abundiflora* Burt & Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alpinia calcarata* Roscoe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alpinia galanga* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alpinia malaccensis* (Burm.f.) Roscoe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alpinia nigra* (Gaertn.) B. L. Brutt and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alpinia zerumbet* (Pers.) B. L. Burtt & R. M.Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amomum cannicarpum* (Wight) Benth. ex Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amomum hypoleucum* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amomum masticatorium* Thwaites and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amomum muricatum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amomum pterocarpum* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Curcuma amada* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Curcuma aromatica* Salisb. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Curcuma longa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Curcuma montana* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Curcuma neilgherrensis* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Curcuma pseudomontana* Graham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Curcuma zedoaria* (Christm.) Roscoe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Elettaria cardamomum* (L.) Maton var. *cardamomum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Elettaria cardamomum* (L.) Maton var. *major* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Globba marantina* L. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Globba ophioglossa* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedychium coronarium* Koen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedychium flavescens* Carey ex Roscoe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedychium spicatum* Hamilton ex Smith var. *acuminatum* (Roscoe) Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedychium venustum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Kaempferia galanga* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zingiber montanum* (K. D. Koenig) Link ex Dietr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zingiber nimmonii* (J. Graham) Dalzell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zingiber officinale* Roscoe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zingiber roseum* (Roxb.) Roscoe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zingiber wightianum* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zingiber zerumbet* (L.) J. E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Costus pictus* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Costus speciosus* (Koen.) J. E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Maranta arundinacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phrynium pubinerve* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Schumannianthus virgatus* (Roxb.) Rolfe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ensete superbum* (Roxb.) Cheesman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ensete ventricosum* (Welw.) Cheesman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Heliconia psittacorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Musa acuminata* Colla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Musa balbisiana* Colla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Musa parasidiaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ravenala madagascarensis* Sonner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strelitzia reginae* Aiton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Canna indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ananas comosus* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anigozanthos flavidus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Disporum leschenaultianum* D. Don var. *leschenaultianum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Disporum leschenaultianum* D. Don var. *angustifolium* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lilium trigrinum* Ker-Gawl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lilium wallichianum* Schultes & Schultes f. var. *neilgherrense* (Wight) Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ophiopogon intermedius* D. Don var. *intermedius* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ophiopogon intermedius* D. Don var. *gracilipes* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ophiopogon intermedius* D. Don var. *pauciflorus* Hook. f and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Peliosanthes tetra* Andr. subsp. *humilis* (Andr.) Jessop and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aristea ecklonii* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Babiana stricta* (Aiton) Ker Gawl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Babiana villosa* Ker Gawl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crocasmia x crocosmiiflora* (E. Morren) N. E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crocoshia pottsii* (Baker) N. E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dierama pulcherrima* (Hook. F.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eleutherine palmifolia* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Freesia refracta* Klatt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gladiolus natalensis* (Eckl.) Reinw. ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gladiolus primulinus* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Iris germanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Iris japonica* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Iris unguicularis* Poir. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Moraea iridioides* L. Mant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Watsonia borbonica* (Pourr.) Goldblatt subsp. *ardernei* (Sander) Goldblatt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Watsonia rosea* Ker-Gawl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amaryllis belladonna* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crinum asiaticum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crinum viviparum* (Lam.) R. Ansari & V.J. Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crinum latifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crinum moorei* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eucharis x grandiflora* Planch. & Linden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eurycles sylvestris* Salisb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Haemanthus coccineus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Haemanthus matalensis* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hippeastrum x johnsonii* (Hort.) Herb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hippeastrum reginae* Herb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hippeastrum vittatum* (L'Her.) Herb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hymenocallis littoralis* (Jacq.) Salisb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leucojum aestivum* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leucojum pulchellum* Salisb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Narcissus pseudo-narcissus* L. subsp. *moschatus* (L.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Narcissus tazetta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nerine flexuosa* (Jacq.) Herb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nerine undulata* Herbert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pancratium triflorum* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phaedranassa dubia* (Kunth) J. F. Macbr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sprekelia formosissima* Herbert and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stenomesson coccineum* Herbert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zephyranthes carinata* Herbert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zephyranthes grandiflora* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zephyranthes tubispatha* Herbert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Agave americana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Agave angustifolia* Haw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Agave sisalana* Perrine ex Engelm and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Agave vera-cruz* Mill. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cordyline australis* (Forst. F.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Furcraea foetida* (L.) Haw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polianthes tuberosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Yucca gloriosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dianella ensifolia* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phormium tenax* Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dracaena fruticosa* (L.) A. Chev. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dracaena terniflora* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sansevieria roxburghiana* Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sansevieria trifasciata* Hort. ex Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sansevieria thyridiflora* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sansevieria varians* N.E.Br and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sansevieria zeylanica* (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alstroemeria aurea* Graham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bomarea caldasiana* Herbert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bomarea oligantha* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Curculigo orchioidea* Gaertn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hypoxis aurea* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Molineria trichocarpa* (Wight) Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tacca leontopetaloides* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dioscorea alata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dioscorea belophylla* Voigt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dioscorea bulbifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dioscorea esculenta* (Lour.) Burkill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dioscorea hamiltonii* Hook. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dioscorea hispida* Dennst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dioscorea kalkapershadii* Prain & Burkill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dioscorea oppositifolia* L. var. *oppositifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dioscorea oppositifolia* L. var. *dukhumensis* Prain & Burkill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dioscorea pentaphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dioscorea spicata* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dioscorea tomentosa* Koen ex Spreng and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dioscorea wallichii* Hook and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dioscorea wightii* Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trichopus zeylanicus* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stemona tuberosa* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dipcadi montanum* (Dalz.) Baker var. *madrasicum* (Barnes & Fischer) Deb & Dasgupta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eucomis autumnalis* (Miller) Chitt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eucomis punctata* L'Herit. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ornithogalum arabicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ornithogalum conicum* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scilla hyacinthina* (Roth) Mecn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Urginea congesta* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Urginea indica* (Roxb.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Urginea polyantha* Blatter & Mc Cann and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Asphodelus tenuifolius* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aloe vera* (L.) Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Kniphofia uvaria* (L.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Asparagus asiaticus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Asparagus fersonii* Macbr. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Asparagus gonoclados* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Asparagus laevissimus* Steud. ex Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Asparagus officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Asparagus setaceus* (Kunth) Jessop and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Asparagus racemosus* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chlorophytum acaule* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chlorophytum arundinaceum* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chlorophytum attenuatum* (Wight) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chlorophytum heynei* Rottl. ex Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chlorophytum laxum* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chlorophytum malabaricum* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chlorophytum nimmonii* (Graham) Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chlorophytum tuberosum* (Roxb.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gloriosa rothschildiana* O'Brien and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gloriosa superba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Iphigenia indica* (L.) A. Gray ex Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Iphigenia magnifica* Ansari & R. S. Rao and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hemerocallis aurantiaca* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Agapanthus praecox* Willd. var. *orientalis* (F. Leight.) F. Leight. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Agapanthus praecox* Willd. var. *albus* Hort. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Allium cepa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Allium porrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Allium sativum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ruscus aculeatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Smilax aspera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Smilax perfoliata* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Smilax wightii* A. DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Smilax zeylanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eichhornia crassipes* (Mart.) Solms-Laub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Monochoria hastata* (L.) Solms-Laub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Monochoria vaginalis* (Burm. F.) Presl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Xyris capensis* Thunb. var. *schoenoides* (Mart) Nilsson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Xyris pauciflora* Willd. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aclisia secundiflora* (Blume) Bakh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aneilema montana* (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aneilema ovalifolia* (Wight) Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Belosynapsis kewensis* Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Belosynapsis vivipara* (Dalz.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Commelina attenuata* Koen var. Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Commelina benghalensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Commelina clavata* Clarke and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Commelina diffusa* Burm and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Commelina ensifolia* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Commelina erecta* L. var. *erecta* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Commelina erecta* L. var. *glochidea* (Koen.ex Clarke) Bhargavan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Commelina forskalaei* Vahl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Commelina hirsuta* (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Commelina imberbis* Ehrenb. ex Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Commelina indehiscens* Barnes and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Commelina longifolia* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Commelina paleata* Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Commelina paludosa* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Commelina subulata* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Commelina tricolor* Barnes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Commelina wightii* R. Rao and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyanotis adscendens* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyanotis arachnoidea* Clarke var.

arachnoidea and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyanotis arachnoidea* Clarke var. *thwaitesii* (Hassk.) R. Rao & Kammathy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyanotis arcotensis* R. Rao and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyanotis axillaris* (L.) D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyanotis burmanniana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyanotis concanensis* Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyanotis cristata* (L.) D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyanotis cucullata* (Roth) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyanotis fasciculata* (Heyne ex Roth) Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyanotis obtusa* Trimen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyanotis papilionacea* (L.) Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyanotis pilosa* Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyanotis tuberosa* (Roxb.) Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyanotis villosa* (Spreng.) Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyanotis wightii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dictyospermum scaberrimum* (Blumes) Morton ex Hara et al. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Floscopa scandens* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Murdannia dimorpha* (Dalz.) Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Murdannia edulis* (Stokes) Faden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Murdannia esculenta* (Wall ex Clarke) Raizada ex R. Rao & Kammathy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mudannia gigantea* (Vahl.) Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Murdannia glauca* (Thw. ex Clarke) Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Murdannia japonica* (Thunb.) Faden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Murdannia juncooides* (Wight) R. Rao & Kammathy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Murdannia lanceolata* (Wight) Kammathy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Murdannia lanuginosa* (Wall ex Clarke) Beueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Murdannia loriformis* (Hassk.) R. Rao & Kammathy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Murdannia nudiflora* (L.) Brenan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Murdannia pauciflora* Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Murdannia semiteres* (Dalz.) Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Murdannia simplex* (Vahl.) Brenan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Murdannia spirata* (L.) Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Murdannia vaginata* (L.) Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Murdannia zeylanica* (Clarke) Brueckner var. *longiscapa* (Clarke) R. Rao & Kammathy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhoeo discolor* Hance and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Setcreasea purpurea* Boom and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zebrina pendula* Schnitzl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Flagellaria indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Juncus bufonius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Juncus effusus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Juncus inflexus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Juncus leschenaultii* J. Gay and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Luzula indica* Kirschner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Areca catechu* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arenga wightii* Griff. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bentinckia condapanna* Berry ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Borassus flabellifer* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Calamus brandisii* Beccari ex Beccari & Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Calamus gamblei* Beccari ex Becari & Hook. var. *gamblei* and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Calamus gamblei* Beccari ex Beccari & Hook. var. *sphaerocarpa* Beccari ex Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Calamus huegelianus* Mart. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Calamus pseudo-tenuis* Beccari ex Beccari & Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Calamus rheedii* Griff and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Calamus rotang* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Calamus travancoricus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Caryota urens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cocos nucifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Corypha umbraculifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Corypha macropoda* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Livistona chinensis* (Jacq.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Livistona rotundifolia* (Lam.) Mart. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phoenix canariensis* Hort ex Chabaud and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phoenix loureirii* Kunth var. *loureirii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phoenix loureirii* Kunth var. *humilis* (Becc.) S.C. Barrow and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phoenix pusilla* Gaertn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phoenix rupicola* L. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phoenix sylvestris* (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pinanga dicksonii* (Roxb.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhapis excelsa* (Thunb.) A. Henry ex Rehder and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Roystonea regia* (Kunth) O. F. Cook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sabal mauritiiiformis* (Karsten) Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trachycarpus fortunei* (Hook.) Wendl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Washingtonia robusta* Wendl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *PKalamnus amaryllifolius* Roxb. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *PKalamnus canaranus* Warb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *PKalamnus odoratissimus* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *PKalamnus tectorius* Parkinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *PKalamnus thwaitesii* Martelli and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Typha angustifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acorus calamus* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alocasia indica* (Roxb.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amorphophallus paeoniifolius* (Dennst.) Nicolson var. *campanulatus* (Blume ex Decne) Sivadasan and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amorphophallus sylvaticus* (Roxb.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anaphyllum beddomei* Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anaphyllum wightii* Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anthurium spathiphyllum* N. E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arisaema auriculatum* Barnes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arisaema barnesii* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arisaema leschenaultii* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arisaema murrayi* (Graham) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arisaema tortuosum* (Wall.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arisaema translucens* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arisaema tuberculatum* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arisaema tylophorum* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arisaema wightii* Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Caladium bicolor* (Ait.) Vent. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Colocasia esculenta* (L.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cryptocoryne ciliata* (Roxb.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cryptocoryne consobrina* Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cryptocoryne retrospiralis* (Roxb.) Kunth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cryptocoryne spiralis* (Retz.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Epipremnum pinnatum* cv aureum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lagenandra meeboldii* (Engler) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lagenandra toxicaria* Dalz. var. *barnesii* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Monstera deliciosa* Liebm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pistia stratiotes* L. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plesmonium margaritifera* (Roxb.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pothos armatus* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pothos scandens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pothos thomsonianus* Schott. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Remusatia vivipara* (Lodd.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhaphidophora pertusa* (Roxb.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Theriophonum fischeri* Sivadasan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Theriophonum minutum* (Willd.) Baillon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Theriophonum sivaganganum* (Ramam. & Sebastine) Bogner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Xanthosoma sagittifolium* (L.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zantedeschia aethiopica* (L.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lemna gibba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lemna perpusilla* Torrey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Spirodela polyrhiza* (L.) Schleiden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Wolffia globosa* (Roxb.) Hartog & Vander Plas and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hyalisma janthina* Champ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Caldesia parnassiifolia* (L.) Parl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Limnophyton obtusifolium* (L.) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sagittaria guayanensis* H.B.K. subsp *lappula* (D Don) Bogin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sagittaria sagittifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Najas graminea* Del. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Najas indica* (Willd.) Cham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Najas malesiana* Wilde and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Najas marina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Najas minor* All. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ruppia maritima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aponogeton appendiculatus* Bruggen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aponogeton echinatus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aponogeton natans* (L.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aponogeton undulatus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cymodocea rotundata* Ehrenb. & Hempr. ex Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cymodocea serrulata* (R. Br.) Asch. & Magnus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Halodule pinifolia* (Miki) Hartog and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Halodule uninervis* (Forssk.) Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Halodule wrightii* Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Potamogeton crispus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Potamogeton nodosus* Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Potamogeton pectinatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Potamogeton perfoliatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Syringodium isoetifolium* (Asch.) Dandy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eriocaulon brownianum* Martius ex Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eriocaulon cinereum* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eriocaulon conica* (Fyson) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eriocaulon elenorae* Fyson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eriocaulon ensiforme* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eriocaulon leucomelas* Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eriocaulon longicuspis* Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eriocaulon nairii* Chandrabose & Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eriocaulon nepalense* Prescott ex Bongard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eriocaulon odoratum* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eriocaulon panagudianum* Ansari & Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eriocaulon pectinatum* Ruhl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eriocaulon quinquangulare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eriocaulon ramnadense* Ansari & Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eriocaulon richardianum* (Fyson) Ansari & Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eriocaulon ritchieanum* Ruhl. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eriocaulon robusto-brownianum* Ruhland and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eriocaulon robustum* Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eriocaulon talbotii* Ansari & Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eriocaulon thwaitesii* Koern. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eriocaulon truncatum* Buch. - Ham. ex Mart. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eriocaulon xeranthemum* Mart. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ascopholis gamblei* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bulbostylis barbata* (Rottb.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bulbostylis densa* (Wall.) Hand.-Mazz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bulbostylis puberula* (Poir.) Kunth ex C. B. Clarke var. *puberula* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bulbostylis puberula* (Poir.) Kunth ex C. B. Clarke var. *gracilis* C. Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carex baccans* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carex breviculmis* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carex brunnea* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carex christii* Boeckeler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carex eluta* Nelmes and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carex foliosa* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carex filicina* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carex glaucina* Boeckeler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carex hebecarpa* C. Meyer var. *ligulata* (Nees) Kuek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carex lateralis* Kuek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carex lenta* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carex leucantha* Arn. ex Boott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carex lindleyana* Nees var. *lindleyana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carex lindleyana* Nees var. *mercurensis* (Hochst. ex Steud.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carex longicruris* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carex longipes* D. Don var. *longipes* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carex longipes* D. Don var. *dissitiflora* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carex maculata* Boott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carex myosurus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carex nubigena* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carex phacota* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carex pseudoaperta* Boeckeler ex Kuek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carex raphidocarpa* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carex rara* Boott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carex speciosa* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carex vicinalis* Boott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carex walkeri* Arn. ex Boott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carex wallichiana* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carex wightiana* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus alopecuroides* Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus alternifolius* L. subsp. *flabelliformis* (Rottboell) Kukenth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus arenarius* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus articulatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus bulbosus* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus castaneus* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus cephalotes* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus conglomeratus* Rottb. subsp. *pachyrrhizus* (Nees ex Boeck.) T. Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus compressus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus corymbosus* Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus curvibracteatus* Govindarajulu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus cuspidatus* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus difformis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus diffusus* Vahl. var. *diffusus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus diffusus* Vahl. var. *macrostachyus* Boeckeler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus digitatus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus distans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus distans* L. var. *pseudonutans* Kuek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus elatus* L. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus esculentus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus exaltatus* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus halpan* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus imbricatus* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus iria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus laevigatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus latovaginatus* Govindarajulu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus lurida* Govindarajulu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus michelianus* (L.) Link. subsp.

pygmaeus (Rottb.) Asch. & Graebn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus nutans* Vahl var. *nutans* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus natans* Vahl var. *eleusinoides* (Kunth) Haines and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus pangorei* Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus pilosus* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus platyphyllus* Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus platystylis* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus plumbeonucea* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus polyanthelus* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus procerus* Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus pygmaeus* Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus rotundus* L. subsp. *rotundus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus rotundus* L. subsp. *tuberosus* (Rottb.) Kuek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus rubicundus* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus rubriglomosus* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus sesquiflorus* (Torr.) Mattf. & Kuek. var. *cylindricus* (Nees) Kuek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus spachelatus* Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus stoloniferous* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus stricticulmis* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus sulcinus* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus tenuiculmis* Boeckeler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus tenuispica* Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eleocharis acutangula* (Roxb.) Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eleocharis atropurpurea* (Retz.) Presl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eleocharis congesta* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eleocharis dulcis* (Burm.f.) Henschel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eleocharis geniculata* (L.) Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eleocharis retroflexa* (Poir.) Urban subsp. *chaetaria* (Roem. & Schult.) Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eleocharis spiralis* (Rottb.) Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eleocharis tetraquetra* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fimbristylis aestivalis* (Retz.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fimbristylis aggregata* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fimbristylis amplocarpa* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fimbristylis aphylla* Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fimbristylis argentea* (Rottb.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fimbristylis bisumbellata* (Forssk.) Bubani and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fimbristylis cinnamometorum* (Vahl) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fimbristylis complanata* (Retz.) Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fimbristylis consanguinea* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fimbristylis contorta* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fimbristylis crystallina* Govindarajalu and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fimbristylis cymosa* R. Br. subsp. *spathacea* (Roth) T. Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fimbristylis dichotoma* (L.) Vahl subsp. *dichotoma* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fimbristylis dichotoma* (L.) Vahl subsp. *podocarpa* (Nees & Meyen) Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fimbristylis dichotoma* (L.) Vahl subsp. *glauca* (Vahl) Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fimbristylis dipsacea* (Rottb.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fimbristylis eragrostis* (Nees & Meyen ex Nees) Hance and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fimbristylis falcata* (Vahl.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fimbristylis ferruginea* (L.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fimbristylis kingii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fimbristylis latiglumifera* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fimbristylis latinucifera* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fimbristylis longistigmata* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fimbristylis miliacea* (L.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fimbristylis monospicula* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fimbristylis monticola* Hochst. ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fimbristylis narayanii* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fimbristylis nutans* (Retz.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fimbristylis ovata* (Burm. F.) Kern and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fimbristylis paupercula* Boeckeler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fimbristylis pentaptera* (Nees) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fimbristylis pierotii* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fimbristylis polytrichoides* (Retz.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fimbristylis pustulosa* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fimbristylis quinquangularis* (Vahl) Kunth var. *crassa* C. B. Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fimbristylis rectifolia* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fimbristylis rigidiuscula* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fimbristylis rugosa* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fimbristylis salbundia* (Nees) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fimbristylis scabrisquama* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fimbristylis schoenoides* (Retz.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fimbristylis semidisticha* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fimbristylis sieberiana* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fimbristylis squarrosa* Vahl var. *esquarrosa* Makino and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fimbristylis strigosa* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fimbristylis tenera* Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fimbristylis tetragona* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fimbristylis tortifolia* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fimbristylis triflora* (L.) Schum. ex Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fimbristylis tristachya* R. Br. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fimbristylis uliginosa* Hochst. ex Steud and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fimbristylis woodrowii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fuirena ciliaris* (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fuirena pubescens* (Lam.) Kunth var. *pergametacea* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fuirena trilobites* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fuirena umbellata* Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fuirena uncinata* (Willd.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fuirena wallichiana* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hypolytrum nemorum* (Vahl) Spreng and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Kylinga brevifolius* Rottboell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Kylinga bulbosa* P. Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Kylinga hyalina* (Vahl) T. Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Kylinga nemoralis* (J. R. & G. Forst.) Dandy ex Hutchinson & Dalziel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Kylinga malanosperma* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lipocarpha chinensis* (Osbeck.) Kern and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lipocarpha raynaleana* Govindarajalu and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lipocarpha sphacelata* (Vahl.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mariscus clarkei* (Cooke) T. Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mariscus compactus* (Retz.) Bolding and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mariscus cyperinus* (Retz.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mariscus dubius* (Rottboell) Kukenth ex C.E.C. Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mariscus paniceus* (Rottboell.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mariscus squarrosus* (L.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mariscus sumaterensis* (Retz.) A. Raynal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pycnus flavescens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pycnus flavidus* (Retz.) T. Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pycnus polystachyos* (Rottboell) Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pycnus pumilus* (L.) Nees ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pycnus puncticulatus* (Vahl) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pycnus sanguinolentus* (Vahl) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pycnus stramineus* (Nees) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pycnus unioloides* (R. Br.) Urb. var. *angulatus* (Nees) Domin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhynchospora corymbosa* (L.) Britton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhynchospora gracillima* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhynchospora rubra* (Lour.) Makino and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhynchospora rugosa* (Vahl.) Gale and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Riklilia squarrosa* (L.) Raynal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Schoenoplectus articulatus* (L.) Palla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Schoenoplectus grossus* (L. f.) Palla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Schoenoplectus juncooides* (Roxb) Palla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Schoenoplectus littoralis* (Schrader) Palla subsp. *subulatus* (Vahl) Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Schoenoplectus mucronatus* (L.) Palla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Schoenoplectus senegalensis* (Steud.) Palla ex Raynal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Schoenoplectus supinus* (L.) Palla subsp. *lateriflorus* (Gmel.) Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scirpus fluitans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scirpus maritimus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scirpus subcapitatus* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scleria caricnia* (R. Br.) Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scleria corymbosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scleria lithosperma* (L.) Sw. var. *lithosperma* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scleria lithosperma* (L.) Sw. var. *linearis* Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scleria lithosperma* (L.) Sw. var. *multispiculata* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scleria levis* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scleria mikawana* Makino and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scleria parvula* Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scleria terrestris* (L.) Fasset and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acrachne henrardiana* (Bor) Phillips and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acrachne racemosa* (Heyne ex Roth) Ohwi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acrachne sundararajii* Umamahesw. et al and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aeluropus lagopoides* (L.) Trin ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Agrostis micrantha* Stue. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Agrostis peninsularis* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Agrostis pilosula* Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Agrostis schmidii* (Hook. f.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Agrostis stolonifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Agrostis zenkeri* Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alloteropsis cimicina* (L.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Andropogon hallii* Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Andropogon lividus* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Andropogon longipes* Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Andropogon polytychus* Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Andropogon pumilus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anthoxanthum borii* Jain & Pal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anthoxanthum odoratum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Apluda mutica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Apocopsis courtallumensis* (Steud.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Apocopsis vaginata* Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aristida adscensionis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aristida funiculata* Trin & Rupr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aristida hystrix* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aristida mutabilis* Trin. & Rupr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aristida setacea* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arthraxon castratus* (Griff.) Narayanaswami ex Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arthraxon depressus* Stapf ex Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arthraxon lanceolatus* (Roxb.) Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arthraxon micans* (Nees) Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arthraxon prionodes* (Steud.) Dandy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arthraxon quartinianus* (A. Rich) Nash and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arundinaria walkeriana* Munro and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arundinaria wightiana* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arundinella ciliata* (Roxb.) Nees ex Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arundinella hookeri* Munro ex Keng and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arundinella leptochloa* (Nees ex Steud.) Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arundinella mesophylla* Nees ex Steud and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arundinella nepalensis* Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arundinella nervosa* (Roxb.) Nees ex Hook. & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arundinella pumila* (Hochst. ex A. Rich) Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arundinella purpurea* Hochst. ex Steud var. *purpurea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arundinella purpurea* Hochst. ex Steud. var. *laxa* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arundinella setosa* Trin. var. *setosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arundinella setosa* Trin. var. *nilagiriana* Subbarao & Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arundinella vaginata* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arundo conspicua* Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arundo donax* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Avena byzantina* K. Koch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Avena fatua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Avena sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Avena sterilis* L. var. *ludoviciana* (Durieu) Gill & Magne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Axonopus compressus* (Sw.) P. Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bambusa bambos* Voss and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bothriochloa bladhii* (Retz.) S. T. Blake and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bothriochloa foulkesii* (Hook. f.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bothriochloa insculpta* (Hochst. ex A. Rich.) A. camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bothriochloa kuntzeana* (Hack.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bothriochloa pertusa* (L.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bothriochloa pseudoischaemum* (Nees ex Steud.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Brachiaria distachya* (L.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Brachiaria eruciformis* (J. E. Smith) Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Brachiaria kurzii* (Hook. f.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Brachiaria miliiformis* (J. S. Presl) Chase and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Brachiaria muna* Basappa and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Brachiaria mutica* (Forssk.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Brachiaria nilagirica* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Brachiaria ramosa* (L.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Brachiaria remota* (Retz.) Haines and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Brachiaria reptans* (L.) Gard. & Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Brachiaria Semiundulata* (Hochst. ex A. Rich) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Brachiaria Semiverticillata* (Rottl.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Brachiaria setigera* (Retz.) Hubbard and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Brachypodium distachyon* (L.) P. Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Brachypodium sylvaticum* (Huds.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Briza maxima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Briza media* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Briza minor* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bromus arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bromus catharticus* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bromus diandrus* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bromus ramosus* Huds. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Capillipedium filiculme* (Hook. f.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Capillipedium huegelii* (Hack.) Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Capillipedium parviflorum* (R. Br.) Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cenchrus biflorus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cenchrus ciliaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cenchrus glaucus* Mudaliar & Sundararaj and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cenchrus pennisetiformis* Hochst. & Steud. ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cenchrus setigerus* Vahl. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Centotheca lappacea* (L.) Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chionachne koenigii* (Spreng.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chionachne semiteres* (Benth. ex Hook. f.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chloris barbata* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chloris bournei* Rang. & Tardl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chloris dolichostachya* Lagasca and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chloris gayana* Kunth ex Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chloris montana* Roxb. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chloris pycnothrix* Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chloris roxburghiana* Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chloris virgata* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chloris wightiana* Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chrysopogon aciculatus* (Retz.) Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chrysopogon asper* (Heyne ex Hook. f.) Blatter & Mc Can and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chrysopogon copei* Mohanan et Ravi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chrysopogon fulvus* (Spreng) Choiv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chrysopogon hackelii* (Hook.f.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chrysopogon orientalis* (Desv.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chrysopogon zeylanicus* (Nees ex Steud.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Coelachne perpusilla* (Arn. ex Steud.) Thw. var. *perpusilla* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Coelachne perpusilla* (Arn. ex Steud.) Thw. var. *nilagirica* Ved Prakash & Jain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Coelachne simpliciuscula* (Wight & Arn. ex Steud.) Munro ex Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Coelachyropsis lagopoides* (Burm.f.) Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Coix aquatica* Roxb. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Coix gigantea* Koen. ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Coix lacryma-jobi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cortaderia selloana* (Schultes) Asch. & Graebn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cymbopogon caesius* (Nees ex Hook. & Arn.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cymbopogon citratus* (DC.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cymbopogon coloratus* (Hook. f.) Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cymbopogon flexuosus* (Nees ex Steud.) Wats var. *flexuosus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cymbopogon flexuosus* (Nees ex Steud) Wats var. *coimbatorensis* Gupta and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cymbopogon gidarba* (Ham. ex Steud.) Haines and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cymbopogon jwarancusa* (Jones) Schultes subsp. *olivieri* (Boiss.) Soenarko and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cymbopogon martinii* (Roxb.) Wats. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cymbopogon nardus* (L.) Rendle var. *nardus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cymbopogon nardus* (L.) Rendle var. *confertiflorus* (Steud.) Stapf ex Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cymbopogon polyneuros* (Steud.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cymbopogon travancorensis* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cynodon arcuatus* J. S. Presl. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cynodon barberi* Rang & Tad. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cynodon dactylon* (L.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cynodon plectostachyus* (Schum ex Engler) Pilger and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyrtococcum deccanense* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyrtococcum longipes* (Wight & Arn. ex Hook. f.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyrtococcum muricatum* (Retz.) Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyrtococcum oxyphyllum* (Steud.) Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyrtococcum patens* (L.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyrtococcum sparsicomum* (Nees ex Steud.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyrtococcum trigonum* (Retz.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dactylis glomerata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dactyloctenium aegyptium* (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dendrocalamus strictus* (Roxb.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Desmostachya bipinnata* (L.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dichanthium annulatum* (Forssk.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dichanthium aristatum* (Poir) Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dichanthium caricosum* (L.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dichanthium foveolatum* (Del.) Roberty and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dichanthium oliganthum* (Hochst.ex Steud.) Cope and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dichanthium pallidum* (Hook. f.) Stapf ex Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dichaetaria wightii* Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Digitaria abludens* (Roem. & Schultes) Veldk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Digitaria bicornis* (Lam.) Roem. & Schultes ex Loud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Digitaria ciliaris* (Retz.) Koeler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Digitaria duthieana* Henr. ex Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Digitaria griffithii* (Hook. f.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Digitaria longiflora* (Retz.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Digitaria microbachne* (Presl) Henr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Digitaria radicata* (Presl) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Digitaria setigera* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Digitaria stricta* Roth ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Digitaria ternata* (A. Rich) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Digitaria tomentosa* (Koen ex Willd.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Digitaria violascens* Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Digitaria wallichiana* (Wight & Arn. ex Steud.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dimeria acutipes* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dimeria avenacea* (Retz.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dimeria balakrishnaniana* K.Ravik., P.V. Sreek. & V. Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dimeria fuscescens* Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dimeria kollimalayana* Mohanan & Rao and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dimeria lehmanii* (Nees ex Steud.) Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dimeria orissae* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dimeria ornithopoda* Trin. var. *ornithopoda* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dimeria ornithopoda* Trin. var. *khasiana* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dinebra retroflexa* (Vahl) Panzer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Diplachne malabarica* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Echinochloa colona* (L.) Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Echinochloa crus - galli* (L.) P. Beauv var. *crus - galli* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Echinochloa crus - galli* (L.) P. Beauv var. *brevisetia* (Doll) Neillr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Echinochloa frumentacea* Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Echinochloa oryzoides* (Ard.) Fritsch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Echinochloa picta* (J. Koen) Michael and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Echinochloa stagnina* (Retz.) P. Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ehrharta abyssinica* Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eleusine coracana* (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eleusine indica* (L.) Gaertn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Elytrophorus spicatus* (Willd.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Enneapogon schimperanus* (Hochst. Ex A. Rich) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Enteropogon coimbatorensis* K K. N. Nair Jain & Nayar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Enteropogon monostachyos* (Vahl) Schum ex Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eragrostiella bifaria* (Vahl) Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eragrostiella brachyphylla* (Stapf.) Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eragrostis aspera* (Jacq.) Nees and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eragrostis atrovirens* (Desf.) Trin. ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eragrostis cilianensis* (Al.) Vign. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eragrostis ciliaris* (L.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eragrostis ciliata* (Roxb.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eragrostis coarctata* Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eragrostis curvula* (Schrader) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eragrostis dayanKalamnii* P. Ravichandran S.Krishnan N.P. Samson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eragrostis deccanensis* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eragrostis gangetica* (Roxb.) Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eragrostis japonica* (Thunb.) Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eragrostis kiwuensis* Jedwabn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eragrostis macilenta* (A. Rich) Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eragrostis maderaspatana* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eragrostis minor* Host and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eragrostis nigra* Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eragrostis nutans* (Retz.) Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eragrostis pilosa* P. Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eragrostis riparia* (Willd.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eragrostis rottleri* Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eragrostis schweinfurthii* Chioe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eragrostis superba* Peyr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eragrostis tef* (Zucc.) Trotter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eragrostis tenella* (L.) P. Beauv ex Roem. & Schultes var. *tenella* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eragrostis tenella* (L.) P. Beauv. ex Roem. & Schultes var. *insularis* Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eragrostis tenuifolia* (A. Rich) Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eragrostis tremula* (Lam.) Hochst ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eragrostis unioloides* (Retz.) Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eragrostis viscosa* (Retz.) Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eremochloa muricata* (Retz.) Hack and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eremopogon foveolatus* (Del.) Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eriochloa procera* (Retz.) Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eriochrysis rangacharii* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euchlaena mexicana* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eulalia phaeothrix* (Hack.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eulalia trispicata* (Schultes) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eulalia wightii* (Hook. f.) Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eulaliopsis binata* (Retz.) C.E. Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Festuca ovina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Festuca undata* Stapf var. *aristata* Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Garnotia arundinacea* Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Garnotia courtallensis* (Arn. & Nees) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Garnotia elata* (Arn. Ex Miq.) Janowski and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Garnotia exaristata* Gould and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Garnotia fergusonii* Trimen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Garnotia schmidii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Garnotia tenella* (Arn. ex Miq.) Janowski and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Glyceria spicata* Guss and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Halopyrum mucronatum* (L.) Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Helictotrichon polyneuron* (Hook. f.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Helictotrichon schmidii* (Hook. f.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Helictotrichon virescens* (Nees ex Steud.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hemarthria compressa* (L.f.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Heteropogon contortus* (L.) P Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Heteropogon fischerianus* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Heteropogon polystachyos* (Roxb.) Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Holcolemma canaliculatum* (Nees ex Steud.) Stapf & Hunnard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hordeum vulgare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hygroryza aristata* (Retz.) Nees ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hymenachne acutigluma* (Steud.) Gilliland and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ichnanthus vicinus* (Bailey) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Imperata cylindrica* (L.)Raeusch. var. major (Nees) Hubbard ex Hubbard & Vaughan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Isachne angladei* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Isachne bourneorum* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Isachne deccanensis* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Isachne dispar* Trin. var. *dispar* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Isachne dispar* Trin. var. *villosa* C.E.C. Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Isachne elegans* Dalz ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Isachne globosa* (Thunb.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Isachne kunthiana* (Wight & Arn. ex Steud.) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Isachne miliacea* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Isachne oreades* (Domin) Bor. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Isachne pulchella* Roth ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Isachne walkeri* (Arn. ex Steud.) Wight & Arn. ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ischaemum commutatum* Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ischaemum flumineum* Bor. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ischaemum indicum* (Houtt.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ischaemum koenigii* (Hook. f.) Stapf ex Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ischaemum nilagiricum* Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ischaemum pilosum* (Klein ex Willd.)

Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ischaemum rangacharianum* Ficher and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ischaemum rugosum* Salisb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ischaemum tadulingamii* Nair & Sreekumar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ischaemum timorense* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ischaemum zeylanicolum* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Iseilema anthephoroides* Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Iseilema jainiana* Umamahesw. & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Iseilema laxum* Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Iseilema prostratum* (L.) Andersson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jansenella griffithiana* (C. Muell.) Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leersia hexandra* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leptochloa chinensis* (L.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leptochloa neesii* (Thw.) Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leptochloa obtusiflora* Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leptochloa panicea* (Retz.) Ohw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leptochloa uniflora* Hochst ex A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lolium perenne* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lolium temulentum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lophatherum gracile* Brongn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lopholepis ornithocephala* (Hook.) Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lophopogon tridentatus* (Roxb.) Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Manisuris myuros* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Melanocenchris jacquemontii* Jaub. & Spach and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Melanocenchris monoica* (Rottl.) Fischer

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Melica scaberrima* (Nees ex Steud.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Microchloa indica* (L.f.) Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Microchloa kunthii* Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Microchloa kunthii* Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Microstegium ciliatum* (Trin.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Microstegium nudum* (Trin.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Miscanthus nepalensis* (Trin.) Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mnesithea granularis* (L.) de Koning & Sosef and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mnesithea laevis* (Retz.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Myriostachya wightiana* (Nees ex Steud.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oclandra beddomei* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ochlandra scriptoria* (Dennst.) Fischer var. *sivagiriana* (Gamble) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ochlandra setigera* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ochlandra travancorica* Benth ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ophiuros bombaiensis* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ophiuros exaltatus* (L.) Kuntze and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oplismenus burmannii* (Retz.) P. Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oplismenus compositus* (L.) P. Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oplismenus undulatifolius* (Ard.) P. Beauv ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oropetium thomaeum* (L.f.) Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oryza barthii* A. Chevali and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oryza meyeriana* (Zoll. & Mor.) Baill. var. *granulata* (Nees & Arn. ex Wall) Duist. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oryza minuta* J. S. Presl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oryza officinalis* Wall ex Watt subsp. *malampuzhaensis* (Krishnaswami & and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>. Chandrasekaran) Tateoka and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oryza rufipogon* Griff. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oryza sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ottlochloa nodosa* (Kunth) Dandy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oxytenanthera monadelphica* (Thw.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oxytenanthera ritcheyi* (Munro) Blatter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Panicum antidotale* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Panicum brevifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Panicum fischeri* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Panicum gardneri* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Panicum maximum* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Panicum miliaceum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Panicum notatum* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Panicum paludosum* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Panicum psilopodium* Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Panicum repens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Panicum sparsicomum* Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Panicum sumatrense* Roth ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Panicum trypheron* Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Paspalidium flavidum* (Retz.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Paspalidium geminatum* (Forssk.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Paspalidium punctatum* (Burm.f.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Paspalum canarae* (Steud.) Veldk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Paspalum conjugatum* Berg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Paspalum dilatatum* Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Paspalum distichum* L. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Paspalum longifolium* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Paspalum scrobiculatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Paspalum vaginatum* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pennisetum americanum* (L.) Leeke. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pennisetum clandestinum* Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pennisetum hohenackeri* Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pennisetum pedicellatum* Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pennisetum polystachyon* (L.) Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pennisetum purpureum* Schum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pennisetum villosum* R. Br. ex Fresen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Perotis indica* (L.) Kuntze var. *indica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Perotis indica* (L.) Kuntze var. *keelakaraiensis* Umamahesw. & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phalaris aquatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phalaris arundinacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phalaris minor* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phragmites karka* (Retz.) Trin ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Poa annua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Poa gamblei* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Poa trivialis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pogonatherum crinitum* (Thunb.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pogonatherum paniceum* (Lam.) Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polypogon fugax* Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pommereulla cornucopiae* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pseudanthistiria heteroclita* (Roxb.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pseudanthistiria umbellata* (Hack.) Hook.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pseudechinolaena polystachya* (H.B.K.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pseudobrachiaria deflexa* (Schum.) Launert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pseudoraphis spinescens* (R. Br.) Veickery and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pseudosorghum fasciculare* (Roxb.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhynchelytrum repens* (Willd.) Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rottboellia cochinchinensis* (Lour.) Clayton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Saccharum arundinaceum* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Saccharum narenga* (Nees ex Steud.) Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Saccharum officinarum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Saccharum spontaneum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sacciolepis curvata* (L.) Chase and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sacciolepis indica* (L.) Chase and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sacciolepis interrupta* (Willd.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sacciolepis myosuroides* (R. Br.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Schizachyrium brevifolium* (Sw.) Nees ex Buese and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sehima nervosum* (Rottl.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sehima sulcatum* (Hack.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Setaria homonyma* (Steud.) Chiov. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Setaria intermedia* Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Setaria italica* (L.) P. Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Setaria palmifolia* (Koen.) Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Setaria plicata* (Lam.) Cooke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Setaria poiretiana* (Schultes) Kunth and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Setaria pumila* (Poir.) Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Setaria sphacelata* (Schum.) Stapf & Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Setaria verticillata* (L.) P. Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sinarundinaria wightiana* (Nees) C.S.Chao & Renvoize and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sorghum arundinaceum* (Desv.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sorghum bicolor* (L.) Moench. Meth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sorghum cernuum* Host var. *orbiculatum* Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sorghum cernuum* Host var. *truchmenorum* (C.Koch) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sorghum conspicuum* Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sorghum coriaceum* Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sorghum dimidiatum* Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sorghum dochna* (Forssk.) Snowden var. *irungu* (Burkill ex Benson & Subbarao) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sorghum dochna* (Forssk.) Snowden var. *obovatum* (Hack.) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sorghum durra* (Forssk.) Stapf var. *coimboricum* (Burkill ex Benson & Subbarao) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sorghum durra* (Forssk.) Stapf var. *mediocre* (Burkill ex Benson & Subbarao) Snowden and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sorghum guineense* Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sorghum halepense* (L.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sorghum laxiflorum* F.M. Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sorghum nitidum* (Vahl.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sorghum roxburghii* Stapf var. *hians* Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sorghum subglabrescens* (Steud.) Schweinf. & Asch. var. *subglabrescens* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sorghum subglabrescens* (Steud.) Schweinf. & Asch. var. *compactum* (Burkill) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sorghum subglabrescens* (Steud.) Schweinf.

& Asch. var. *irungiforme* (Burkill) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sorghum subglabrescens* (Steud.) Schweinf. & Asch. var. *oviforme* Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sorghum subglabrescens* (Steud.) Schweinf. & Asch. var. *rubidum* (Burkill) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sorghum versicolor* Anderss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Spinifex littoreus* (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Spodiopogon rhizophorus* (Steud.) Pilger and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sporobolus capillaris* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sporobolus coromandelianus* (Retz.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sporobolus hajrae* Umamahesw. & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sporobolus indicus* (L.) R. Br. var. *diander* (Retz.) Jovet & Guedes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sporobolus indicus* (L.) R. Br. var. *fertilis* (Steudd.) Jovet & Guedes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sporobolus maderaspatanus* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sporobolus piliferus* (Trin.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sporobolus spicatus* (Vahl.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sporobolus tenuissimus* (Schränk) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sporobolus tremulus* (Willd.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sporobolus virginicus* (L.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sporobolus wallichii* Munro ex Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stenotaphrum dimidiatum* (L.) Brongn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Teinostachyum wightii* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Themeda cymbaria* Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Themeda quadrivalvis* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Themeda tremula* (Nees ex Steud.) Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Themeda triandra* Forssk. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Thysanolaena maxima* (Roxb.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trachys muricata* (L.) Pers ex Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tragus roxburghii* Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tripogon bromoides* Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tripogon jacquemontii* Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tripogon lisboae* Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tripogon pungens* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tripogon wightii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tripsacum laxum* Nash and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Triticum aestivum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Triticum dicoccum* Schubler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Urochloa panicoides* P. Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vetiveria lawsonii* (Hook. f.) Blatter & Mc Cann and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vetiveria zizanioides* (L.) Nash and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vulpia bromoides* (L.) Gray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vulpia megalura* (Nutt.) Rydb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vulpia myuros* (L.) Gmel. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zea mays* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zenkeria elegans* Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zenkeria sebastinei* Henry & Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zenkeria stapfii* Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zoysia matrella* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zoysia pungens* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Andropogon schoenanthus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Andropogon sorghum* BROT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Andropogon squarrosus* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Androsace rotundifolia* HARDW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aneilema conspicuum* KUNTH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aneilema lineolatum* KUNTH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aneilema nudiflorum* BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aneilema scapiflorum* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aneilema tuberosum* HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anemarrhena asphodeloides* BUNGE

NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anemone falconeri* THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anemone narcissiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anemone obtusiloba* D.DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anemone rivularis* HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anemone rupicola* CAMB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anemone tetrasepala* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anemone vitifolia* HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aneseia martinicensis* (JACQ.) CHOIS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anethum foeniculum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anethum graveolens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anethum sowa* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Angelica archangelica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Angelica archangelica* L. *himalayana* (C.B.CLARKE)BADHWAR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Angelica glauca* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Angelica polymorpha* MAXIM. *SINENSIS* OLIV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Angelonia salicariaefolia* HUMB. & BONPL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Angiopteris evecta* (FORST.) HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aniseia martinicensis* (JACQ.) CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anisochilus carnosus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anisochilus carnosus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anisochilus eriocephalus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anisomeles indica* (L.) O.KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anisomeles malabarica* R.BR. EX SIMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anisomeles ovata* R.BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anisonema multiflorum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Annona cherimola* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Annona muricata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Annona reticulata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Annona squamosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anodendron paniculatum* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anoectochilus regalis* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anoectochilus roxburghii* BL. REGALIS (BL.) PRADHAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anoectochilus setaceus* (BLUME) LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anogeissus acuminata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anogeissus latifolia* WALL. EX. GUILL. & PERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anogeissus pendula* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anotis foetida* (DALZ.) BENTH. & HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anplectrum assamicum* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anthemis cotula* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anthemis gayana* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anthemis nobilis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anthemis odontostephana* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anthemis pyrethrum* GOUAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anthocephalus cadamba* MIQ.. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anthocephalus chinensis* (LAM.) A.RICH. EX WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anthocephalus indicus* A. RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anthoxanthum odoratum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anthriscus cerefolium* (L.) HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anthriscus sylvestris* HOFFM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anthyrium filix-femina* (L.) ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Antiaris innoxia* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Antiaris saccidora* DALZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Antiaris toxicaria* (PERS.) LESCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anticharis glandulosa* ASCHERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Antidesma acidum* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Antidesma buniis* (L.)SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Antidesma diandrum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Antidesma ghaesembilla* GAERTN. FRUCT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Antidesma menasu* (TULASNE) MULL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Antidesma zeylanicum* LAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Antirrhinum cymbalaria* GUELDENST EX LEDEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Antirrhinum majus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Antirrhinum orantium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Apama siliquosa* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Apama tomentosa* (BL.) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aphanamixis polystachya* (WALL.) PARKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aphananthe cuspidata* (BL.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Apium graveolens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Apium leptophyllum* F.MUELL. EX.BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aplotaxis auriculata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Apluda mutica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Apluda varia* HACK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Apocynum foetidum* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Apollonias arnottii* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aponogeton monostachyon* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aponogeton natans* (L.) ENGL. & KRAUSE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aporosa dioica* (ROXB.) MUELL.- ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aporosa lindleyana* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aporosa octandra* (BUCH.- HAM. EX D. DON) VICK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aquilaria agallocha* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aquilaria malaccensis* LAM., NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aquilaria ovata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aquilegia fragrans* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aquilegia vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arabidopsis thaliana* (L.) HEYNH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arabidopsis wallichii* (HOOK.F.&T.) N. BUSH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arabis chinensis* ROTTLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arabis recta* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arabis tribetica* HK. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arachis hypogaea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arachne cordifolia* (DECNE) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aralia armata* SEEM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aralia cachemirica* DECNE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aralia pseudo-ginseng* BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aralia quinquefolia* DECNE. & PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aralia racemosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arbutus unedo* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arceuthobium minutissimum* HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Archangelica himalaica* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Archangelica officinalis* HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Archidendron clypearia* (JACK) NIELSEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Archidendron monadelphum* (ROXB.) NIELSEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arctium lappa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arctostaphylos uva ursi* SPRENG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ardisia colorata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ardisia humilis* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ardisia odontophylla* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ardisia oxyphylla* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ardisia solanacea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Areca catechu* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Areca concinna* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Areca nagensis* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Areca triandra* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arenaria serpyllifolia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arenga obtusifolia* MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arenga pinnata* MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arenga saccharifera* LABILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arenga wightii* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Argemone alba* LESTIB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Argemone mexicana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Argyreia aggregata* (ROXB.) CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Argyreia argentea* ARN. EX CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Argyreia cuneata* KER-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Argyreia daltonii* CLARKE IN HOOK.F. FL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Argyreia fulgens* CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Argyreia imbricata* (ROTH) SANT. & PATEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Argyreia involucreta* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Argyreia kleiniana* (ROEM.&SCHULT.) NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Argyreia malabarica* CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Argyreia nervosa* (BURM.F.) BOJ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Argyreia petaloidea* CHOISY and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Argyreia pomacea* (ROXB.) CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Argyreia sericea* Dalz. & Gib. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Argyreia setosa* (ROXB.) CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Argyreia speciosa* SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aricennia officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arikuryroba schizophylla* BECC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arisaema alba* N. E. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arisaema curvatum* KUNTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arisaema decipiens* SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arisaema flavum* (FORSK.) SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arisaema jacquemontii* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arisaema leschenaultii* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arisaema murrayi* (GRAHAM) HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arisaema speciosum* (WALL.) SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arisaema tortuosum* SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arisaema triphyllum* SCHOTT and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arisaema wallichianum* HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aristida adscensionis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aristida depressa* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aristida humilis* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aristida setacea* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aristolochia bracteata* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aristolochia bracteolata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aristolochia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aristolochia labiosa* KER.-GAWL.. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aristolochia longa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aristolochia reticulata* NUTTAL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aristolochia rotunda* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aristolochia roxburghiana* KLOTZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aristolochia saccata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aristolochia serpentaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aristolochia tagala* CHAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Armoracia rusticana* GAERTN. MEY. & SCHERB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arnebia benthamii* (WALL. EX G.DON) JOHNSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arnebia euchroma* (ROYLE) JOHN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arnebia guttata* BUNGE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arnica montana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Artabotrys hexapetalus* (L.F.) BHKALAMRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Artabotrys odoratissimus* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Artabotrys suaveolens* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Artanema longifolia* (L.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Artanema longifolium* (L.) VATAKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Artanema sesamoides* (VAHL) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Artemisia abrotanum* SAVI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Artemisia absinthium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Artemisia annua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Artemisia austriaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Artemisia biennis* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Artemisia brevifolia* WALL. EX DC.

NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Artemisia capillaris* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Artemisia cina* BERG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Artemisia dracunculus* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Artemisia gmelinii* WEBER EX. STECHM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Artemisia indica* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Artemisia japonica* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Artemisia macrocephala* JACQ. EX BESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Artemisia maderaspatana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Artemisia maritima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Artemisia moorcroftiana* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Artemisia nilagirica* (CLARKE) PAMP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Artemisia pallens* WALL. EX. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Artemisia parviflora* BUCH. HAM. EX ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Artemisia persica* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Artemisia roxburghiana* BESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Artemisia sacrorum* LEDEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Artemisia scoparia* WALDST.& KIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Artemisia sieversiana* EHRH. EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Artemisia vestita* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Artemisia vulgaris* AUCT.NON L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arthraxon nudus* (STEUD.) HOCHST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arthrocnemum indicum* MOQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arthrophyllum blumeianum* ZOLL. & MOR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Artocarpus chaplasha* ROXB. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Artocarpus communis* J. & G. FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Artocarpus gomezianus* WALL. EX TREC. zeylanicus JANET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Artocarpus heterophyllus* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Artocarpus hirsutus* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Artocarpus integra* (THUNB.) MERRILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Artocarpus integrifolia* L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Artocarpus lakoocha* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arum campanulatum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arum colocasia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arum macrorhizon* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arum numphaeifolium* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aruncus dioicus* (WALTER) FERNALD NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arundina graminifolia* (D.DON) HOCHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arundinella nepalensis* TRIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arundo donax* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arundo karka* RETZ. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Asagraea officinalis* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Asarum europaeum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Asclepias asthmatica* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Asclepias curassavica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Asclepias gigantea* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Asclepias lactifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Asclepias proliferata* ROTTLER EX W. AINSLIE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Asclepias volubilis* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Asclepias vomitoria* KOEN. EX HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Asechynanthus gracilis* PARISH EX CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aspalathus indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aspalathus linearis* (BURM.F.) R. DAHLGR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Asparagus adscendens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Asparagus curillus* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Asparagus filicinus* BUCH.-HAM. EX D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Asparagus gonoclados* BAK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Asparagus laevis* STEND. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Asparagus officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Asparagus punjabensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Asparagus racemosus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Asparagus rotteri* BAKER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Asparagus sarmentosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Asperugo procumbens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Asphodelus fistulosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Asphodelus tenuifolius* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aspidium polymorphum* (WALL.); BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Asplenium adiantoides* (L.) C. CHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Asplenium adiantum-nigrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Asplenium alternans* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Asplenium ceterach* L. *ceterach* Khullar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Asplenium dalhousiae* HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Asplenium falcatum* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Asplenium furcatum* THUMB and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Asplenium laciniatum* D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Asplenium nidus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Asplenium parasiticum* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Asplenium polyodon* G. FORSTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Asplenium ruta-muraria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Asplenium septentrionale* HOFFM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Asplenium trichomanes* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Asplenium viride* HUDSON and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aster amellus* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aster asteroides* (DC.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aster falconeri* HUTCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aster indamellus* GRIERSON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aster tibeticus* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aster trinervius* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Asteracantha longifolia* (L.) NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Asteriastigma macrocarpa* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Astilbe rivularis* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Astraeus hygrometricus* (PERS.) MORG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Astragalus aegacanthoides* PARKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Astragalus candolleanus* ROYLE EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Astragalus ciliolatus* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Astragalus graveolens* BUCH.-HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Astragalus hamosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Astragalus heratensis* BUNGE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Astragalus himalayanus* KLOTZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Astragalus jacquemontii* BUNGE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Astragalus multiceps* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Astragalus munori* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Astragalus nivalis* KAR. & KIR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Astragalus polyacanthus* ROYLE EX BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Astragalus psilocentrus* FISCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Astragalus rhizanthus* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Astragalus sarcocola* DYMOCK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Astragalus strobiliferus* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Astragalus tribuloides* DELILE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Astragalus verus* OSKIN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Asystasia coromandeliana* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Asystasia dalzelliana* SANTAPAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Asystasia gangetica* (L.) T. ANDERSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Asystasia violacea* DALZ. EX CL. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Atalantia monophylla* CORR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Atalantia racemosa* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Athyrium filix-femina* (L.) ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Athyrium hohenackerianum* BEDD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Athyrium puncticaule* (BL.) MOORE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Athyrium schimperi* (FEE) MOUG. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Atriplex hortensis* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Atropa acuminata* ROYLE EX LINDL. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Atropa belladonna* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Atylosia barbata* (BENTH.) BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Atylosia candollei* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Atylosia goensis* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Atylosia lineata* WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Atylosia mollis* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Atylosia platycarpa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Atylosia scarabeoides* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Atylosia volubilis* GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Auricularia sambucina* MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Avena fatua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Avena sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Averrhoa acida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Averrhoa bilimbi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Averrhoa carambola* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Avicennia alba* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Avicennia marina* (FORSK.) and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Avicennia officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Avicennia tomentosa* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Azanza lampas* (CAV.) ALEF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Azima tetracantha* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Baccaurea ramiflora* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Balanites aegyptiaca* (L.) DELILE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Balanites roxburghii* PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Balanocarpus utilis* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Balanophora dioica* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Balanophora fungosa* J.R. & G. FORST. indica (ARN.) Hans. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Balanophora involucrata* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Balanophora polyandra* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Baliospermum axillare* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Baliospermum calycinum* MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Baliospermum montanum* (WILLD.) MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Baliospermum sinuatum* MUELL. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Baliospermum solanifolium* (J.BURM.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Balsamodendron agallocha* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Balsamodendron kataf* KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Balsamodendron mukul* HOOK. EX STOCKS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Balsamodendron myrrha* N.& E. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Balsamodendron stocksiana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bambusa arundinacea* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bambusa balcooa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bambusa bambos* DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bambusa nana* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bambusa nutans* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bambusa oSkiniana* GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bambusa tulda* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bambusa vulgaris* SCHRAD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Barbarea vulgaris* R.BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Barleria acanthoides* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Barleria acuminata* NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Barleria buxifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Barleria courtallica* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Barleria cristata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Barleria cuspidata* HEYNE EX. NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Barleria dichotoma* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Barleria involucrata* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Barleria longiflora* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Barleria longifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Barleria lupulina* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Barleria montana* NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Barleria mysorensis* ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Barleria noctiflora* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Barleria prattensis* SANT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Barleria prionitis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Barleria strigosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Barringtonia acutangula* (L.) GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Barringtonia asiatica* (L.) KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Barringtonia racemosa* (L.) K.SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Barringtonia speciosa* FORST. CHAR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Basella alba* L. rubra (L.) STEWART and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Basella alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Basella cordifolia* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Basella rubra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Basilicum polystachyon* (L.) MOENCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bassia butyracea* ROXB. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bassia latifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bassia longifolia* KOENIG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bassia malabarica* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bauhinia acuminata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bauhinia candida* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bauhinia diphylla* BUCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bauhinia macrostachya* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bauhinia malabarica* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bauhinia phoenicea* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bauhinia phoenicea* HEYNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bauhinia purpurea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bauhinia racemosa* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bauhinia retusa* HAM. EX. ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bauhinia roxburghiana* VOIGT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bauhinia rufescens* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bauhinia scandens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bauhinia tenuiflora* WATT EX CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bauhinia tomentosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bauhinia vahlii* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bauhinia variegata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bauhinia wallichii* MACBRIDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Begonia cathcartii* J.D. HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Begonia hatacoa* BUCH.-HAM. EX D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Begonia inflata* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Begonia josephii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Begonia laciniata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Begonia luxurians* SCHEIDW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Begonia malabarica* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Begonia palmata* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Begonia picta* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Begonia rex* PUTZEYS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Begonia roxburghii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Begonia rubro-venia* HK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Begonia thomsonii* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *NripatimcKalam chinensis* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Benincasa cerifera* SAVI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Benincasa hispida* (THUNB.) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Benkara malabarica* (LAM.) TIRVENGADUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bentinckia condapanna* BERRY EX ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Berberis aristata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Berberis asiatica* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Berberis chitria* EDWARDS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Berberis insignis* HOOK. F. & THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Berberis jaeschkeana* SCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Berberis kashmiriana* AHRENDT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Berberis kumaoensis* SCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Berberis lamberti* PARKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Berberis lycium* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Berberis nepalensis* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Berberis pachyacantha* JAFRI *zabeliana* JAFRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Berberis petiolaris* WALL. EX G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Berberis pseudumbellata* PARKER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Berberis tinctoria* LESCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Berberis ulicina* HK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Berberis umbellata* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Berberis vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Berberis wallichiana* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Berchemia lineata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bergenia ciliata* (HOW.) STERN. *fa ligulata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bergenia ciliata* (HOW.) STERN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bergenia ligulata* SENSU BAILEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bergenia purpurascens* (HOOK.F. & TH.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bergenia stracheyi* (HOOK.F. & THOMS.) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bergera koenigii* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bergia capensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bergia odorata* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bergia suffruticosa* (DEL.) FENZL. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Beta benghalensis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Beta maritima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Beta vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Betula alnoides* BUCH.-HAM. EX DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Betula bhojpattra* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Betula utilis* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bidens biternata* (LOUR.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bidens cernua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bidens pilosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bidens tripartita* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Biebersteinia odora* STEPH. EX FISH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bignonia chelonoides* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bignonia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bignonia longifolia* (WILLD.) K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Biophytum apodisciac* TUREZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Biophytum candolleianum* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Biophytum nervifolium* THW. NULL and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Biophytum petersianum* KLOTZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Biophytum reinwardtii* (ZUCC.) KLOTZSCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Biophytum sensitivum* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bischofia javanica* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bistorta amplexicaulis* GREENE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bixa orellana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Blastania garcini* COG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Blechnum orientale* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Blechnum spicant* (L.) WITH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Blepharis boerhaviifolia* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Blepharis edulis* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Blepharis linariaefolia* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Blepharis maderaspatensis* (L.) ROTH. *maderaspatensis* NAPPER *maderaspatensis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Blepharis persica* (BURM.) O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Blepharispermum subsessile* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Blepharistemma serratum* (DENNST.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Blighia sapida* KOEN. & SIMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Blumea aurita* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Blumea balsamifera* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Blumea densiflora* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Blumea erientha* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Blumea fistulosa* (ROXB.) KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Blumea hieracifolia* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Blumea lacera* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Blumea laciniata* (ROXB.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Blumea lanceolaria* (ROXB.) DRUCE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Blumea membranacea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Blumea mollis* (D.DON) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Blumea myriocephala* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Blumea obliqua* DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Blumea oxyodonta* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Blumea pubigeru* (L.) MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Blumea riparia* (BLUME) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Blumea sessiliflora* DECNE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Blumea wightiana* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Blumeopsis falcata* (D.DON) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Blumeopsis flava* (DC.) GAGNEP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Blyxa octandra* (ROXB.) PLANCH.EX.THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bocagea dalzellii* HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Boehmeria macrophylla* HORN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Boehmeria nivea* (L.) GAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Boehmeria repens* NEES & MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Boenninghauseni albiflora* (HK.) REICHB. EX MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Boenninghausenia albiflora* (HOOK. F.) REICHB. EX MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Boerhavia chinensis* (L.) ASCH. & SCHW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Boerhavia diffusa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Boerhavia erecta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Boerhavia repKalam* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Boerhavia repens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Boerhavia verticillata* ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Boesenbergia rotunda* (L.) MANSF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bolbitis subcrenata* (HOOK. & GREV.) CHING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Boletus crocatus* BATSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bombax ceiba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bombax cibaricum* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bombax insigne* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bombax malabaricum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bombax pentandrum* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bongardia chrysogonum* (L.) SPACH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bongardia rauwolfii* C.A.MEY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bonnaya oppositifolia* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bonnaya reptans* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Borago officinalis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Borassus flabellifer* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Borassus flabelliformis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Borreria articularis* (L.F.) WILLIAMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Borreria hispida* (L.) SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Borreria pusilla* (WALL) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bosea amherstiana* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Boswellia carteri* BIRDW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Boswellia frereana* BIRDW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Boswellia glabra* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Boswellia ovalifoliolata* BAL & HENRY.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Boswellia serrata* ROXB. *glabra* (ROXB.) BENNETT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Boswellia serrata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Boswellia thurifera* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bothriochloa odorata* (LISBOA) A. CAMUS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Botrychium lunaria* (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Botrychium ternatum* (THUNB.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Botrychium virginianum* SW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Boucerosia aucheriana* DECNE. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bougainvillea spectabilis* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Brachiaria eruciformis* (J.E.SMITH) GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Brachiaria ramosa* STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Brachiaria reptans* (L.) C.A. GARDNER & C.E. HUBBARD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Brachyactis roylei* WEND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bragantia tomentosa* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bragantia wallichii* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Brasenia sachreberi* J.F. GMEL. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Brasenia schreberi* J.F. GMEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Brassaiopsis glomerulata* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Brassica alba* (L.) RABENH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Brassica campestris* L. *dichotoma* (ROXB.) WATT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Brassica campestris* L. *glauca* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Brassica campestris* L. *rapa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Brassica campestris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Brassica cernua* (THUNB.) FORBES &

HEMSLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Brassica integrifolia* (WEST) SCHULZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Brassica juncea* (L.) CZERN. *integrifolia* (WEST) SINSKAJA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Brassica juncea* (L.) CZERN. SSP. *JUNCEA* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Brassica napus* L. *dichotoma* (ROXB.) *PRAIN* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Brassica napus* L. *glauca* (ROXB.) *SCHULZ.* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Brassica nigra* (L.) KOCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Brassica nigra* (L.) KOCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Brassica oleracea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Brassica oleracea* L. capitata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Brassica oleracea* L. gongylodes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Brassica rapa* L. campestris (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Brassica tournefortii* GOUAN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Brexa arvensis* (L.) LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bremekampia verticillata* (ROXB.) SREEMADHAVAN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Breynia patens* (ROXB.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Breynia retusa* (DENNST.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Breynia rhamnoides* MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Breynia vitis-idaea* (BURM.F.) FISCHER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bridelia crenulata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bridelia montana* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bridelia retusa* SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bridelia scandens* (ROXB.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bridelia squamosa* (LAM.) GEHRM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bridelia stipularis* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bridelia tomentosa* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bromelia ananas* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bromus unioloides* H.B.N.NO.V. GEN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Broussonetia papyrifera* (L.) VENT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Brucea javanica* (L.) MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Brucea mollis* WALL. EX KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bruguiera cylindrica* (L.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bruguiera gymnorrhiza* (L.) SOVIGY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Brunfelsia americana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Brunfelsia calycina* BENTH. *MACRANTHA RAFFILL* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bruxanellia indica* DENNST. EX KOSTEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bryonia epigoea* ROTTLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bryonia grandis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bryonia laciniosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bryonia rostrata* ROTTLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bryonia scaber* L. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bryonia umbellata* KLEIN EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bryonopsis laciniata* NAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bryophyllum calycinum* SALISB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bryophyllum pinnatum* (LAM.) OKEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bryum bicolor* DICKSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Buchanania angustifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Buchanania axillaris* (DESR.) RAMAMOORTHY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Buchanania angustifolia* ROXB. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Buchanania latifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Buddleja asiatica* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Buddleja davidii* FRANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Buddleja macrostachys* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Buddleja neemda* HAM. EX ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Buettneria herbacea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bulbophyllum congestum* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bulbophyllum neilgherrense* WIGHT and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bulbophyllum sterile* (LAM.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bulbostylis barbata* (ROTTB.) CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bunium persicum* (BOISS.) FEDT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bupleurum falcatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bupleurum jucundum* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bupleurum lanceolatum* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bupleurum longicaule* WALL. EX DC. *himalayense* (KI.) CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bupleurum setaceum* FENZL NULL and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bupleurum thompsoni* CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bursera serrata* COLEBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Butea buteiformis* (VOIGT) GRIERSON & LONG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Butea frondosa* ROXB. ET KOEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Butea monosperma* (LAM.) TAUB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Butea parviflora* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Butea superba* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Butia yatay* (MART.) BECC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Buxus sempervirens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Buxus wallichiana* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Byttneria Kalammanensis* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Byttneria herbacea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Byttneria pilosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cacalia kleinia* HERB. MADR. EX. C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cacalia pentaloba* HAND.-MAZZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cacalia sonchifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Caccinia crassifolia* O. KUNTZE NULL

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cachrys pabularia* (LINDL.) HERRNST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cactus ficus-indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cadaba farinosa* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cadaba fruticosa* (L.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cadaba indica* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cadaba trifoliata* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Caesalpinia bonduc* (L.) ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Caesalpinia bonducella* (L.) FLEMING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Caesalpinia coriaria* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Caesalpinia crista* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Caesalpinia cuculata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Caesalpinia decapetala* (ROTH) ALSTON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Caesalpinia digyna* ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Caesalpinia jayabo* NAZA. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Caesalpinia mimosoides* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Caesalpinia nuga* AIT. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Caesalpinia paniculata* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Caesalpinia pulcherrima* (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Caesalpinia sappan* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Caesalpinia sepiaria* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Caesalpinia spicata* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Caesulia axillaris* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cajanus bicolor* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cajanus cajan* (L.) MILLSP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cajanus indicus* SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Calacanthus grandiflorus* (DALZ.) RADLK.. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Caladium bicolor* VENT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Caladium sagittaeifolium* SUBER. EX ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Calamintha clinopodium* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Calamintha umbrosa* FISH. & MEY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Calamus draco* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Calamus erectus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Calamus extensus* ROXB. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Calamus huegelianus* MART, and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Calamus latifolius* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Calamus rheedei* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Calamus rotang* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Calamus tenuis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Calamus thwaitesii* BECC. *canaranus* Becc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Calamus travancoricus* BEDD. EX HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Calamus viminalis* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Calanthe masuca* (D.DON) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Calanthe sylvatica* (THOU.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Calanthe triplicata* (WILLEM.) AMES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Calanthe veratrifolia* (WILLD.) KER.-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Calendula arvensis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Calendula officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Callicarpa arborea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Callicarpa cana* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Callicarpa lanata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Callicarpa longifolia* LAMK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Callicarpa macrophylla* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Callicarpa psilocalyx* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Callicarpa rubella* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Callicarpa tomentosa* (L.) MURRAY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Calligonum polygonoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Callistemon lanceolatus* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Callitris inophyllum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Calonyction bona-nox* BOJER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Calonyction muricatum* G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Calophyllum apetalum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Calophyllum calaba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Calophyllum elatum* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Calophyllum inophyllum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Calosanthus indica* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Calotropis gigantea* (L.) R.BR. alba and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Calotropis gigantea* (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Calotropis procera* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Caltha alba* CAMB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Caltha palustris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Calvatia cyathiformis* (BOSC.) MORGAN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Calycopteris floribunda* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Calyptanthus caryophyllifolia* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Calyptanthus jambolana* MOON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Camellia kissi* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Camellia sinensis* (L.) O.KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Camellia thea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Campanula colorata* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Camphora officinarum* NEES. EX WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Campsis grandiflora* (THUNB.)SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Campsis radicans* (LINN.) SEEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cananga odorata* HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Canarium odoratum* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Canarium bengalense* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Canarium commune* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Canarium euphyllum* KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Canarium resiniferum* BRUCE EX KING NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Canarium strictum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Canarium vulgare* LEENH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Canavalia ensiformis* SENSU BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Canavalia gladiata* (JACQ.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Canavalia lineata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Canavalia rosea* (SW.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Canavalia virosa* (ROXB.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Canella alba* Murr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Canella winterana* (L.) GAERTNER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Canna coccinea* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Canna indica* L. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Canna orientalis* ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cannabis indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cannabis sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Canscora andrographioides* GRIFF. EX C. B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Canscora decussata* SCHULTES & SCHULTES.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Canscora diffusa* (VAHL) R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Canscora perfoliata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cansjera rheedi* J.F. GMELIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Canthium angustifolium* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Canthium coromandelicum* (N.BURM.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Canthium dicoccum* (GAERTN.) TEIJSM. & BINN. *dicoccum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Canthium parviflorum* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Canthium rheedei* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Canthium umbellatum* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Caoxylon indicum* (BL.) HASSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Capparis aphylla* ROTH. NOV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Capparis assamica* HK. F. & TH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Capparis bisperma* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Capparis corundas* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Capparis decidua* (FORSK.) EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Capparis diffusa* RIDLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Capparis divaricata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Capparis grandis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Capparis heyneana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Capparis horrida* L.F. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Capparis micrantha* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Capparis moonii* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Capparis olacifolia* HK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Capparis pedunculosa* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Capparis rheedii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Capparis roxburghii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Capparis sepiaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Capparis spinosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Capparis zeylanica* L. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Capsella bursa-pastoris* MEDIC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Capsella thomsoni* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Capsicum annuum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Capsicum festigiatum* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Capsicum frutescens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Capsicum grossum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Capsicum minimum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Caragana crassicaulis* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Caragana cuneata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Caragana pygmaea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carallia brachiata* (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carallia integerrima* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Caralluma adscendens* (ROXB.) HAW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Caralluma attenuata* WT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Caralluma edulis* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Caralluma tuberculata* BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Caralluma umbellata* HAW. SYN. PL.

NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carapa granatum* (KOENIG) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carapa gromatum* (KOENIG) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carapa moluccensis* LAM. EXCYCL. METH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carapa obovata* BL. BIJDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cardamine impatiens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cardamine loxostemonoides* O.E. SCHULZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cardamine pratensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cardamine scutata* THUNB. flexuosa (WITH.) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cardanthera uliginosa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cardaria draba* (L.) DESV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cardiocrinum giganteum* (WALL.) MAK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cardiospermum canescens* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cardiospermum halicacabum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carduus edelbergii* RECH.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carduus gigas* UCRIA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carduus nutans* L. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carex atrata* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carex cernua* BOOTT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carex nivalis* BOOTT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carex notha* KUNTH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carex nubigena* D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Careya arborea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Careya herbacea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carica cKalammarcensis* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carica papaya* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carissa carKalam*s L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carissa congesta* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carissa opaca* STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carissa paucinervia* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carissa spinarum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carmona microphylla* (LAM.) G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carmona retusa* (VAHL) MASAMUNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carpesium abrotanoides* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carpesium cernuum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carpopogon pruriens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carthamus lanatus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carthamus oxyacantha* BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carthamus tinctorius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carum bulbocastanum* Auct. Non Koch:C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carum carvi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carum copticum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carum roxburghianum* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carum strictocarpum* C.B.CLARK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Caryophyllus aromaticus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Caryopteris odorata* ROBIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Caryota mitis* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Caryota urens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *CascaNripati thevetia* (L.) LIPPOLD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Casearia elliptica* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Casearia esculenta* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Casearia esculenta* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Casearia graveolens* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Casearia grewiaefolia* VENT. *deglabrata* KOORD. & VAL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Casearia ovata* (LAM.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Casearia tomentosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Casearia vareca* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Casearia zeylanica* (GAERTN.) RHW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cassia absus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cassia acutifolia* DELILE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cassia alata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cassia angustifolia* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cassia arborea* MACFAD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cassia auriculata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cassia didymobotrya* FRESEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cassia elongata* LEMAIRE - LIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cassia fistula* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cassia fistula* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cassia glauca* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cassia hirsuta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cassia italica* (MILL.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cassia javanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cassia kleinii* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cassia laevigata* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cassia lanceolata* COLLAD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cassia marginata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cassia mimosoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cassia montana* HEYNE EX. ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cassia obovata* COLLOD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cassia obtusifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cassia occidentalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cassia pumila* LAMK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cassia roxburghii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cassia senna* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cassia siamea* LAMK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cassia sophera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cassia surattensis* BRUN. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cassia tora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cassia uniflora* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cassine glauca* (ROTTB.) O.KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cassiope fastigiata* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cassytha filiformis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Castanea sativa* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Castanopsis indica* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Castanopsis tribuloides* A. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Castanospermum australe* A. CUNN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Casuarina equisetifolia* FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Catha edulis* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Catharanthus pusillus* (MURR.) G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Catharanthus roseus* (L.) G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Catimbium malaccense* (BURM.F.) HOLTUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Catimbium speciosum* (WENDL.) HOLTUM NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Catunaregam rugulosa* (THW.) TIRUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Catunaregam uliginosa* (RETZ.) SIVARAJAN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Catunaregam spinosa* (THUNB.) TIRVENGADUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Caulophyllum thalictroides* MICHX. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cayratia auriculata* (ROXB.) GAMBLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cayratia carnosae* (WALL.) GAGNEP. EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cayratia mollissima* (WALL.) GAGNEP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cayratia pedata* (LAM.) JUSS. EX GAGNEP. *glabra* GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cayratia pedata* JUSS. EX GAGNEPAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cayratia trifolia* (L.) DOMIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cedrela serrata* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cedrela toona* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cedrus deodara* (ROXB.) LOUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cedrus libani* BARREL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cedrus libani* BARREL *deodara* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ceiba pentandra* (L.) GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Celastrus paniculatus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Celosia argentea* L. *cristata* (L.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Celosia argentea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Celosia cristata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Celosia cristata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Celsia coromandeliana* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Celtis australis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Celtis cinnamomea* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Celtis orientalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Celtis philippensis* BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Celtis tetrandra* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Celtis timorensis* SPAN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Celtis wightii* PLANCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cenchrus barbatus* SCHUM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cenchrus biflorus* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cenchrus ciliaris* L. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Centaurea behen* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Centaurea calcitrapa* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Centaurea cyanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Centaurea iberica* TREV. EX SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Centaurea picris* PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Centaurea solstitialis* ASSO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Centaureum centaurioides* (ROXB.) ROLLA RAO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Centaureum roxburghii* (G.DON) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Centella asiatica* (L.) URBAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Centipeda minima* (L.) A.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Centipeda orbicularis* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Centranthera grandiflora* BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Centranthera indica* (L.) GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Centratherum anthelminticum* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Centrosema pubescens* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Centrostachys aquatica* (R.BR.) WALL.EX MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cepa alba* RENAULT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cepa flava* MOENCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cephaelis ipecacuanha* RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cephalandra indica* NAUDIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cephalanthera ensifolia* RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cephalanthera longifolia* (L.) FRITZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cephalostachyum capitatum* MUNRO NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cephalostachyum pergracile* MUNRO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cephalotaxus griffithi* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cerastium cerastoides* (L.) BRITH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cerastium fontanum* BAUMG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cerastium glomeratum* THUILL.FL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cerastium indicum* THUILL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cerastium thomsoni* HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cerastium vulgatum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cerasus hexagonus* MILL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ceratocephalus falcatus* (L.) PERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ceratonia siliqua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ceratophyllum demersum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ceratopteris siliquosa* COPELAND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ceratopteris thalictroides* (L.) BRONGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cerbera manghas* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cerbera odollam* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cereus grandiflorus* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ceriops candolleana* ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ceriops roxburghiana* ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ceriops tagal* C.B. ROBINSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ceriscoides turgida* (ROXB.) TIRUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ceropegia bulbosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ceropegia candelabrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ceropegia hirsuta* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ceropegia juncea* ROXB. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ceropegia tuberosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cestrum diurnum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cestrum nocturnum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cestrum parqui* L'HERIT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ceterach officinarum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chaerophyllum acuminatum* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chaerophyllum villosum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chamaemelum nobile* (L.) ALL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chamaerops ritchieana* GRIFF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Champereia griffithii* PLANCH. EX KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Champereia manillana* (BL.) MORR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chasallia chartacea* CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chassalia chartacea* CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chassalia chartacea* CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chassalia curviflora* (WALL. EX KURZ) THW. *ophioxyloides* (WALL.) DEB & KRISHNA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chassalia ophioxyloides* (WALL.) CRAIB

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chavica betle* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chavica roxburghii* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cheilanthes albomarginata* C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cheilanthes farinosa* (FORST.) KAULF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cheilanthes fragrans* (L.F.) SW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cheilanthes rufa* D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cheilanthes tenuifolia* (N.BURM.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cheiranthus cheiri* L. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chenopodium album* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chenopodium ambrosioides* BERT. EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chenopodium blitum* HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chenopodium botrys* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chenopodium murale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chesneya nubigena* (D.DON)ALI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chrysanthemum segetum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cichorium endivia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cichorium intybus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cirsium wallichii* DC. var. *wightii* (Hook.f.) Vivek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cissampelopsis ansteadii* (Tad. & Jacob) C. Jeffrey & Y.L. Chen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cissampelopsis corymbosa* (DC.) C. Jeffrey & Y. L. Chen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cissampelopsis walkeri* (Arn.) C. Jeffrey & Y. L. Chen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Conyza aegyptiaca* (L.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Conyza bonariensis* (L.) Cronquist and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Conyza japonica* (Thunb.) Less. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Conyza leucantha* (D.Don) Ludlow & Raven and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Conyza stricta* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Coreopsis grandiflora* Nutt. ex Chapm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Coreopsis tinctoria* Nutt var. *tinctoria* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Coreopsis tinctoria* Nutt var. *atkinsoniana* (Douglas) H. M. Parker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cosmos caudatus* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cosmos sulphureus* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cotula australis* (Sieb. ex Spreng.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crassocephalum crepidioides* (Benth.) S.

Moore and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyathocline purpurea* (Ham. ex D. Don) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dahlia coccinea* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dahlia imperialis* Roedel ex E. Ortgies and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dendranthema x grandiflorum* (Ramat.) Kitam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dichrocephala chrysanthemifolia* (Blume) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dichrocephala integrifolia* (L.f.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dicoma tomentosa* Cass. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Echinops echinatus* Roxb. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eclipta prostrata* (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Elephantopus scaber* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Emilia coccinea* (Sims) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Emilia javanica* (Burm.f.) C. Robinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Emilia ramulosa* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Emilia scabra* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Emilia sonchifolia* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Emilia zeylanica* Clarke var. *zeylanica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Emilia zeylanica* Clarke var. *paludosa* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Epilates divaricata* (L.) Cass. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Epilates pygmaea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Erigeron alpinus* L. var. *wightii* (DC.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Erigeron canadensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Erigeron karvinskianus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Erigeron multiradiatus* (DC.) C. B. Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Erigeron sublyratus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eupatorium ianthinum* Hemsl. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eupatorium repandum* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Filago arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Flaveria contrayerba* Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Flaveria trinervia* (Spreng.) C. Mohr and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gaillardia pulchella* Foug. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Galinsoga parviflora* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Galinsoga quadriradiata* Ruiz. & Pavon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gamochaeta coarctata* (Willd.) M. Kerguelen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gamochaeta pensylvanica* (Willd.) Cavrera and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gamochaeta purpurea* (L.) Cavrera and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gazania linearis* (Thunb.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gerbera jamesonii* Bolus ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Glossocardia bosvallea* (L.f.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Glossogyne bidens* (Retz.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gnaphalium hypoleucum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gnaphalium luteo-album* L. subsp. *luteo-album* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gnaphalium luteo-album* L. subsp. *affine* (D. Don.) Koster and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gnaphalium polycaulon* Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Goniocaulon indicum* (Klein ex Willd.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Grangea maderaspatana* (L.) Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Guizotia abyssinica* (L.f.) Cass. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gynura aurantiaca* (Blume) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gynura bicolor* (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gynura lycopersicifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gynura nitida* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gynura pseudo-china* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gynura travancorica* W.W. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Helianthus annuus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Helianthus debilis* Nutt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Helianthus tuberosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Helichrysum buddleioides* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Helichrysum perlanigerum* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Helichrysum wightii* Clarke ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Helipterum citrinum* Harv. & Sond. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Helipterum roseum* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hypochoeris glabra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hypochoeris radicata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Kleinia grandiflora* (Wall. ex DC.) Rani and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lactuca hastata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lactuca sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lagascea mollis* Cav. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Laggera crispata* (Vahl) Hepper & Wood and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Launaea acaulis* (Roxb.) Babc. ex Kerr and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Launaea intybacea* (Jacq.) Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Launaea procumbens* (Roxb.) Ramayya & Rajagopal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Launaea sarmentosa* (Willd.) Sch.-Bip. ex Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leucanthemum x superbum* (J.W. Ingram) D. H. Kent and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Montanoa bipinnatifida* C. Koch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Moonia heterophylla* Arn. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Myriactis wightii* DC. var. *wightii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Myriactis wightii* DC. var. *bellidioides* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Notonia shevaroyensis* Fyson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Notonia walkeri* (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Olearia cassiniae* F.v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oligochaeta ramosa* (Roxb.) Wagenitz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Osteospermum ecklonis* (DC.) Norl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Osteospermum moniliferum* L. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Parthenium hysterophorus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pentanema cernuum* (Dalzell) Ling and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pentanema indicum* (L.) Ling and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phyllocephalum courtallense* (Wight) Narayana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phyllocephalum indicum* (Less.) Kirkman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phyllocephalum phyllolaenum* (DC.) Narayana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phyllocephalum rangacharii* (Gamble) Narayana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phyllocephalum scabridum* (DC.) Kirkman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phyllocephalum sengaltherianum* (Narayana) Narayana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Picris hieracioides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pluchea tomentosa* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Proustia pyrifolia* Lagasca and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Psiadia ceylanica* (Arn.) Grierson var. *ceylanica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Psiadia ceylanica* (Arn.) Grierson var. *beddomei* (Gamble) Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pulicaria angustifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pulicaria wightiana* (DC.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rudbeckia maxima* Nutt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Santolina chamaecyparissus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sclerocarpus africanus* Jacq.ex Murr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Senecio ansteadii* Tad. & Jacob and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Senecio articulatus* (Haw.) Sch.-Bip. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Senecio calcadensis* Ramaswami and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Senecio candicans* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Senecio cineraria* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Senecio confusus* Elmer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Senecio edgeworthii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Senecio hohenackeri* Hook.f. var. *hohenackeri* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Senecio hohenackeri* Hook.f. var. *rupestris* (Wight) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Senecio intermedius* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Senecio kundaicus* Fishcher and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Senecio lavandulaefolius* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Senecio lawsonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Senecio lessingianus* (Wight & Arn.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Senecio ludens* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Senecio neelgherryanus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Senecio polycephalus* (DC.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Senecio tenuifolius* Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Senecio vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Senecio wightii* (DC.) Benth. ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Senecio zeylanicus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sigesbeckia orientalis* L. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Silybum marianum* (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solidago canadensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solidago gigantea* Aiton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solidago microglossa* Dc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solidago nemoralis* Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solidago virga-aurea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sonchus asper* (L.) Hill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sonchus jainii* Chandrasekaran & Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sonchus oleraceus* L. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sonchus wightianus* DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sphaeranthus africanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sphaeranthus amaranthoides* Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sphaeranthus indicus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Spilanthes calva* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Spilanthes radicans* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Spilanthes uliginosa* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stokesia laevis* (Hill) Greene and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Struchium sparganophorum* (L.) Kuntze

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Synedrella nodiflora* (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tagetes erecta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tagetes lucida* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tagetes minuta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tagetes patula* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tanacetum parthenium* (L.) Sch. bip. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Taraxacum javanicum* Soest and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Taraxacum officinale* Weber and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tanacetum cinerariaefolium* Sch.Bip. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tithonia diversifolia* (Hemsl.) A. Gray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tricholepis radicans* (Roxb.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tridax procumbens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Verbesina encelioides* (Cav.) Benth. & Hook.f. ex A. Gray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vernonia albicans* Dc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vernonia anamallica* Bedd. ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vernonia anthelmintica* (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vernonia arborea* Buch.-Ham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vernonia bourdillonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vernonia bourneana* W.W. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vernonia cinerascens* Sch.-Bip. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vernonia cinerea* (L.) Less. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vernonia comorinensis* W.W.Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vernonia conyzoides* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vernonia dalzelliana* Drumm. & Hutchinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vernonia divergens* (Roxb.) Edgew. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vernonia elaeagnifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vernonia fysonii* Calder and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vernonia gossypina* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vernonia heynei* Bedd. ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vernonia indica* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vernonia malabarica* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vernonia membranacea* Bedd. ex S. Moore and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vernonia monosis* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vernonia pectiniformis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vernonia peninsularis* (Clarke) Clarke ex Hook.f. var. *peninsularis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vernonia peninsularis* (Clarke) Clarke ex Hook.f. var. *kodayarensis* Henry & Gopalan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vernonia pothigaiana* Chelladurai & Gopalan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vernonia ramaswamii* Hutchinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vernonia recurva* Bedd. ex S. Moore and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vernonia saligna* DC. var. *nilghirensis* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vernonia salvifolia* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vernonia setigera* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vernonia shevaroyensis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vernonia travancorica* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vittadinia australis* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Wedelia chinensis* (Osbeck) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Wedelia trilobata* (L.) A. Hitchc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Wedelia urticaefolia* (Blume) DC. var. *urticaefolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Wedelia urticaefolia* (Blume) DC. var. *wightii* DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Xanthium indicum* Koen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Youngia fuscipappa* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Youngia japonica* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Youngia nilgiriensis* Babc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zinnia elegans* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scaevola plumieri* (L.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scaevola sericea* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Asyneuma fulgens* (Wall.) Briq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Campanula alphonisii* Wall. ex A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Campanula benthamii* Wall. ex Kitam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Campanula drabifolia* Sibth. & Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Campanula latifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Campanula medium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Campanula ramulosa* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Campanula rapunculoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Campanula wightii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Laurentia longiflora* (L.) Presl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Wahlenbergia erecta* (Roth ex Schultes) Tuyn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Wahlenbergia flexuosa* (Hook.f. & Thoms.) Thulin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Wahlenbergia marginata* (Thunb.) A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lobelia alsinoides* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lobelia angulata* Forst.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lobelia chinensis* Lour and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lobelia courtallensis* K.K.N.Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lobelia heyneana* Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lobelia leschenaultiana* (Presl) Skottsb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lobelia nicotianifolia* Roth ex Schultes var. *nicotianifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lobelia nicotianifolia* Roth ex Schultes var. *trichandra* (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sphenoclea zeylanica* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vaccinium leschenaultii* Wight var. *leschenaultii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vaccinium leschenaultii* Wight var. *pubescens* S.M. Rajendran, S.C. Agarwal & H.N. Verma and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vaccinium leschenaultii* Wight var. *rotundifolia* (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vaccinium leschenaultii* Wight var. *zeylanica* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vaccinium neilgherrense* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arbutus unedo* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Calluna vulgaris* (L.) Hull and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Erica arborea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Erica vagans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gaultheria fragrantissima* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhododendron arboreum* J.E. Smith subsp. *nilagirium* (Zenk.) Tagg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhododendron indicum* (L.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhododendron mucronatum* G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhododendron ponticum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhododendron simsii* Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Clethra arborea* Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Limonium sinuatum* (L.) Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plumbago auriculata* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plumbago indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plumbago zeylanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anagallis arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anagallis pumila* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lysimachia candida* Lindl. subsp. *obovata* (Buch.-Ham.ex Hook.f.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lysimachia leschenaultii* Duby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lysimachia procumbens* Baudo and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aegiceras corniculatus* (L.) Blanco and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Antistrophe serratifolia* (Bedd.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ardisia amplexicaulis* Bedd. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ardisia blatteri* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ardisia littoralis* Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ardisia missionis* Wall. ex A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ardisia paniculata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ardisia pauciflora* Heyne ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ardisia rhomboidea* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ardisia solanacea* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ardisia sonchifolia* Mez and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Embelia adnata* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Embelia basaal* (Roem. & Schultes) A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Embelia gardneriana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Embelia ribes* Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Embelia tsjeriam-cottam* (Roem. & Schultes) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Maesa indica* (Roxb.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Myrsine wightiana* Wall. ex. A. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rapanea capitellata* (Wall.) Mez var. *capitellata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rapanea capitellata* (Wall.) Mez var. *sessilis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rapanea daphnoides* Mez and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rapanea thwaitesii* Mez and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jacquinia barbasco* (Loefl.) Mez and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jacquinia aculeata* Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chrysophyllum cainito* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chrysophyllum roxburghii* G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Isonandra lanceolata* Wight forma *lanceolata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Isonandra lanceolata* Wight forma *anfractuosa* (Clarke) Jeuken and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Isonandra montana* (Thw.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Isonandra perrottetiana* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Isonandra stocksii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Madhuca indica* J. F. Gmel. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Madhuca longifolia* (Koen.) Macbr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Madhuca neriifolia* (Moon) H.J. Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Manilkara hexandra* (Roxb.) Dubard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Manilkara roxburghiana* (Wight) Dubard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Manilkara zapota* (L.) P. Royen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mimusops elengi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Palaquium bourdillonii* Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Palaquium ellipticum* (Dalz.) Baillon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Xantolis tomentosa* (Roxb.) Rafin. var. *tomentosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Xantolis tomentosa* (Roxb.) Rafin. var. *elengioides* (A.DC.) Vajravelu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Diospyros affinis* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Diospyros assimilis* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Diospyros barberi* Ramaswami and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Diospyros bourdillonii* Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Diospyros buxifolia* (Blume) Hiern and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Diospyros candolleana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Diospyros chloroxylon* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Diospyros cordifolia* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Diospyros ebum* Koen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Diospyros ferrea* (Willd.) Bakh. var. *buxifolia* (Rottb.) Bakh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Diospyros ferrea* (Willd.) Bakh. var. *neilgherrensis* (Wight) Bakh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Diospyros foliolosa* Wall. ex A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Diospyros humilis* Bourd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Diospyros insignis* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Diospyros malabarica* (Desr.) Kostel. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Diospyros melanoxylon* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Diospyros montana* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Diospyros nigresens* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Diospyros nilgirica* Bedd. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Diospyros oocarpa* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Diospyros ovalifolia* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Diospyros paniculata* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Diospyros pruriens* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Diospyros racemosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Diospyros sylvatica* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Diospyros walkeri* (Wight) Guerke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Symplocos anamallayana* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Symplocos authilingomii* Henry & Gopalan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Symplocos cochinchinensis* (Lour.) Moore subsp. *laurina* (Retz.) Nooteb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Symplocos foliosa* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Symplocos macrocarpa* Wight ex Clarke subsp. *macrocarpa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Symplocos macrocarpa* Wight ex Clarke subsp. *kanarana* (Talbot) Nooteb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Symplocos macrophylla* Wall. ex A.DC. subsp. *macrophylla* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Symplocos macrophylla* Wall. ex A.DC. subsp. *microphylla* (Wight) Nooteb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Symplocos macrophylla* Wall. ex A.DC. subsp. *rosea* (Bedd.) Nooteb. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Symplocos monantha* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Symplocos nairii* Henry, Gopalan & Swamin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Symplocos obtusa* Wall. ex G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Symplocos oligandra* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Symplocos pendula* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Symplocos pulchra* Wight subsp. *pulchra* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Symplocos pulchra* Wight subsp. *coriacea* Gopalan & Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Symplocos racemosa* Roxb. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Symplocos wynadense* (Kuntze) Nootb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chionanthus leprocarpa* Thw. var. *courtallensis* (Bedd.) K.K.N. Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chionanthus linocieroides* (Wight) Bennet & Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chionanthus macrophylla* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chionanthus mala-elengi* (Dennst.) P.S. Green and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chionanthus ramiflorus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chionanthus zeylanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jasminum angustifolium* (L.) Willd. var.

angustifolium and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jasminum angustifolium* (L.) Willd. var. *sessiliflorum* (Vahl) P.S. Green and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jasminum arborescens* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jasminum auriculatum* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jasminum azoricum* L. var. *azoricum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jasminum azoricum* L. var. *travancorensis* (Gamble) Mohanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jasminum bignoniaceum* Wall. ex G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jasminum brevifolium* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jasminum calophyllum* Wall. ex A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jasminum cordifolium* Wall. ex G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jasminum cuspidatum* Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jasminum grandiflorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jasminum malabaricum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jasminum mesnyi* Hance and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jasminum multiflorum* (Burm.f.) Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jasminum officinale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jasminum polyanthum* Franch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jasminum ritchiei* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jasminum rottlerianum* Wall. ex A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jasminum sambac* (L.) Ait. var. *sambac* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jasminum sambac* (L.) Ait. var. *heyneanum* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jasminum scandens* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jasminum trichotomum* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jasminum wightii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ligustrum decaisnei* Clarke var. *decaisnei*

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ligustrum decaisnei* Clarke var. *microphylla* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ligustrum gamblei* Ramam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ligustrum lucidum* Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ligustrum perrottetii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ligustrum robustum* (Roxb.) Blume subsp. *walkerii* (Decne.) P.S. Green and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ligustrum travancoricum* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Myxopyrum serratum* A.W. Hill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Olea dioica* Roxb. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Olea paniculata* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Olea polygama* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Schrebera swietenoides* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nyctanthes arbor-tristis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Azima tetracantha* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Salvadora persica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Adenium obesum* Roem & Schult. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aganosma cymosa* (Roxb.) G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aganosma dichotoma* (Roth) K. Schum. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *AllamKalam cathartica* L. var. *nobilis* Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *AllamKalam violacea* Gardn. & Field and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alstonia scholaris* (L.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alstonia venenata* R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anodendron paniculatum* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Beaumontia grandiflora* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Beaumontia jerdoniana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carissa carKalam*s L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carissa congesta* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carissa grandiflora* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carissa hirsuta* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carissa inermis* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carissa paucinervia* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carissa salicina* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carissa spinarum* L. var. *spinarum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Catharanthus pusillus* (Murr.) G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Catharanthus roseus* (L.) G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cerbera odollam* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chonemorpha fragrans* (Moon) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ellertonia rheedii* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Funtumia africana* (Benth.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Holarrhena pubescens* (Buch. - Ham) Wall. ex G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hunteria zeylanica* (Retz.) Gard. ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ichnocarpus frutescens* (L.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Kopsia fruticosa* (Ker-Gawl.) A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mandevilla laxa* (Ruiz & Pavon) Woodson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nerium oleander* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Parsonsia alboflavescens* (Dennst.) Mabberley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plumeria obtusa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plumeria rubra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rauvolfia hookeri* Srinivasan & Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rauvolfia micrantha* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rauvolfia serpentina* (L.) Benth. ex Kurz

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rauvolfia tetraphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rauvolfia verticillata* (Lour.) Baill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strophanthus wightianus* Wall. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tabernaemontana divaricata* (L.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tabernaemontana gamblei* Subram. & Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tabernaemontana heyneana* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Thevetia peruviana* K.Schum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vallisneria spiralis* (L.) Kuntze and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vinca major* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Voacanga grandiflora* (Miq.) Rolfe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Wrightia arborea* (Dennst.) Mabberley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Wrightia indica* Ngan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Wrightia tinctoria* (Roxb.) R.Br. var. *tinctoria* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Wrightia tinctoria* (Roxb.) R.Br. var. *rothii* (G.Don) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Asclepias curassavica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Brachystelma bourneae* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Brachystelma brevitubulatum* (Bedd.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Brachystelma maculatum* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Brachystelma rangacharii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Calotropis gigantea* (L.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Calotropis procera* (Ait.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Caralluma adscendens* (Roxb.) Haw. var. *adscendens* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Caralluma adscendens* (Roxb.) Haw. var. *attenuata* (Wight) Grav. & Mayuranathan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Caralluma bhupinderana* Sarkaria and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Caralluma diffusa* (Wight) N.E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Caralluma indica* (Wight & Arn.) N.E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Caralluma nilagiriana* Kumari & Subba Rao and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Caralluma pauciflora* (Wight) N.E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Caralluma procumbens* Grav. & Mayuranathan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Caralluma stalagmifera* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Caralluma umbellata* Haw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ceropegia barnesii* Bruce & Chatterjee and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ceropegia bulbosa* Roxb. var. *bulbosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ceropegia bulbosa* Roxb. var. *lushii* (Graham) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ceropegia candelabrum* L. var. *candelabrum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ceropegia candelabrum* L. var. *biflora* (L.) M.Y. Ansari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ceropegia ciliata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ceropegia decaisneana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ceropegia elegans* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ceropegia ensifolia* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ceropegia fimbriifera* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ceropegia hirsuta* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ceropegia intermedia* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ceropegia juncea* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ceropegia maculata* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ceropegia mannanana* Umamahesw. & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ceropegia metziana* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ceropegia oculata* Hook. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ceropegia omissa* Huber and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ceropegia pusilla* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ceropegia spiralis* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ceropegia thwaitesii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cosmostigma racemosum* (Roxb.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cynanchum alatum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cynanchum callialatum* Buch.-Ham. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cynanchum tunicatum* (Retz.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gomphocarpus fruticosus* (L.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gomphocarpus physocarpus* E. Meyer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gymnema alterniflorum* (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gymnema elegans* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gymnema hirsutum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gymnema lactiferum* (L.) R. Br. ex. Schult. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gymnema montanum* (Roxb.) Hook.f. var. *montanum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gymnema montanum* (Roxb.) Hook.f. var.

beddomei Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gymnema montanum* (Roxb.) Hook.f. var. *pubiflora* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gymnema sylvestre* (Retz.) R.Br. ex Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gymnema tingens* (Roxb.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Heterostemma tanjorensis* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Holastemma ada-kodien* Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hoya alexicaca* (Jacq.) Moon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hoya kanyakumariana* Henry & Swamin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hoya ovalifolia* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hoya pauciflora* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hoya wightii* Hook.f.subsp. *wightii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hoya wightii* Hook.f. subsp. *palniensis* K .T. Mathew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leptadenia reticulata* (Retz.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Marsdenia brunoniana* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Marsdenia tenacissima* (Roxb.) Moon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Marsdenia tirunelvelica* Henry & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pentatropis capensis* (L.f.) Bullock and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pergularia daemia* (Forrsk.) Chiov. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Raphionacme purpurea* Harv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sarcostemma acidum* (Roxb.) Voigt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sarcostemma brunonianum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sarcostemma intermedium* Decne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sarcostemma secamone* (L.) Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Secamone emetica* (Retz.) R.Br. ex Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stapelia gigantea* N.E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stapelia grandiflora* Masson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Telosma minor* (Andr.) Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Telosma pallida* (Roxb.) Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Toxocarpus beddomei* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Toxocarpus kleinii* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Toxocarpus palghatensis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tylophora capparidifolia* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tylophora fasciculata* Buch.-Ham. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tylophora indica* (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tylophora macrantha* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tylophora mollissima* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tylophora multiflora* (Wight & Arn.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tylophora pauciflora* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tylophora rotundifolia* Buch.-Ham. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tylophora subramanii* Henry and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tylophora tetrapetala* (Dennst.) Suresh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tylophora zeylanica* Decne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Wattakaka volubilis* (L.f.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bacolepis nervosa* (Wight & Arn.) Decne. ex Moq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cryptolepis buchananii* Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cryptolepis grandiflora* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cryptostegia grandiflora* R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Decalepis hamiltonii* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hemidesmus indicus* (L.) R.Br. var. *indicus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hemidesmus indicus* (L.) R.Br. var. *pubescens* (Wight & Arn.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Decalepis arayalpathra* Joseph & Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Utleria salicifolia* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fagraea ceilanica* Thub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gardneria ovata* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mitrasacme indica* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Spigelia anthelmia* L. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strychnos lenticellata* Hill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strychnos minor* Dennst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strychnos nux-vomica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strychnos potatorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strychnos vanprukii* Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strychnos wallichiana* Steud. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Buddleja asiatica* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Buddleja davidii* Franch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Buddleja madagascariensis* Lam. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Buddleja volubilis* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Canscora decurrens* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Canscora decussata* (Roxb.) Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Canscora diffusa* (Vahl) R.Br. ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Canscora heteroclita* (L.) Gilg and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Canscora perfoliata* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Canscora roxburghii* Arn. ex Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Enicostema axillare* (Lam.) Raynal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Exacum anamallayanam* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Exacum atropurpureum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Exacum courtallense* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Exacum grande* Klack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Exacum lawii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Exacum pedunculatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Exacum petiolare* Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Exacum pumilum* Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Exacum sessile* L. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Exacum tetragonum* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Exacum travancoricum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Exacum wightianum* Arn. var. *wightianum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Exacum wightianum* Arn. var. *uniflorum* Henry & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gentiana pedicellata* Griseb. var. *wightii* Kusnezov and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gentiana quadrifaria* Blume var. *zeylanica* (Griseb.) Kusnezov and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Halenia perrottetii* Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hoppea dichotoma* Willd. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hoppea fastigiata* (Griseb.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Swertia angustifolia* Buch.-Ham. var. *pulchella* (Buch.-Ham.) ex D.Don Burkill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Swertia beddomei* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Swertia corymbosa* (Griseb.) Wight ex Clarke var. *corymbosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Swertia corymbosa* (Griseb.) Wight ex Clarke var. *grisebachiana* (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Swertia densifolia* (Griseb.) Kashyapa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Swertia minor* (Griseb.) Knobl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Swertia trichotoma* (Wight & Arn. ex Wight) Wall. ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nymphoides aurantiacum* (Dalz.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nymphoides hydrophylla* (Lour.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nymphoides indicum* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hydrolea zeylanica* (L.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Wigandia canacasana* H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phlox drummondii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carmona retusa* (Vahl) Masamune and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Coldenia procumbens* L. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cordia alba* Roem. & Schult. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cordia diffusa* Jacob and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cordia domestica* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cordia evolutor* (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cordia gharaf* (Forssk.) Ehrenb. ex Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cordia macleodii* (Griff.) Hook.f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cordia monoica* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cordia obliqua* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cordia wallichii* G. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cordia sebestena* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cordia subcordata* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cynoglossum zeylanicum* (Vahl ex Hornem.) Thunb. ex Lehm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Echium vulgare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ehretia aspera* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ehretia canarensis* (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ehretia laevis* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ehretia ovalifolia* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ehretia pubescens* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ehretia wightiana* Wall. ex G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Heliotropium arborescens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Heliotropium bracteatum* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Heliotropium curassavicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Heliotropium indicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Heliotropium marifolium* Retz. subsp. *marifolium* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Heliotropium marifolium* Retz. subsp. *wallichii* (Clarke) Kazmi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Heliotropium ovalifolium* Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Heliotropium peruvianum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Heliotropium rottleri* Lehm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Heliotropium strigosum* Willd. subsp. *brevifolium* (Wall.) Kazmi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Heliotropium subulatum* (Hochst.ex DC.) Vatke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Heliotropium supinum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Heliotropium zeylanicum* (Burm.f.) Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rotula aquatica* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Symphytum officinale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tournefortia argentea* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tournefortia heyneana* Wall. ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tournefortia reticosa* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tournefortia wightii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trichodesma indicum* (L.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trichodesma inaequale* Edgew. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trichodesma zeylanicum* (Burm.f.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aniseia martinicensis* (Jacq.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Argyreia argentea* Choisy var. *venusta* (Choisy) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Argyreia coonoorensis* W.W. Smith & Ramaswami and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Argyreia cuneata* (Willd.) Ker-Gawl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Argyreia cymosa* (Roxb.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Argyreia daltonii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Argyreia elliptica* (Roth) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Argyreia fulgens* Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Argyreia hirsuta* Wight & Arn. var. *hirsuta* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Argyreia imbricata* (Roth) Sant. & Patel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Argyreia involucrata* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Argyreia kleiniana* (Roem. & Schultes) Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Argyreia nellygherya* Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Argyreia nervosa* (Burm.f.) Boj. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Argyreia osyrensis* (Roth) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Argyreia pilosa* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Argyreia pomacea* (Roxb.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Argyreia populifolia* Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Argyreia sericea* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Argyreia setosa* (Roxb.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bonamia evolvuloides* (Choisy) Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bonamia Semidigyna* (Roxb.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Convolvulus arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Convolvulus flavus* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Convolvulus rotterianus* Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cressa cretica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cuscuta campestris* Decne. ex Engelm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cuscuta chinensis* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cuscuta hyalina* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cuscuta reflexa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Erycibe paniculata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Evolvulus alsinoides* (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Evolvulus nummularius* (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hewittia sublobata* (L.f.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea aquatica* Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea asarifolia* (Desr.) Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea barlerioides* (Choisy) Benth.ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea batatas* (L.) Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea cairica* (L.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea campanulata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea carnea* Jacq. subsp. *carnea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea carnea* Jacq. subsp. *fistulosa* (Mart. ex Choisy) D.F. Austin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea coptica* (L.) Roth ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea deccana* Austin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea dichroa* Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea diversifolia* R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea eriocarpa* R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea hederifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea indica* (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea involucrata* Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea marginata* (Desr.) Verdc . and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea mauritiana* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea nil* (L.) Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea obscura* (L.) Ker-Gawl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea pes-caprae* (L.) R.Br. var. *pes-caprae* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea pes-caprae* (L.) R. Br. var. *perunkulamensis* Umamahesw. & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea pes-tigridis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea pileata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea purpurea* (L.) Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea quamoclit* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea rumicifolia* Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea sepiaria* Koen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea sinensis* (Desr.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea staphylina* Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea tuberculata* Ker - Gawl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea turbinata* Lag. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea violacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea wightii* (Wall.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jacquemontia caerulea* Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jacquemontia paniculata* (Burm.f.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jacquemontia pentantha* (Jacq.) D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lepistemon leiocalyx* Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Merremia aegyptia* (L.) Urban and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Merremia dissecta* (Jacq.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Merremia emarginata* (Burm.f.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Merremia hederacea* (Burm.f.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Merremia quinata* (R.Br.) Ooststr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Merremia quinquefolia* (L.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Merremia tridentata* (L.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Merremia umbellata* (L.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Merremia umbellata* (L.) Hall.f. subsp. *Orientalis* Hall.f. Ooststr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Merremia vitifolia* (Burm.f.) Hall.f. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Operculina turpethum* (L.) Silva Manso and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Porana paniculata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Porana racemosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rivea hypocrateriformis* (Desr.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rivea ornata* (Roxb.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stictocardia tiliifolia* (Desr.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Browallia americana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Browallia speciosa* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Browallia viscosa* Kunth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Brugmansia arborea* (L.) Lagerh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Brugmansia suaveolens* (Humb. & Bonpl. ex Willd.) Bercht. & Presl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Brugmansia versicolor* Lagerh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Brunfelsia undulata* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Capsicum annuum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Capsicum frutescens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cestrum aurantiacum* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cestrum corymbosum* Schlecht. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cestrum diurnum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cestrum elegens* Schlecht. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cestrum fasciculatum* Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cestrum nocturnum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cestrum parqui* L'Herit. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyphomandra betacea* (Cav.) Sendtner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Datura cornigera* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Datura innoxia* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Datura metal* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Datura ferox* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Datura sanguinea* Ruiz & Pavon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Datura stramonium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Iochroma coccinea* Scheid. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lycium barbatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lycianthes laevis* (Dunal) Bitter subsp. *laevis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lycianthes laevis* (Dunal) Bitter subsp. *bigeminata* (Nees) Deb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lycianthes laevis* (Dunal) Bitter subsp. *kaitisis* (Dunal) Deb and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lycianthes laevis* (Dunal) Bitter subsp. *kaitisis* (Dunal) Deb var. *gouakai* (Dunal) Deb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lycopersicon esculentum* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nicandra physalodes* (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nicotiana alata* Link & Otto and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nicotiana glauca* Graham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nicotiana glutiniosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nicotiana plumbaginifolia* Viv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nicotiana repKalam* Willd. ex Lehm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nicotiana tabacum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nierembergia gracilis* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Petunia axillaris* (Lam.) Britton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Petunia x hybrida* Vilm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Physalis ixocarpa* Brot. ex Hornem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Physalis angulata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Physalis lagascae* Roem. & Schult. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Physalis pruinosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Physalis peruviana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Schizanthus pinnatus* Ruiz & Pav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Schizanthus wisetonensis* Hort. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solandra grandiflora* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum americanum* Mill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum anguivi* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum ariculari* G. Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum barbisetum* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum capsicastrum* Link & Schau. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum capsicoides* Mart. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum clavatum* Rusby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum convolvulus* Sendtner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum elaeagnifolium* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum erianthum* D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum giganteum* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum grandiflorum* Ruiz & Pavon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum hispidum* Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum jasminoides* Paxt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum kurzii* Brace ex Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum macrocarpon* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum macrophyllum* Dunal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum marginatum* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum mauritianum* Scop. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum melongena* L. var. *melongena* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum insanum* J.B.Fisch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum lasiocarpum* Dunal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum pseudo-capsicum* L.var. *pseudo-capsicum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum pseudo-capsicum* L. *difflorum* (Vell.) Bitter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum pubescens* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum robustum* H. Wendl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum seforthianum* Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum sisymbriifolium* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum stramonifolium* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum torvum* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum trilobatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum tuberosum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum vagum* Heyne ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum viarum* Dunal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum violaceum* Ortega Subsp. *violaceum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum violaceum* Ortega Subsp. *multiflorum* (C. B. Clarke) K. M. Matthew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum virginianum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum wendlandii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum wrightii* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Streptosolon jamesonii* (Benth.) Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Withania somnifera* (L.) Dunal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Adenosma indianum* (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Angelonia biflora* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Antirrhinum majus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Antirrhinum orontium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Antirrhinum purpureum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Artanema longifolia* (L.) Vatke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bacopa floribunda* (R.Br.) Wettst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bacopa hamiltoniana* (Benth.) Wettst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bacopa monnieri* (L.) Pennell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Buchnera hispida* Buch.-Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Calceolaria gracilis* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Celsia arcturus* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Centranthera indica* (L.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Centranthera tranquebarica* (Spreng.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cymbalaria muralis* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Digitalis purpurea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dopatrium junceum* (Roxb.) Buch.-Ham. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dopatrium lobelioides* (Retz.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dopatrium nudicaule* (Willd.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Glossostigma diandrum* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hebe speciosa* (A.Cunn) Andersen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hebe andersonii* Cockayne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Kickxia ramosissima* (Wall.) Janchen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Limnophila aromatica* (Lam.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Limnophila chinensis* (Osbeck) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Limnophila connata* (Buch.-Ham. ex D.Don) Handb.-Mazz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Limnophila heterophylla* (Roxb.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Limnophila indica* (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Limnophila polystachya* Benth. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Limnophila repens* (Benth.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Limnophila rugosa* (Roth) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lindenbergia indica* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lindernia anagallis* (Burm.f.) Pennell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lindernia antipoda* (L.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lindernia caespitosa* (Blume) Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lindernia ciliata* (Colsm.) Pennell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lindernia crustacea* (L.) F.v.Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lindernia hyssopioides* (L.) Haines and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lindernia minima* (Benth.) Mukerjee and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lindernia nummulariifolia* (D.Don) Wettst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lindernia oppositifolia* (Retz.) Mukerjee and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lindernia parviflora* (Roxb.) Haines and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lindernia procumbens* (Krock.) Philcox and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lindernia rotundifolia* (L.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lindernia ruellioides* (Colsm.) Pennell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lindernia srilankana* Cramer & Philcox and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lindernia sessiliflora* (Benth.) Wettst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lindernia tenuifolia* (Colsm.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lindernia viscosa* (Hornem.) Boldingh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Maurandya barclaiana* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Maurandya erubescens* (D. Don) Gray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Maurandya lophospermum* Bailey and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Maurandya semperflorens* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mazus pumilus* (Burm.f.) Steenis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mecardonia procumbens* (Mill.) Small and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Micrargeria wightii* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Microcarpaea minima* (Koen.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Paulownia tomentosa* (Thunb.) Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pedicularis perrottetti* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pedicularis zeylanica* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Penstemon azureus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Penstemon campanulatus* (Cav.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Peplidium maritimum* (L.f.) Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Russelia equisetiformis* Schlecht. & Cham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scoparia dulcis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sopubia delphiniifolia* (L.) G.Don var. *delphiniifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sopubia delphiniifolia* (L.) G.Don var. *parviflora* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sopubia stricta* G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sopubia trifida* Buch.-Ham. ex D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stemodia viscosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Striga angustifolia* (D.Don) Saldanha and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Striga asiatica* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Striga densiflora* (Benth.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Striga gesnerioides* (Willd.) Vatke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Striga masuria* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sutera dissecta* (Del.) Walp. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Torenia bicolor* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Torenia cordifolia* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Torenia courtallensis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Torenia fournieri* Linden ex Fourn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Torenia hirsuta* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Torenia travancorica* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Torenia vagans* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Verbascum chinense* (L.) Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Verbascum thapsus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Verbascum virgatum* Stokes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Veronica arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Veronica javanica* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Veronica polita* Fries and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Veronica speciosa* R.Cunn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Veronica persica* Poir.. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aeginetia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aeginetia pedunculata* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Christisonia bicolor* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Christisonia neilgherrica* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Christisonia saulierei* Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Christisonia subacaulis* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Christisonia tubulosa* (Wight) Benth. ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Orobanche cernua* Loefl. var. *nepalensis* Reut. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Utricularia aurea* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Utricularia australis* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Utricularia bifida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Utricularia caerulea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Utricularia exoleta* R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Utricularia graminifolia* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Utricularia hirta* Klein ex Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Utricularia minutissima* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Utricularia nayarii* Jana. & Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Utricularia polygaloides* Edgew. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Utricularia reticulata* J.E.Smith and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Utricularia roseo-purpurea* Stapf ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Utricularia scandens* Benj. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Utricularia smithiana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Utricularia stellaris* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Utricularia striatula* J.E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Utricularia uliginosa* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Utricularia wightiana* Taylor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aeschynanthus ceylanica* Gard. var. *punguis* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aeschynanthus perrottetii* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Didymocarpus fischeri* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Didymocarpus gambleanus* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Didymocarpus humboldtianus* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Didymocarpus innominatus* Burt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Didymocarpus lyrata* Wight var. *lyrata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Didymocarpus lyrata* Wight var. *prostrata* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Didymocarpus meeboldii* W.W. Smith and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Didymocarpus missionis* Wall. ex R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Didymocarpus ovalifolia* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Didymocarpus repens* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Didymocarpus tomentosus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Didymocarpus wightii* (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Epithema carnosum* (G.Don) Benth. var. *hispida* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gesneria cardinalis* Lehm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jerdonia indica* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhynchoglossum notonianum* (Wall) Burt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhynchoglossum obliquum* Blume var. *parviflora* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhynchotechum permolle* (Nees) Burt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arrabidaea magnifica* Sprague ex Steenis Bull and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bignonia megapotamica* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Campsis radicans* (L.) Seem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Catalpa bignonioides* Walter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Clytostoma callistegioides* (Cham.) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Clytostoma purpureum* (Lodd. ex Sweet) Rehder and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Parmentiera alata* Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crescentia cujeta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dolichandrone arcuata* (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dolichandrone atrovirens* (Heyne ex Roth) Sprague and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dolichandrone falcata* (Wall.ex DC.) Seem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Haplophragma adenophyllum* (DC.) Dop and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *JacarKalam mimosifolia* D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Kigelia africana* (Lam.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Macfadynea unguis-cati* (L.) A. Gentry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Markhamia stipulata* Seem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Millingtonia hortensis* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nyctocalos cuspidata* (Blume) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oroxylum indicum* (L.) Benth. ex Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pandorea jasminoides* (Lindl.) K. Schum. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phaedranthus buccinatorius* (DC.) Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phyllarthron bojerianum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pleonotoma jasminifolia* (H.B.K.) Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Podranea ricasoliana* (Tranf.) Sprague and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pyrostegia venusta* (Ker-Gawl.) Presl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Radermachera xylocarpa* (Roxb.) K.Schum. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Spathodea campanulata* Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stereospermum colais* (Buch.-Ham. ex

Dillw.) *Mabberley* var. *colais* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stereospermum colais* (Buch.-Ham. ex Dillw.) *Mabberley* var. *angustifolium* (Haines) Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tabebuia rosea* (Bertol.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tabebuia arjentea* Britton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tabebuia pallida* Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tabebuia palmeri* Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tecoma stans* (L.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tecomaria capensis* (Thunb.) Spach and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cobaea scandens* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pedaliu murex* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sesamum alatum* Thonn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sesamum indicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sesamum laciniatum* Klein ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sesamum prostratum* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sesamum radiatum* Schumach. & Thonn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Martynia annua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acanthus ilicifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acanthus mollis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Andrographis affinis* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Andrographis alata* (Vahl) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Andrographis atropurpurea* (Dennst.) A. Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Andrographis ceylanica* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Andrographis echioides* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Andrographis elongata* (Vahl) T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Andrographis explicata* (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Andrographis lawsonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Andrographis lineata* Wall. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Andrographis lobelioides* Wight var. *lobelioides* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Andrographis lobelioides* Wight var. *composita* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Andrographis longipedunculata* (Sreemadh.) L.H. Cramer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Andrographis macrobotrys* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Andrographis neesiana* Wight var. *neesiana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Andrographis neesiana* Wight var. *producta* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Andrographis neesiana* Wight var.

rotundifolia Sreemadh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Andrographis ovata* (T. And. ex Bedd.) Benth. ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Andrographis paniculata* (Burm.f.) Wall. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Andrographis rothii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Andrographis serpyllifolia* (Rottl. ex Vahl) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Andrographis stellulata* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Andrographis stenophylla* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Andrographis viscosula* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aphelandra deppeana* Schlecht. & Cham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Asystasia chelonoides* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Asystasia crispata* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Asystasia dalzelliana* Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Asystasia gangetica* (L.) T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Asystasia travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Barleria acuminata* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Barleria buxifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Barleria courtallica* Nees and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Barleria cristata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Barleria cuspidata* Heyne ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Barleria gibsonii* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Barleria involucrata* Nees var. *elata* (Dalz.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Barleria longiflora* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Barleria montana* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Barleria mysorensis* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Barleria nitida* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Barleria noctiflora* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Barleria paniculata* Wall. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Barleria pilosa* Wall. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Barleria prattensis* Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Barleria prionitis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Barleria strigosa* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Barleria tomentosa* Roth var. *tomentosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Barleria tomentosa* Roth var. *glandulosa* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Barleria vestita* T. And. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Blepharis maderaspatensis* (L.) Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Blepharis repens* (Vahl) Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Clinacanthus nutans* (Burm.f.) Lindau and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crossandra infundibuliformis* (L.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dicliptera cuneata* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dicliptera foetida* (Forssk.) Blatter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dicliptera verticillata* (Forssk.) Christensen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Diotacanthus albiflorus* (Bedd.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Diotacanthus grandis* (Bedd.) Benth. ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dipteracanthus beddomei* (C. B. Clarke) Santapau and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dipteracanthus patulus* (Jacq.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dipteracanthus prostratus* (Poir.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dyschoriste madurensis* (Burm.f.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dyschoriste nagchana* (Nees) Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dyschoriste vagans* (Wight) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ecbolium ligustrinum* (Vahl) Vollesen and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ecbolium viride* (Forssk.) Alston var. *viride* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ecbolium viride* (Forssk.) Alston var. *dentata* (Klein ex Link) Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ecbolium viride* (Forssk.) Alston var. *rotundifolia* (Nees) Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Elytraria acaulis* (L.f.) Lindau and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eranthemum capense* L. var. *capense* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eranthemum capense* L. var. *concanensis* (T.And.ex Clarke) Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eranthemum nervosum* (Vahl) R.Br. ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eranthemum purpurascens* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eranthemum roseum* (Vahl) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Graptophyllum hortense* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gymnostachyum canescens* (Nees) T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gymnostachyum ceylanicum* Arn. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gymnostachyum latifolium* (Dalz.) T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Haplanthodes neilgherryensis* (Wight) Majumdar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Haplanthodes verticillatus* (Roxb.) Majumdar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hemigraphis latebrosa* (Heyne ex Roth) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hygrophila balsamica* (L.f.) Rafin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hygrophila heinei* Sreemadh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hygrophila quadrivalvis* (Buch.-Ham.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hygrophila salicifolia* (Vahl) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hygrophila schulli* (Hamilt.) M.R.Almeida & S.M. Almeida and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jacobinia carnea* (Lindl.) G. Nicholson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Justicia adhatoda* L. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Justicia beddomei* (Clarke) Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Justicia betonica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Justicia diffusa* Willd. var. *diffusa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Justicia diffusa* Willd. var. *hedyotidifolia* (Nees) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Justicia diffusa* Willd. var. *orbiculata* (Wall. ex T.And.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Justicia gendarussa* Burm.f and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Justicia glabra* Koen.ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Justicia glauca* Rottl. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Justicia japonica* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Justicia latispica* (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Justicia neesii* Ramam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Justicia nilgherrensis* (Nees) Wall. ex T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Justicia procumbens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Justicia prostrata* (Roxb. ex Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Justicia salsoloides* T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Justicia santapau* Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Justicia simplex* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Justicia tranquebariensis* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Justicia trinervia* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Justicia vahlii* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Justicia wynaadensis* (Nees) Heyne ex T.And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lepidagathis barberi* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lepidagathis cristata* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lepidagathis cuspidata* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lepidagathis diffusa* Clarke and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lepidagathis fasciculata* (Retz.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lepidagathis incurva* Buch.-Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lepidagathis mitis* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lepidagathis pungens* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lepidagathis scariosa* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lepidagathis spinosa* Wight ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lepidagathis subarmata* (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leptostachya wallichii* Nees and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Meyenia hawtayneana* (Wall.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Monothecium aristatum* (Wall. ex Nees) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Neuracanthus neesianus* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Peristrophe montana* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Peristrophe paniculata* (Forssk.) Brummitt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Petalidium barlerioides* (Roth) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phaulopsis imbricata* (Forssk.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pseuderanthemum malabaricum* (Clarke)

Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhinacanthus nasutus* (L.) Kurz var. *nasutus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhinacanthus nasutus* (L.) Kurz var. *montana* (Clarke) Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ruellia colorata* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ruellia tuberosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rungia apiculata* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rungia crenata* T.And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rungia laeta* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rungia latior* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rungia parviflora* (Retz.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rungia pectinata* (L.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rungia repens* (L.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rungia sisparensis* T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rungia wightiana* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sanchezia nobilis* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sanchezia parvibracteata* Sprague & Hutchinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Santapaua madurensis* Balakr. & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Staurogyne glauca* (Nees) Kuntze and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Staurogyne zeylanica* (Nees) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stenosiphonium confertum* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stenosiphonium cordifolium* (Vahl) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stenosiphonium parviflorum* T.And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stenosiphonium russellianum* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stenosiphonium wightii* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strobilanthes asperimus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strobilanthes amabilis* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strobilanthes anamallai* J. R. I. Wood and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strobilanthes andersonii* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strobilanthes barbatus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strobilanthes bolampattiana* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strobilanthes ciliatus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strobilanthes consanguineus* (Nees) T. Anders. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strobilanthes cuspidatus* (Benth.) Anders. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strobilanthes decurrens* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strobilanthes foliosus* (Wight) T. Anderson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strobilanthes gracilis* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strobilanthes heyneanus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strobilanthes hamiltoniana* (Steud.) Bosser & Heine and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strobilanthes heteromallus* T. Anderson ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strobilanthes homotropus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strobilanthes humilis* (Nees) Gamble and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strobilanthes isophylla* (Nees) T. Anderson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strobilanthes ixiocephala* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strobilanthes kunthianum* (Nees) Anders. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strobilanthes lanatus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strobilanthes lawsonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strobilanthes lupulinus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strobilanthes luridus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strobilanthes matthewiana* R. W. Scotland and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strobilanthes micranthes* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strobilanthes microstachya* Benth. ex Hohen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strobilanthes neoasper* Venu & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strobilanthes neilgherrensis* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strobilanthes papillosus* T. Anderson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strobilanthes perrottetianus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strobilanthes pulneyensis* C. B. Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strobilanthes rubicundus* (Nees) T. Anderson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strobilanthes sessilis* Nees var. *sessilis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strobilanthes sessilis* Nees var. *sessiloides* (Wight) Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strobilanthes sexennis* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strobilanthes tristis* (Wight) T. Anderson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strobilanthes urceolaris* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strobilanthes violaceus* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strobilanthes walkeri* Arn. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strobilanthes wightianus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strobilanthes walkeri* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strobilanthes wightianus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strobilanthus zenkerianus* (Nees) T. Anderson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Thunbergia alata* Boj. ex Sims and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Thunbergia bicolor* (Wight) Lindau and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Thunbergia erecta* (Benth.) T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Thunbergia fragrans* Roxb. var. *fragrans* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Thunbergia fragrans* Roxb. var. *vestita* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Thunbergia grandiflora* (Roxb. ex Rottl.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Thunbergia mysorensis* (Wight) T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Thunbergia tomentosa* Wall. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aloysia triphylla* (L'Herit.) Britton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bouchea hyderabadense* Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Callicarpa arborea* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Callicarpa tomentosa* (L.) Murr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Citharexylum fruticosum* L. forma *subserratum* (Sw.) Moldenke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Clerodendrum aculeatum* Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Clerodendrum cordatum* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Clerodendrum indicum* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Clerodendrum inerme* (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Clerodendrum infortunatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Clerodendrum neriifolium* Wall.ex Schauer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Clerodendrum paniculatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Clerodendrum philippinum* Schauer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chionachne koenigii* (SPRENG.) THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chionanthus macrophylla* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chionanthus mala-elengi* (DENNST.) GREEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chondrus crispus* LYNGBYE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chloranthus elatior* LINK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chloranthus glaber* (THUNB.) MAKINO

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chloranthus inconspicuus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chloranthus officinalis* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chloris barbata* SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chloris virgata* SW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chlorophora excelsa* BENTH. & HOOK. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chlorophytum arundinaceum* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chlorophytum attenuatum* BAKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chlorophytum laxum* R.Br. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chlorophytum tuberosum* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chloroxylon dupada* BUCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chloroxylon swietenia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chondrus crispus* STACKH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chonemorpha fragrans* (MOON) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chonemorpha macrophylla* (ROXB.) G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chorchorus trilocularis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Christella arida* (DON) HOLT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Christella contiguum* (ROSENT) HOLTUM F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Christella crinipes* HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Christella parasitica* (L.) LEV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Christella subpubescens* (BL.) HOLTUM NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chromolaena odorata* (L.) R.M. KING & H. ROBINSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chrozophora plicata* A.JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chrozophora prostrata* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chrozophora rottleri* (GEIS.) A.JUSS. EX SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chrozophora tinctoria* A.JUSS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chrysanthellum americanum* (L.) VATKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chrysanthellum indicum* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chrysanthemum cinerariifolium* (TREV.) VIS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chrysanthemum coccineum* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chrysanthemum coronarium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chrysanthemum indicum* L. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chrysanthemum purethroides* (KAR. & KIR.) FEDT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chrysanthemum roxburghii* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chrysobalanus icaco* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chrysophyllum cainito* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chrysophyllum roxburghii* DON. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chrysopogon aciculatus* TRIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chrysopogon fulvus* (SPRENG.) CHIOV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chukrasia tabularis* A.JUSS. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cibotium barometz* LINK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cicca acida* MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cicca disticha* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cicer arietinum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cicer microphyllum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cichorium endivia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cichorium intybus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cichorium noeanum* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cicuta virosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cimicifuga foetida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cimicifuga racemosa* NUTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cinchona calisaya* WEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cinchona calisaya* WEDD. *ledgeriana* HOWARD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cinchona excelsa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cinchona ledgeriana* MOENS EX TRIMEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cinchona officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cinchona robusta* HOWARD NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cinchona succirubra* PAV. EX KLOTZSCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cinnamomum aromaticum* NEES NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cinnamomum bejolghota* (BUCH.-HAM.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cinnamomum camphora* (L.) PRESL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cinnamomum cassia* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cinnamomum cecidodaphne* MEISSN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cinnamomum glanduliferum* MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cinnamomum glaucescens* (NEES) HAND-

MEZZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cinnamomum impressinervium* MEISSN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cinnamomum iners* REINW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cinnamomum javanicum* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cinnamomum macrocarpum* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cinnamomum malabathrum* BATKA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cinnamomum obtusifolium* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cinnamomum parthenoxylon* MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cinnamomum pauciflorum* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cinnamomum sulphuratum* NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cinnamomum tamala* NEES & EBERM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cinnamomum travancoricum* GAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cinnamomum verum* PRESL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cinnamomum wightii* C.F.W.MEISSN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cinnamomum zeylanicum* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cipadessa baccifera* (ROTH.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Circaea alpina* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Circaea cordata* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cirrhopetalum sutepense* (ROLFE) SEIDENF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cirsium argyranthum* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cirsium arvense* (L.) SCOP and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cirsium sinense* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cirsium verutum* (DON) SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cirsium wallichii* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cissampelos pareira* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cissus acida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cissus adnata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cissus discolor* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cissus javanica* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cissus lanceolata* MALME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cissus latifolia* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cissus pallida* (WIGHT & ARN.) PLANCHON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cissus pedata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cissus quadrangularis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cissus repKalam* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cissus repens* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cissus setosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cissus trilobata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cissus vitiginea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cistanche tubulosa* WGT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cistus creticus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Citharexylum suberratum* SW. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Citrullus colocynthis* (L.) SCHRADER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Citrullus lanatus* (THUNB.) MATSUMARA & NAKAI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Citrullus lanatus* (THUNB.) MATSUMURA & NAKAI *fistulosus* (STOCKS) CHAKRAVARTHY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Citrullus vulgaris* SCHRAD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Citrullus vulgaris* SCHRAD. *fistulosus* STOCKS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Citrus acida* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Citrus aurantifolia* (CHRISTM.) SWINGLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Citrus aurantium* L. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Citrus aurantium* L. bergamia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Citrus bergamia* RISSO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Citrus bigaradia* LOISEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Citrus decumana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Citrus grandis* (L.) OSBECK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Citrus hystrix* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Citrus jambhiri* LUSH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Citrus karna* RAFIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Citrus latipes* (SWINGLE) TANAKA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Citrus limetta* RISSO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Citrus limon* (L.) BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Citrus limonum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Citrus macroptera* Montr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Citrus madurensis* LOUR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Citrus maxima* MERILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Citrus medica* L. *medica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Citrus medica* L. *limetta* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Citrus medica* L. limonum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Citrus medica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Citrus paradisi* MACF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Citrus pyxidata* (LINN.) FR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Citrus reticulata* BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Citrus sinensis* (L.) OSBECK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cladonia alpestris* (L.) RABH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Claoxylon indicum* HASSK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Claoxylon polot* (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Clausena dentata* (WILLD.) ROEM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Clausena excavata* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Clausena heptaphylla* WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Clausena lansium* (LOUR.) SKEELS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Clausena pentaphylla* (ROXB.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Clausena wampi* BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Clausena willdenowii* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Claviceps purpurea* (FR.) TUL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Claxylon indicum* (BL.) HASSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cleidion nitidum* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cleisostoma tenuifolium* (L.) GARAY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cleisostoma williamsonii* (RCHB.F.) GARAY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cleistanthus collinus* (ROXB.) BENTH. & HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Clematis barbellata* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Clematis b Buchananiana* DC. *vitifolia* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Clematis connata* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Clematis gouriana* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Clematis grata* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Clematis graveolens* LINDL. IN JOURN. HORT. SOC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Clematis hedysarifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Clematis montana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Clematis napaulensis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Clematis orientalis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Clematis smilacifolia* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Clematis triloba* HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Clematis wightiana* WALL. EX WT. & ARN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cleome brachycarpa* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cleome burmanni* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cleome chelidonii* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cleome felina* L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cleome gynandra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cleome heptaphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cleome icosandra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cleome monophylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cleome pentaphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cleome vahliana* FAR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cleome viscosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Clerodendrum colebrookianum* WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Clerodendrum indicum* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Clerodendrum inerme* (L.) GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Clerodendrum infortunatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Clerodendrum kaempferi* (JACQ.) SIEB. EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Clerodendrum multiflorum* (Burm.f.)Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Clerodendrum nutans* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Clerodendrum paniculatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Clerodendrum philippinum* SCHAU. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Clerodendrum phlomides* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Clerodendrum serratum* (L.) MOON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Clerodendrum siphonanthus* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Clerodendrum splendens* G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Clerodendrum viscosum* H.W. MOLDENKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Clerodendrum wallichii* MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Clinogyne dichotoma* SALISB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Clinogyne grandis* BENTH. HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Clinopodium umbrosum* (BIEB.) KOCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Clinopodium vulgare* L. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Clitoria mariana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Clitoria ternatea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Coccinia cordifolia* COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Coccinia glauca* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Coccinia grandis* (L.) VOIGT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Coccinia indica* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Coccoloba uvifera* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cocculus cordifolius* (WILLD.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cocculus hirsutus* (L.) DIELS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cocculus laurifolius* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cocculus leaeba* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cocculus macrocarpus* W. & A. PRODR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cocculus pendulus* (JR. & G. FORST) DIELS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cocculus suberosus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cocculus villosus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cochlearia armoracia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cochlearia cochlearioides* (ROTH)

SANTAPAU & MAHESHWARI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cochlospermum gossypium* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cochlospermum religiosum* (L.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cocos nucifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cocos nucifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cocos schizophylla* MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Codiaeum variegatum* (L.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Codonacanthus pauciflorus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Codonopsis clematidea* (SCHR.) CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Codonopsis ovata* BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Coelodepas calycinum* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Coelogyne cristata* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Coelogyne ovalis* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Coelogyne punctulata* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Coelogyne stricta* (DON) SCHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Coffea arabica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Coffea bengalensis* HEYNE EX ROEM. & SCHULT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Coffea travancorensis* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Coix gigantea* KOENIG EX ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Coix lachryma* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Coix lacryma-jobi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cola nitida* (VENT.) SCHOTT & ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Colchicum autumnale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Colchicum luteum* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Colchicum variegatum* BIVONA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Coldenia procumbens* L. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Colebrookea oppositifolia* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Coleus ambonicus* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Coleus aromaticus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Coleus barbatus* (ANDR.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Coleus forskohlii* (POIR.) BRIQ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Coleus osmirrhizon* W.ELLIOT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Coleus rotundifolius* (POIR.) A. CHEV. & PERROT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Coleus scutellarioides* (L.) BENTH. NULL

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Coleus vettiveroides* K.C. JACOB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Coleus zeylanicus* (BENTH.) CRAMEV and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Colocasia antiquorum* SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Colocasia esculenta* (L.) SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Colocasia macrorrhiza* SCHOTT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Colocasia virosa* KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Colophospermum mopane* KIRK EX LEON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Colubrina asiatica* (L.) BRONG. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Colutea arborescens* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Colutea nepalensis* SIMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Combretum acuminatum* (ROXB.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Combretum decandrum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Combretum extensum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Combretum latifolium* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Combretum nanum* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Combretum pilosum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Combretum roxburghii* SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Commelina benghalensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Commelina communis* EUGELM. EX KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Commelina diffusa* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Commelina longifolia* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Commelina nudiflora* (L.) BRENNAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Commelina obliqua* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Commelina paludosa* BI. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Commelina salcifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Commelina suffruticosa* BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Commicarpus chinensis* (L.) HEIMERL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Commicarpus helenae* (J.A.SCHULTES) MEIKLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Commicarpus verticillatus* STANDLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Commiphora abyssinica* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Commiphora agallocha* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Commiphora berryi* (ARN.) ENGLR. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Commiphora caudata* (WIGHT & ARN.) ENGLER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Commiphora molmol* ENGL. EX. TSCHIRAH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Commiphora mukul* (HOOK. EX. STOCKS) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Commiphora myrrha* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Commiphora opobalsamum* (L.) ENGL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Commiphora playfairii* HOOK. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Commiphora roxburghii* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Commiphora schimperi* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Commiphora stocksiana* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Commiphora wightii* (A.) BHKALAMRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Conium maculatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Connarus monocarpus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Conocarpus latifolia* ROXB. EX. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Conocephalus suaveolens* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Consolida ajacis* (L.) SCHUR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Consolida ambigua* (L.) BALL. & HEYWOOD NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Consolida regalis* S.F. GRAY NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Convallaria majalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Convolvulus arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Convolvulus auricomus* (A. RICH.) BHKALAMRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Convolvulus gemellus* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Convolvulus grandiflorus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Convolvulus malabaricus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Convolvulus microphyllus* SIEB. EX SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Convolvulus nil* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Convolvulus paniculatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Convolvulus pluricaulis* CHOIS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Convolvulus prostratus* FORSSK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Convolvulus scammonia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Convolvulus speciosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Convolvulus spinosus* BURM. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Convolvulus turpethum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Conyza bonariensis* (L.) CRONQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Conyza cinerea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Conyza japonica* (THUNB.) LESS. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Conyza stricta* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Copernicia cerifera* MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Coptis teeta* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Corallocarpus epigaea* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Corallocarpus epigaeus* BENTH. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Corbichonia decumbens* EXELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Corchorus acutangulus* AUCT.NON FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Corchorus aestuans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Corchorus antichorus* ROEUSCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Corchorus capsularis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Corchorus depressus* STOCKS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Corchorus fascicularis* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Corchorus olitorius* L. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Corchorus trilocularis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Corchorus urticifolius* WIGHT & ARM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cordia dichotoma* FORST. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cordia gharaf* (FORSK.) EHRENB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cordia grandis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cordia latifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cordia macleodii* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cordia monoica* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cordia myxa* SENU CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cordia obliqua* WILLD. *wallichii* (G.DON) CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cordia obliqua* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cordia rothii* ROEM.& SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cordia sebestena* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cordia vestita* HOOK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cordia wallichii* G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cordyceps sinensis* (BERK.)SAAC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cordyline fruticosa* GOEPPERT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cordyline terminalis* (L.) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Coriandrum sativum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Coriaria nepalensis* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Coronilla picta* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Coronopus didymus* (L.) SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cortia depressa* (DON) NORM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Corydalis adiantifolia* HK.F. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Corydalis flabellata* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Corydalis govaniana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Corydalis meifolia* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Corydalis ramosa* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Corydalis rutifolia* (SMITH) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Corydalis vaginans* ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Corylus avellana* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Corylus colurna* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Corylus jacquemonti* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Corymbis veratrifolia* RCHB.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Corymborkis veratrifolia* (REINW.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Corypha umbraculifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Coscinium fenestratum* (GAERTN.) COLEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cosmostigma racemosa* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Costus arabicus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Costus speciosus* (KOEN. EX RETZ.) SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cotinus coggygia* SCOP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cotinus racemiflora* (DESF.) C. KOCH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cotoneaster bacillaris* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cotoneaster buxifolia* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cotoneaster microphylla* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cotoneaster microphyllus* WALL. EX LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cotoneaster nummularia* FISCH. & MEY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cotula anthemoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cotula aurea* Loebl. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cousinia thomsonii* CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crambe cordifolia* STEVEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crassocephalum crepidioides* (BTH.) MOORE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crataegus laevigata* (POIR.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crataegus oxyacantha* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crataegus songarica* KOCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crataeva adansonii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crataeva magna* (LOUR.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crataeva marmelos* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crataeva nurvala* SENSU KANJ. & DAS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crataeva religiosa* FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crataeva tapia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cratogeomys cochinchinense* (LOUR.) BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cratogeomys neriifolium* KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cremanthodium arnicoides* DC. GOOD trigida and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cremanthodium decaisnei* CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cremanthodium plantagineum* MAX. *maximowiczii* GOOD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cremastra appendiculata* (D.DON) MAKINO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cremastra wallichiana* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crepidium acuminatum* (D.DON) SZLAC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crepis flexuosa* (DC) BETH. & HK.F. EX CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crepis japonica* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crescentia cujete* VELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cressa cretica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crinum amoenum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crinum asiaticum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crinum defixum* KER.-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crinum latifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crinum powellii* HORT. album HORT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crinum pratense* HERB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crinum revolutum* HERB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crinum viviparum* (LAM.) HEMADRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crocus sativus* L. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crossandra infundobuliformis* (L.) NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crossandra undulaefolia* SALISB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria alata* BUCH.-HAM. EX D. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria albida* HEYNE EX ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria anagyroides* H.B. & K. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria angulosa* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria benghalensis* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria bialata* SCHR. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria biflora* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria burhia* BUCH-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria calycina* SHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria juncea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria laburnifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria linifolia* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria medicaginea* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria mucronata* DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria mysorensis* ROTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria pallida* DRY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria paniculata* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria prostrata* ROTTL. EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria pulchra* ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria quinquefolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria ramosissima* ROXB. FL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria retusa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria saltiana* ANDR. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria sericea* RETZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria spectabilis* ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria striata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria trifoliatum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria verrucosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Croton argyratus* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Croton aromaticus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Croton bonplandianum* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Croton caudatus* GEISEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Croton joufra* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Croton malabaricus* BEDD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Croton oblongifolius* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Croton plicatum* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Croton polyandrum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Croton reticulatus* HEYNE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Croton roxburghii* BALAK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Croton sebiferum* L. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Croton sparsiflorus* MORONG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Croton tiglium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Croton zeylanicus* MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cryptocarya wightiana* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cryptocoryne spiralis* FISCH. EX WYDLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cryptolepis buchananii* ROEMER & SCHULTES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cryptolepis elegans* WALL. EX G. DON. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cryptolepis grandiflora* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cryptostegia grandiflora* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ctenitis apiciflora* (WALL. & METT) CHING.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ctenolepis cerasiformis* NAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ctenolepis garcinii* BENTH. & HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cubeba officinalis* RAFIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cucubalus baccifer* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cucumis acutangulus* DESCOURT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cucumis agrestis* NAUD. NULL and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cucumis anguinus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cucumis callosus* (ROTTL.) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cucumis colocynthis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cucumis hardwickii* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cucumis lagenarius* DUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cucumis madraspatanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cucumis melo* L. *utilissimus* DUTHIE & FULLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cucumis melo* L. *momordica* DUTHIE & FULLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cucumis melo* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cucumis momordica* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cucumis myriocarpus* NAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cucumis prophetarum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cucumis pseudo-colocynthis* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cucumis pubescens* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cucumis sativus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cucumis trigonus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cucumis utilisissimus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cucurbita citrullus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cucurbita lagenaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cucurbita maxima* DUCHESNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cucurbita moschata* (LAM.) DUCHESNE EX POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cucurbita pepo* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cudrania javanensis* TREC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cullenia exarillata* ROBYNS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cuminum cyminum* L. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cupressus sempervirens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Curanga amara* JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Curanga fel-terrae* MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Curculigo capitulata* (LOUR) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Curculigo crassifolia* GEARTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Curculigo orchoides* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Curculigo prainiana* (DEB.) BENNET & RAIZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Curculigo recurvata* DRYAND. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Curcuma amada* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Curcuma angustifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Curcuma aromatica* SALISB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Curcuma caesia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Curcuma domestica* (MEDIK) VALH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Curcuma inodora* BLAT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Curcuma leucorrhiza* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Curcuma longa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Curcuma montana* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Curcuma pseudomontana* GRAHAM NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Curcuma rubescens* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Curcuma zedoaria* (CHRIST.) ROSCOE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Curcuma zerumbet* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cuscuta capitata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cuscuta chinensis* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cuscuta europaea* BOVE & ENGELM. *indica* ENGELM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cuscuta hyalina* ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cuscuta reflexa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyamopsis psoralioides* (LAM). DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyamopsis tetragonoloba* (L.) TAUB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyamopsis tetragonolobus* (L.) TAUB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyanotis axillaris* (L.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyanotis concanensis* HASSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyanotis cristata* (L.) DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyanotis papilionaceae* (L.) SCHULT. & SCHULT. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyanotis tuberosa* (ROXB.) SCHULT. AND SCHULT.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyathia albo-setacea* (BEDD.) COPEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyathia gigantea* (WALL. EX HOOK.) HOLTT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyathia spinulosa* WALL. EX HK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyathocline purpurea* (DON) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyathostemma micranthum* J.SINCLAIR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyathula prostrata* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyathula tomentosa* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyathus limbatus* TULSANE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyathus stercoreus* (SCHW.) NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cycas beddomei* DYER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cycas circinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cycas revoluta* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cycas rumphii* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyclamen europaeum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyclamen persicum* MILL. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyclea arnotii* MIERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyclea bicristata* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyclea burmanni* (DC.) HOOK.F. TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyclea fissicalyx* DUNN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyclea peltata* (LAM.) HOOK. F. & THOMSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyclosorus dentatus* (FORSK.) CHING NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyclosorus gongylodes* (SCH.) LINK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyclosorus parasiticus* (L.) FOREWELL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cydonia oblonga* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cydonia vulgaris* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cylista scariosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cymbalaria muralis* G.M. SCHREB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cymbidium aloifolium* (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cymbidium aloifolium* (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cymbidium grandiflorum* RCHB.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cymbidium hookerianum* RCHB.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cymbidium pendulum* (ROXB.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cymbopogon caesius* STAPH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cymbopogon citratus* (DC.) STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cymbopogon coloratus* STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cymbopogon flexuosus* WATS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cymbopogon jwarancusa* (JONES) SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cymbopogon jwarancusa* (JONES) SCHULT. *olivieri* (BOISS.) SOENARKO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cymbopogon martini* (ROXB.) WATS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cymbopogon nardus* (L.) RENDLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cymbopogon schoenanthus* (L.) SPRENG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cynanchum arnotianum* WIGHT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cynanchum extensum* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cynanchum heydei* HOOK.F.CYNAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cynanchum vincetoxicum* (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cynanthus lobatus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cynara scolymus* L. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cynodon dactylon* (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cynodon linearis* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cynoglossum denticulatum* A. DC. *zeylanicum* HORNE. CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cynoglossum glochidiatum* WALL. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cynoglossum lanceolatum* FORSSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cynoglossum micranthum* DESF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cynoglossum wallichii* G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cynoglossum zeylanicum* THUNB. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cynometra cauliflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cynometra iripa* KOSTEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cynometra mimosoides* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cynometra ramiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cynometra ramiflora* Linn. bijuga (Span.) Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cynosurus coracanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus alopecuroides* ROTTL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus amabilis* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus articulatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus brevifolius* (ROTTB.) HASSK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus bulbosus* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus compactus* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus compressus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus corymbosus* ROTTLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus cyperoides* (LINN.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus denticulatus* SCHRAD EX SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus diffusus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus distans* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus esculentus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus exaltatus* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus haspan* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus inundatus* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus iria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus jemicus* HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus juncifolius* ROTTLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus kyllingia* ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus laevigatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus longus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus malaccensis* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus michelianus* (L.) LINK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus nutans* VAHL. *eleusinoides* (KUNTH) HAINES NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus pangorei* ROTTB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus pedunculatus* (R.BR.) KERN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus pertenus* BOJ. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus pilosus* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus platyphyllus* ROEM. & SCHULT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus platystylis* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus rohita* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus rotundus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus scariosus* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus stoloniferus* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus triceps* (ROTTB.) ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus tuberosus* ROTTB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyperus undulatus* KUKENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyphostemma setosum* (ROXB.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyrtomium caryotideum* (WALL.) PRESL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyrtomium falcatum* (L. F.) BERNH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyrtophyllum peregrinum* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cythocline purpurea* (DON.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cytisus scoparius* (L.) LINK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dactylis glomerata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dactyloctenium aegyptium* BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dactyloctenium indicum* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dactylorhiza hatagirea* (DON.) SOO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Daedalacanthus roseus* T. ANDERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Daemia cordata* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Daemia extensa* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Daemonorops draco* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dahlia rosea* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dalbergia arborea* HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dalbergia candenatensis* (DENNST.) PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dalbergia emarginata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dalbergia horrida* (DENNST.) MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dalbergia lanceolaria* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dalbergia latifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dalbergia oogeinensis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dalbergia paniculata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dalbergia pinnata* PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dalbergia sissooides* GRAHAM EX. WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dalbergia sissoo* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dalbergia spinosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dalbergia stipulacea* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dalbergia sympathetica* NIMMO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dalbergia tamarindifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dalbergia volubilis* ROXB. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dalbergia spinosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dalechampia indica* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dalhousiea bracteata* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Daphne cannabina* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Daphne oleo* SCHRAB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Daphne oleoides* SCHREB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Daphne papyracea* WILLD. EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Daphniphyllum himalayense* MUELL.-

ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Daphniphyllum neilgherrense* ROSENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Datisca cannabina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Datura alba* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Datura fastuosa* L. alba (NEES) C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Datura fastuosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Datura innoxia* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Datura metel* L. alba and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Datura metel* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Datura nilhummatu* DUN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Datura stramonium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Datura tatula* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Daucus carota* L. sativa DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Daucus carota* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Davallia tenuifolia* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Davallia trichomanoides* BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Debregeasia longifolia* (BURM.F.) WEDD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Decalepis hamiltonii* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Decaspermum fruticosum* FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Deeringia amaranthoides* (LAMK.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Delima scandens* (L.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Delonix elata* (L.) GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Delonix regia* (L.) GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Delphaenium denudatum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Delphaenium elatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Delphinium altissimum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Delphinium bruonianum* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Delphinium caeruleum* JACQ. EX CAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Delphinium cashmirianum* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Delphinium denudatum* WALL. EX HOOK. F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Delphinium elatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Delphinium glaciale* HOOK.F. & THOMSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Delphinium kashmirianum* ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Delphinium kohatense* (BRUHL.) MUNZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Delphinium paciflorum* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Delphinium roylei* MUNZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Delphinium saniculifolium* AUCT NON BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Delphinium semibarbatum* BLENERT EX BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Delphinium speciosum* JANKA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Delphinium vestitum* WALL. EX ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Delphinium viscosum* HK. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Delphinium zalil* AITCH & HEMSL and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dendrobium aduncum* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dendrobium aggregatum* - JENKINSII K. & P. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dendrobium amoenum* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dendrobium chrysanthum* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dendrobium coerulescens* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dendrobium crumenatum* SW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dendrobium crumentum* SW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dendrobium densiflorum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dendrobium jenkinsii* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dendrobium macraei* AUCT. NON LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dendrobium moschatum* (BUCH.-HAM.) SW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dendrobium nobile* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dendrobium ovatum* (L.) KRAENZL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dendrobium paxtonii* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dendrocalamus hamiltonii* NEES EX ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dendrocalamus strictus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dendrocnide sinuata* (BL.) CHEW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dendrophthoe elastica* (DESR.) DANSER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dendrophthoe falcata* (L.F) ETTING. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dendrophthoe pentandra* (L.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dentella repens* (L.) J.R. & G. FORSTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Derris elliptica* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Derris ferruginea* (ROXB.) BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Derris indica* (LAM.) BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Derris malaccensis* PRAIN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Derris robusta* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Derris scandens* (ROXB.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Derris trifoliata* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Derris uliginosa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Descurainia sophia* (L.) WEBB. EX PRANTL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Desmanthus cinereus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Desmanthus virgatus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Desmochaeta atropurpurea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Desmodium biarticulatum* (L.) F.V.MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Desmodium dichotomum* (WILLD.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Desmodium elegans* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Desmodium gangeticum* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Desmodium gyrans* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Desmodium gyroides* DC. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Desmodium heterocarpon* - *strigosum* VAN MEEWUEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Desmodium heterocarpon* (LINN.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Desmodium heterophyllum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Desmodium lasiocarpum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Desmodium latifolium* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Desmodium laxiflorum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Desmodium microphyllum* (THUNB.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Desmodium motorium* (HOUTT.) MERR.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Desmodium oojeinense* (ROXB.) OHASHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Desmodium polycarpum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Desmodium pseudotriquetrum* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Desmodium pulchellum* BENTH.EX. BAKER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Desmodium retroflexum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Desmodium styracifolium* (OSB.) MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Desmodium tiliaefolium* G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Desmodium triangulare* (RETZ.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Desmodium triflorum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Desmodium triquetrum* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Desmodium umbellatum* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Desmodium velutinum* (WILLD.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Desmos chinensis* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Desmos cochinchinensis* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Desmos dumosa* (ROXB.) SAFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Desmos longiflorus* (ROXB.) SAFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Desmostachya bipinnata* STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Desmotrichum fimbriatum* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Deutzia scabra* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dianthus anatolicus* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dianthus caryophyllus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dianthus chinensis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dicaelospermum ritchiei* CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dicentra chrysantha* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dicentra thalictrifolia* HF.& T. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dichanthium caricosum* (L.) A. CAMUS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dichanthium pertusum* CLYTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dichopsis ellipticum* BENTH & HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dichroa febrifuga* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dichrocephala bicolor* (ROTH) SCHLECHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dichrocephala integrifolia* (L.F.) KTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dichrocephala latifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dichrostachys cinerea* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dicliptera bupleuroides* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dicliptera cuneata* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dicliptera micranthus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dicliptera roxburghiana* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dicliptera verticillata* (FORSK.) CHRISTENS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dicoma tomentosa* CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dicranopteris linearis* (BURM.F.) UNDERW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dictamnus albus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Didymocarpus aromaticus* WALL. EX D. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Didymocarpus pedicellata* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dieffenbachia seguine* (L.) SCHOTT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dienia muscifera* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Digera arvensis* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Digera muricata* (L.) MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Digitalis lanata* EHRH. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Digitalis purpurea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dillenia aurea* SIM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dillenia bracteata* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dillenia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dillenia pentagyna* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dimocarpus longan* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dimorphocalyx glabellus* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dinebra arabica* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dinebra retroflexa* (VAHL) PANZER retroflexa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dinochloa Kalammanica* KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dionysia diapsiaefolia* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dioscorea aculeata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dioscorea alata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dioscorea belophylla* VOIGT EX HAINES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dioscorea bulbifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dioscorea composita* HEMSL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dioscorea crispata* ROXB. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dioscorea daemona* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dioscorea deltoidea* WALL. EX KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dioscorea esculanta* (LOUR.) BURKILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dioscorea glabra* AUCT. NON ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dioscorea globosa* ROXB. ET. PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dioscorea hamiltonii* HK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dioscorea hirsuta* DENNST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dioscorea hispida* DENNST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dioscorea oppositifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dioscorea pentaphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dioscorea prazeri* PRAIN & BURKILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dioscorea puber* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dioscorea purpurea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dioscorea rubella* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dioscorea sativa* AUCTION. NON L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dioscorea tomentosa* KOEN. EX SPRENG.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dioscorea triphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dioscorea wallichii* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Diospyros bourdilloni* BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Diospyros buxifolia* (BLUME) HIERN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Diospyros candolleana* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Diospyros chloroxylon* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Diospyros cordifolia* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Diospyros ebenum* KOENIG and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Diospyros embryopteris* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Diospyros exsculpta* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Diospyros ferrea* (WILLD.) BATCH. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Diospyros glutinosa* KOENIG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Diospyros insignis* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Diospyros kaki* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Diospyros lancaefolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Diospyros lotus* L. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Diospyros malabarica* (DESR.) KOSTEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Diospyros melanoxylon* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Diospyros montana* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Diospyros oocarpa* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Diospyros paniculata* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Diospyros peregrina* (GAERTN.) GURKE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Diospyros quaesita* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Diospyros racemosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Diospyros sylvatica* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Diospyros tomentosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Diospyros toposia* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dipcadi erythraeum* WEBB & BERTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Diplazium esculentum* (RETZ.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Diplazium stoliczkae* BEDD. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Diploclisia glaucescens* (BL.) DIELS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Diplocyclos palmatus* (L.) JAFFREY and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Diploknema butyraceae* (ROXB.) H.J. LAMK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Diplospora singularis* KORTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Diplospora sphaerocarpa* HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dipsacus fullonum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dipsacus inermis* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dipsacus mitis* D. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dipteracanthus patulus* (JACQ.) NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dipteracanthus prostratus* (POIR.) NEES

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dipteracanthus suffruticosus* (ROXB.) VOIGT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dipterocarpus alatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dipterocarpus bourdillonii* BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dipterocarpus gracilis* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dipterocarpus indicus* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dipterocarpus laevis* HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dipterocarpus pilosus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dipterocarpus tuberculatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dipterocarpus turbinatus* GAERTN. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dischidia rafflesiana* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Disporum cantoniense* (LOUR.)MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Distemon indicum* WEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dittelasma raraka* (DC.) HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dodonaea angustifolia* (L.F.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dodonaea burmanniana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dodonaea viscosa* (L.) JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dodonaea viscosa* JACQ. *angustifolia* (L.F.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dolichandrone arcuata* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dolichandrone atrovirens* (HEYNE EX. ROTH) SPRAGUE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dolichandrone falcata* SEEMANN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dolichandrone spathacea* (L.F.) K. SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dolichandrone stipulata* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dolichos biflorus* SENSU AUCT. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dolichos bulbosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dolichos catiang* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dolichos catjang* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dolichos cylindricus* DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dolichos falcatus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dolichos gladiatus* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dolichos lablab* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dolichos lablab* L. *typicus* Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dolichos pruriens* (L.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dolichos sinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dolichos trilobus* (L.) AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dolichos uniflorus* LAMK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dolomaea macrocephala* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dombeya cayeuxii* HORT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Donax connaeformis* (FORST.) SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dopatrium junceum* HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dopatrium lobelioides* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dopatrium nudicaule* HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dorema ammoniacum* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dorema aureum* STOCKS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Doronicum falconeri* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Doronicum hookeri* C.B. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Doronicum pardalianches* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Doronicum roylei* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dorstenia indica* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dosma bracteatum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Douepia tortuosa* CAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Draba muralis* (L.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Draba setosa* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dracaena angustifolia* (MEDIC.) ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dracaena cinnabari* BALF NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dracaena petiolata* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dracaena terminalis* L. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dracaena terniflora* ROXB. FL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dracocephalum heterophyllum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dracocephalum moldavica* LINN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dracocephalum royleanum* ROYLE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dracocephalum stamineum* KAR. & KIR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dracontium polyphyllum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dregea volubilis* (L.F.) BENTH. EX.HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Drimia indica* (ROXB.) J.P. JESSOP and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Drimys winteri* FORST. CHAR. GEN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Drosera burmannii* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Drosera indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Drosera lunata* HAM. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Drosera peltata* SM. WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Drymaria cordata* (L.) WILLD. EX R. & S. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Drymaria cordata* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Drymaria diandra* BL. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Drymoglossum carnosum* (WALL.)SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Drynaria quercifolia* (L.) J.SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dryobalanops aromatica* GAERTN. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dryopteris barbigera* (MOORE) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dryopteris blanfordii* (HOPE) C. CHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dryopteris cochleata* (DON) CHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dryopteris filix-mas* (L.) SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dryopteris marginata* (WALL.) CHR.

NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dryopteris odontoloma* (MOORE) C.CHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dryopteris schimperiana* (HOCHST.) C. CHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dryopteris sparsa* (DON)KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Drypetes confertiflora* (HOOK. F.) PAX & HOFFM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Drypetes macrophylla* (BLUME) PAX & HOFFM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Drypetes roxburghii* (WALL.) HURUSAWA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Drypetes zeylanica* (MUELL.-ARG.) HURUSAWA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Duboisia myoporoides* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Duchesnea indica* (ANDR.) FOCKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Duranta repens* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Durio zibethinus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dyschoriste madurensis* (BURM.F.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dysophylla auricularia* (L.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dysophylla rugosa* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dysophylla stelata* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dysophylla stellata* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dysoxylum alliarum* (BUCH.-HAM.) BALAK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dysoxylum binectariferum* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dysoxylum hamiltonii* HIERN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dysoxylum malabaricum* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dysoxylum procerum* HIERN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ebermaiera glutinosa* CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ecbolium linneanum* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ecbolium viride* (FORSK.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ecbolium virids* (FORSSK.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Echeveria glauca* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Echinacea angustifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Echinochloa colona* LINK. *frumentacea* BLATTER & MCCANN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Echinochloa crusgalli* (L.) P. BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Echinochloa frumentacea* LINK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Echinochloa stagnina* (RETZ.) BEAUV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Echinops cornigerous* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Echinops echinatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Echioglossum williamsonii* (RCHB.F.) SZLAC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Echites dichotoma* ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eclipta alba* HASSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eclipta erecta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eclipta parviflora* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eclipta prostrata* (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Edgeworthia gardneri* (WALL.) MEISSN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Edgeworthia tomentosa* NAKAI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Edwardsia griffithii* (STOCKS) PHILIP and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ehretia acuminata* BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ehretia aspera* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ehretia buxifolia* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ehretia canarensis* MIQ. EX CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ehretia laevis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ehretia laevis* ROXB. pubescens and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ehretia microphylla* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ehretia obtusifolia* HOCHST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eichhornia crassipes* SOLMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Codariocalyx motorius* (Houtt.) H. Ohashi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria acicularis* Buch.-Ham. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria agatiflora* Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria alata* Buch.-Ham & Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria albida* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria anagyroides* H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria angulata* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria barbata* Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria berteroana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria bidiei* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria bifaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria bourneae* Fyson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria calycina* Schrank and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria candicans* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria clarkei* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria clavata* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria conferta* Fyson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria digitata* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria dubia* Graham ex benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria epunctata* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria evolvuloides* Wight ex Wight & Arn. var. *evolvuloides* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria evolvuloides* Wight ex Wight & Arn. var. *acutifolia* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria formosa* Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria fysonii* Dunn var. *fysonii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria fysonii* Dunn var. *glabra* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria globosa* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria grahamiana* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria hebecarpa* (DC.) Rudd and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria heyneana* Grahma ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria hirta* Willd. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria humifusa* Graham ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria juncea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria laburnifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria laevigata* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria beddomeana* Thoth. & A. A. Ansari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria spectabilis* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria linifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria longipes* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria lunulata* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria madurensis* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria medicaginea* Lam. var. *medicaginea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria medicaginea* Lam. var. *neglecta* (Wight & Arn.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria multiflora* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria mysorensis* Roth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria nana* Burn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria notonii* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria obtecta* Graham ex Wight & Arn. var. *obtecta* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria obtecta* Graham ex Wight & Arn. var. *glabrescens* (Benth.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria orixensis* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria ovalifolia* Wall. ex Fyson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria pallida* Dryand. var. *pallida* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria pallida* Dryand. var. *obovata* (G.Don) Polhill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria paniculata* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria peduncularis* Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria priestleyoides* Benth ex Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria prostrata* Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria pulchra* Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria pusilla* Neyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria quinquefolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria ramosissima* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria retusa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria rigida* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria salicifolia* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria scabra* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria scabrella* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria semperflorens* Vent. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria shevaroyensis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria speciosa* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria subperfoliata* Wight ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria tecta* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria trifoliatum* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria triquetra* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria umbellata* Wight ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria verrucosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria walkeri* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria wightiana* Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria willdenowiana* DC. subsp. *willdenowiana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crotalaria willdenowiana* DC. subsp. *glabrifoliolata* Ellis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyamopsis tetragonoloba* (L.) Taub. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cytisus canariensis* Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cytisus hirsutus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cytisus monspessulanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cytisus multiflorus* Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cytisus proliferus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cytisus scoparius* (L.) Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cytisus supinus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dalbergia congesta* Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dalbergia coromandeliana* Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dalbergia gardneriana* Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dalbergia horrida* (Dennst.) Mabblerley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dalbergia lanceolaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dalbergia latifolia* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dalbergia malabarica* Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dalbergia melanoxylon* Guill. & Perr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dalbergia paniculata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dalbergia pinnata* (Lour.) prain var. *acaciaefolia* (Dalz.) Thoth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dalbergia pseudo-siso* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dalbergia rubiginosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dalbergia sissoides* Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dalbergia sissoo* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dalbergia spinosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dalbergia tinneveli* Thoth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dalbergia volubilis* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Derris benthamii* (Thw.) Thw. var.

benthamii and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Derris benthamii* (Thw.) Thw. var. *wightii* (Baker) Thoth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Derris brevipes* (Benth) Baker var. *brevipes* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Derris brevipes* (Benth) Baker var. *coriacea* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Derris canarensis* (Dalz.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Derris scandens* (Roxb.) Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Derris thothathrii* Bennett and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Derris trifoliata* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Desmodium alysicarpoides* Van Meeuwen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Desmodium barbatum* (L.) Benth. subsp. *sauliereri* (Schind.) Ohashi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Desmodium dichotomum* (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Desmodium dolabriforme* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Desmodium ferrugineum* Wall ex Thw. subsp. *ferrugineum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Desmodium ferrugineum* Wall ex Thw. subsp. *wynaadense* (Bedd. ex Gamble) Ohashi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Desmodium gangeticum* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Desmodium heterocarpon* (L.) DC. var. *heterocarpon* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Desmodium heterocarpon* (L.) DC. var.

strigosum Van Meeuwen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Desmodium heterophyllum* (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Desmodium laxiflorum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Desmodium laxum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Desmodium microphyllum* (Thunb.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Desmodium oojeinense* (Roxb) Ohashi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Desmodium pryonii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Desmodium pulchellum* (L.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Desmodium repandum* (Vahl) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Desmodium styracifolium* (Osbeck) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Desmodium tortuosum* (Sw.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Desmodium triangulare* (Retz.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Desmodium triflorum* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Desmodium triquetrum* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Desmodium velutinum* (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Desmodium zonatum* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dicerma biarticulatum* (L.) DC. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dolichos trilobus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dumasia villosa* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dunbaria ferruginea* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dunbaria heynei* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eleiotis monophylla* (Burm.f.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Erythrina crista-galli* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Erythrina stricta* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Erythrina suberosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Erythrina subumbrans* (Hassk.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Erythrina variegata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Flemingia grahamiana* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Flemingia lineata* (L.) Roxb. Ex Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Flemingia macrophylla* (Willd.) Prain ex Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Flemingia nilgheriensis* (Baker) Wight ex Cooke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Flemingia Semialata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Flemingia stricta* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Flemingia strobilifera* (L.) R. Br. ex Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Flemingia tuberosa* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Flemingia wallichii* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Flemingia wightiana* Grahams ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Galactia longifolia* Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Galactia tenuiflora* (Klein ex Willd.) Wight & Arn var. *lucida* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Galactia tenuiflora* (Klein ex Willd.) Wight & Arn var. *villosa* (Wight & Arn.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>. Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Geissaspis cristata* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gliricidia sepium* (Jacq.) Kunth ex Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Glycine max* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hardenbergia comptoniana* (Link) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Indigofera aspalathoides* Vahl ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Indigofera astragalina* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Indigofera barberi* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Indigofera caerulea* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Indigofera cassioides* Rottl. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Indigofera colutea* (Buem. F.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Indigofera constricta* (Thwaites) Trimen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Indigofera cordifolia* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Indigofera glabra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Indigofera glandulosa* Roxb. ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Indigofera hirsuta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Indigofera hochstetteri* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Indigofera karnatakana* Sanjappa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Indigofera karuppiana* Pallithanam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Indigofera linifolia* (L.f.) Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Indigofera linnaei* Ali and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Indigofera longiracemosa* Boiv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Indigofera mysorensis* Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Indigofera nummularifolia* (L.) Skina ex Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Indigofera oblongifolia* Forsk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Indigofera parviflora* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Indigofera pedicellata* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Indigofera prostrata* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Indigofera spicata* Forsk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Indigofera stachyodes* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Indigofera tinctoria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Indigofera tirunelvelica* Sanjappa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Indigofera trifoliata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Indigofera trita* L.f. var. *trita* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Indigofera trita* L. f. var. *maffei* (Chiov.) Ali and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Indigofera trita* L. f. var. *marginulata* Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Indigofera uniflora* Buch. - Ham. ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Indigofera vicioides* Jaub. & Spach and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Indigofera wightii* Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Indigofera zollingeriana* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lablab purpureus* (L.) Sweet var. *purpureus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lablab purpureus* (L.) Sweet var. *lignosus* (Prain) Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Laburnum anagyroides* (L.) Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lathyrus aphaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lathyrus latifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lathyrus odoratus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lathyrus sativus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lens culinaris* Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leptodesmia congesta* (Wight) Benth. ex Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lespedeza cuneata* (Dum. Cours.) G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lonchocarpus violaceus* Oskin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lupinus angustifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lupinus luteus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lupinus pilosus* Murray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Macroptilium atropurpureum* (DC.) Urban and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Macroptilium lathyroides* (L) Urban var. *semierectum* (L.) Urban and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Macrotyloma ciliatum* (Willd.) Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Macrotyloma uniflorum* (Lam.) Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Medicago sativa* L. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Melilotus alba* Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Millettia racemosa* (Wight & Arn.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Millettia rubiginosa* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Millettia splendens* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mucuna atropurpurea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mucuna gigantea* (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mucuna monosperma* DC. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mucuna pruriens* (L.) DC. var. *pruriens* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mucuna pruriens* (L.) DC. var. *hirsuta* (Wight & Arn.) Wilmot - Dear and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mundulea sericea* (Willd.) A. Cheval and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Neonotonia wightii* (Graham ex Wight & Arn.) Lackey var. *wightii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Neonotonia wightii* (Wight & Arn.) Lackey var. *coimbatorensis* (Ajita Sen) Karthik. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ormocarpum cochinchinense* (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ormosia travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ougeinia oojeinensis* (Roxb.) Hochr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Paracalyx scariosa* (Roxb.) Ali and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Parochetus communis* Buch. - Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phaseolus coccineus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phaseolus lunatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phaseolus vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phyllodium pulchellum* (L.) Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pisum sativum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pongamia pinnata* (L.) Pierre and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pseudarthria viscida* (L.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Psophocarpus tetragonolobus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Psoralea corylifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Psoralea pinnata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pterocarpus marsupium* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pterocarpus santalinus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pueraria triloba* (Lour.) Makino and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pueraria tuberosa* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pycnospora lutescens* (Poir.) Schind. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhynchosia albiflora* (Sims) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhynchosia aurea* (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhynchosia cana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhynchosia capitata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhynchosia densiflora* (Roth) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhynchosia filipes* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhynchosia heynei* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhynchosia jacobii* Chandrabose & Shetty and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhynchosia minima* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhynchosia nummularia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhynchosia rothii* Benth ex Aitch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhynchosia rufescens* (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhynchosia suaveolens* (L.f.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhynchosia velutina* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhynchosia viscosa* (Roth) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Robinia pseudo-acacia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rothia indica* (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sesbania bispinosa* (Jacq.) W. F. Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sesbania grandiflora* (L.) Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sesbania procumbens* (Roxb.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sesbania sesban* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sesbania speciosa* Taub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Shutteria involucrata* (Wall.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Smithia bigemina* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Smithia blKalam* Wall. ex Wight & Arn. var. *blKalam* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Smithia blKalam* Wall. ex Wight & Arn. var. *racemosa* (Heyne ex Wight & Arn.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Smithia capitata* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Smithia conferta* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Smithia gracilis* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Smithia hirsuta* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Smithia sensitiva* Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Smithia setulosa* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sophora glauca* Lesh.ex DC. Ann. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sophora interrupta* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sophora wightii* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Spartium junceum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stylosanthes fruticosa* (Retz.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stylosanthes sunaica* Taub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tephrosia barberi* Drumm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tephrosia calophylla* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tephrosia candida* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tephrosia canarensis* Drumm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tephrosia fusca* Wight & Arn. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tephrosia hookeriana* Wight & Arn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tephrosia maxima* Pres. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tephrosia pulcherrima* (Wight ex Baker) Drumm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tephrosia pumila* (Lam.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tephrosia purpurea* (L.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tephrosia spinosa* (L.f.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tephrosia strigosa* (Dalz.) Sant. & Mahesh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tephrosia tinctoria* Pers. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tephrosia vegellii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tephrosia villosa* (L.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Teramnus labialis* (L.F.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Teramnus mollis* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trifolium alexandrium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trifolium cernuum* Brot. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trifolium dubium* Sibth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trifolium incarnatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trifolium pratense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trifolium repens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trifolium subterraneum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trigonella foenum-graecum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ulex europaeus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Uraria alopecuroides* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Uraria lagopodioides* (L.) Desv. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Uraria rufescens* (DC.) Schind. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vicia faba* L. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vicia hirsuta* (L.) S. F. Gray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vicia sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vicia villosa* Roth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vigna aconitifolia* (Jacq.) Marechal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vigna adenantha* (G. F. W. Meyer) Marechal, Mascherpa & Stainier and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vigna bourneae* Ganble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vigna dalzelliana* (Kuntze) Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vigna grahamiana* (Wight & Arn.) Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vigna hosei* (Craib) Backer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vigna khKalamlensis* (Sant.) Ragh. & Wadhwa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vigna mungo* (L.) Hepper and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vigna radiata* (L.) Wilczek var. *radiata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vigna radiata* (L.) Wilczek var. *sublobata* (Roxb.) Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vigna subramaniana* (Raizada) Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vigna trilobata* (L.) Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vigna umbellata* (Thunb.) Ohwi & Ohahsi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vigna unguiculata* (L.) Walp. subsp. *cylindrica* (L.) Eselt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vigna vexillata* (L.) A. Rich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vigna wightii* Benth. ex Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Virgilia oroboides* (Berg.) Salter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Wisteria sinensis* (Sims) Sweet. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zornia diphylla* (L.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zornia gibbosa* Span. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acrocarpus fraxinifolius* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amherstia nobilis* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bauhinia acuminata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bauhinia malabarica* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bauhinia phenicea* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bauhinia purpurea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bauhinia racemosa* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bauhinia tomentosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bauhinia vahlii* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bauhinia variegata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Brownea grandiceps* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Brownea macrophylla* Linden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Caesalpinia bonduc* (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Caesalpinia coriaria* (Jacq.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Caesalpinia cucullata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Caesalpinia decapetala* (Roth) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Caesalpinia mimosoides* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Caesalpinia pulcherrima* (L.) Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Caesalpinia sappan* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cassia fistula* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cassia grandis* L. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cassia javanica* L. var. *javanica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cassia javanica* L. var. *nodosa* Buch. - Ham. ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cassia javanica* L. var. *renigera* Wall. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cassia montana* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cassia roxburghii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cassia siamea* Lam. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cassia spectabilis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ceratonia siliqua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chamaecrista absus* (L.) H. Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chamaecrista auricoma* (Graham ex Benth.) Singh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chamaecrista kleinii* (Wight & Arn.) K. M. Matthew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chamaecrista lechenaultiana* (DC.) O. Deg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chamaecrista mimosoides* (L.) Green and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chamaecrista nigricans* (Vahl) Greene and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chamaecrista pumilla* (Lam.) K. Larsen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cynometra cauliflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cynometra travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Delonix elata* (L.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Delonix regia* (Boj. ex Hook) Rafin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hardwickia binata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Humboldtia bourdillonii* Prian and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Humboldtia brunonis* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Humboldtia decurrens* Bedd. ex Oskin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Humboldtia unijuga* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Humboldtia vahliana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Kingiodendron pinnatum* (Roxb. ex DC.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Parkinsonia aculeata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Peltophorum africanum* Sond. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Peltophorum pterocarpum* (DC.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pterolobium hexapetalum* (Roth.) Sant. & Wagh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Saraca asoca* (Roxb.) Wilde and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Saraca thaipingensis* Cantley ex. Prain. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Schizolobium parahybum* (Vell.) S. F. Blake and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Senna alata* (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Senna alexandrina* Gars. ex Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Senna auriculata* (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Senna didymobotrya* (Fresn.) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Senna hirsuta* (L.) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Senna intermedia* (Sharma et al.) Singh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Senna italica* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Senna multiglandulosa* (Jacq.) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Senna occidentalis* (L.) Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Senna pallida* (Wall) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Senna septumtrionalis* (Viv.) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Senna sophora* (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Senna surattensis* (Burm.f) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Senna timoriensis* (DC.) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Senna tora* (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tamarindus indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia armata* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia auriculiformis* A. Cunn ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia baileyana* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia caesia* (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia catechu* (L.f.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia chundra* (Roxb. ex Rottl.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia confusa* Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia cultriformis* A. Cunn. ex G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia concurrens* Pedley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia dealbata* Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia decora* Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia decurrens* (Wendl.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia eburnea* (L.f.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia elata* Cunn. Ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia farnesiana* (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia ferruginea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia grahamii* Vajravelu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia hohenackeri* Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia homalophylla* A. Cunn. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia holosericea* A.Cunn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia horrida* (L.f.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia leucophloea* (Roxb.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia longifolia* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia maidenii* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia mearnsii* Wilde and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia melanoxylon* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia myrtifolia* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia neriifolia* A. Cunn. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia nilotica* (L.) Willd. ex Del. subsp. *indica* (Benth) Brenan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia pennata* (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia planifrons* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia podalyriifolia* A. Cunn ex G. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia polyacantha* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia pruinescens* Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia pruinosa* A. Cunn ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia pulchella* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia pycnantha* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia retinodes* Schlecht. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia saligna* (Labill.) H. L. Wendl. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia sinuata* (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia tomentosa* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia torta* (Roxb.) Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia verticillata* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acacia wightii* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Adenanthera pavonina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Albizia amara* (Roxb.) Boivin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Albizia chinensis* (Osbeck.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Albizia lathamii* Hole and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Albizia lebbeck* (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Albizia odoratissima* (L.f.) Benth. var. *odoratissima* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Albizia odoratissima* (L.f.) Benth var. *mollis* Benth ex Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Albizia procera* (Roxb.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Albizia Kalamn* (Jacq.) F.v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Albizia thompsonii* Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Archidendron clypearia* (Jack) Nilson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Archidendron monadelphum* (Roxb.)Nielsen var. *monadelphum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Archidendron monadelphum* (Roxb.)Nielsen var. *gracile* (Bedd.) Sanj. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Calliandra brevipes* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Calliandra calothyrsus* Meisn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Calliandra haematocephala* Hassk and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Calliandra inmeris* (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cathormion umbellatum* (Wall) Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Desmanthus virgatus* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dichrostachys cinerea* (L.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dichrostachys muelleri* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dichrostachys santapau* Sebastine & Raman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Entada pursaetha* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Enterolobium cyclocarpum* Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Haematoxylum campechianum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leucaena leucocephala* (L.) Gills and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mimosa intsia* L. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mimosa hamata* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mimosa pudica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Neptunia prostrata* (Lam.) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Neptunia plena* (Willd.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Neptunia triquetra* (Willd.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Paraserianthes falcataria* (L.) I.C. Nielsen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Paraserianthes lophantha* (Willd.) I.C. Nielsen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Parkia biglandulosa* Wight Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pithecellobium dulce* (Roxb.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Prosopis cineraria* (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Prosopis juliflora* (Sw.) Dc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alchemilla indica* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chaenomeles speciosa* (Sweet) Nakai and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cotoneaster bacillaris* Wall ex Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cotoneaster buxifolia* Wall ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cotoneaster microphyllus* Wall ex Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cotoneaster transens* G. Klotz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eriobotrya japonica* (Thunb.) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fragaria chiloensis* (L.) Duchesne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fragaria nilgerrensis* Schlecht. ex Gay and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fragaria vesca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Kerria japonica* (L.) Dc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Malus baccata* (L.) Borkh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Malus sylvestris* (L.) Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Photinia integrifolia* Lindl. var. *sublanceolata* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Photinia serratifolia* (Desf.) Kalkman var. *serratifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Photinia serratifolia* (Desf.) Kalkman var. *tomentosa* (Gamble) Vivek. & Shetty and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Potentilla indica* (Andr.) Wolf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Potentilla leschenaultiana* Ser. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Potentilla sunaica* (blume) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Prinsepia utilis* Royle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Prunus armeniaca* L. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Prunus avium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Prunus cerasoides* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Prunus ceylanica* (Wight) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Prunus domestica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Prunus laurocerasus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Prunus persica* (L.) Batsch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Prunus salicina* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Prunus serrulata* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pyrus communis* L. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Quillaja saponaria* Molina and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rosa banksiae* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rosa brunonii* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rosa x centifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rosa x damascena* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rosa gigantea* Collett ex Crop. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rosa indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rosa laevigata* Michx. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rosa leschenaultiana* Red. & Thory ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rosa multiflora* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rubus ellipticus* Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rubus fairholmianus* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rubus glomeratus* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rubus idaeus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rubus indicus* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rubus micropetalus* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rubus niveus* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rubus racemosus* Roxb. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rubus rugosus* Smith var. *rugosus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rubus rugosus* Smith var. *thwaitesii* Focke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Spiraea canescens* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Spiraea cantoniensis* Lour. var. *cantoniensis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Spiraea cantoniensis* Lour var. *florepleno* Maxim. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Spiraea japonica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Spiraea nipponica* Maxim. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Atuna indica* (Bedd.) Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Atuna travancorica* (Bedd.) Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chrysobalanus icaco* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Saxifraga stolonifera* Meerb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vahlia dichotoma* (Murr.) Bullock and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vahlia digyna* (Retz.) Bullock and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Parnassia mysorensis* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Parnassia wightiana* Wall ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Deutzia scabra* Thunb. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hydrangea macrophylla* (Thunb.) Ser. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Philadelphus coronarius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Escallonia rubra* (Ruiz & Pav.) Pers. var. *macrantha* Hook. & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Escallonia montevidensis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aeonium arboreum* (L.) Webb & Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bryophyllum fedtschenkoi* (Raym.-Hamet & H.Perrier) C.Y.Cheng and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crassula multicava* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crassula quadrifida* Baker and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Kalanchoe bhidei* Cooke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Kalanchoe grandiflora* Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Kalanchoe lanceolata* (Forsk.) Pers. var. *lanceolata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Kalanchoe lanceolata* (Forsk.) Pers. var. *glabra* (Clarke) Srinivasan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Kalanchoe lanceolata* (Forsk.) Pers. var. *glandulosa* (Hochst. ex A. Rich.) Cufod. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Kalanchoe olivacea* Dalz. & Gibs. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Kalanchoe pinnata* (Lam.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Kalanchoe schweinfurthii* Penzig and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Kalanchoe tubiflora* Hamet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rochea coccinea* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sedum mexicanum* Britton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tillaea pentandra* Royle ex Edgew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Drosera burmannii* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Drosera indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Drosera peltata* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Exbucklandia populnea* (R.Br. Ex Griffith) R. W. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Liquidambar styraciflua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Laurembergia coccinea* (Blume) Kan. var. *coccinea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Laurembergia coccinea* (Blume) Kan. var. *zeylanica* (Arn. ex Clarke) Meyden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Myriophyllum oliganthum* (Wight & Arn.) F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Callitriche stagnalis* Scop. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bruguiera cylindrica* (L.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bruguiera gymnorrhiza* (L.) Savigny and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carallia brachiata* (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cassipourea ceylanica* (Gard.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cerriops decandra* (Griff.) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cerriops tagal* (Perr.) Robins and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Kandelia candel* (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhizophora x annamalayana* Kathir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhizophora apiculata* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhizophora mucronata* Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anogeissus acuminata* (Roxb. ex DC.) Guill. & Perr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anogeissus latifolia* (Roxb. Ex DC.) Wall ex Guill. & Perr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Calycopteris floribunda* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Combretum albidum* G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Combretum coccineum* (Sonner.) Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Combretum nanum* Willd. Buch. - Ham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lumnitzera racemosa* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Quisqualis indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Quisqualis malabarica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Terminalia bellirica* (Gaertn.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Terminalia catappa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Terminalia chebula* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Terminalia cuneata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Terminalia elliptica* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Terminalia gella* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Terminalia pallida* Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Terminalia paniculata* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Terminalia travancorensis* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acca sellowiana* (Berg) Burret and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Agonis flexuosa* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Angophora costata* (Gaertn.) Britt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Angophora intermedia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Angophora lanceolata* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Angophora subvelutina* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Baeckea virgata* (Forst.) Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Callistemon brachyandrus* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Callistemon citrinus* (Curtis) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Callistemon polandii* Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Callistemon rigidus* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Callistemon salignus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Callistemon viminalis* (Gaertn.) Don ex Loudon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eucalyptus alpina* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eucalyptus amygdalina* Labill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eucalyptus blakelyi* Maiden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eucalyptus bosistoana* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eucalyptus botryoides* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eucalyptus bridgesiana* R. T. Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eucalyptus calophylla* R. Br. ex Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eucalyptus camaldulensis* Dehnh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eucalyptus cephalocarpa* Blakely and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eucalyptus citriodora* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eucalyptus cladocalyx* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eucalyptus crebra* F. v. Muell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eucalyptus cypellocarpa* L.A.S. Johnson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eucalyptus elata* Dehnh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eucalyptus diversicolor* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eucalyptus eugenioides* Sieb. ex Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eucalyptus ficifolia* F. v. Muell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eucalyptus globulus* Labill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eucalyptus grandis* W.Hill ex Maiden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eucalyptus hemiphloia* F. v. Muell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eucalyptus leucadendron* Reinz. ex DeVriese and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eucalyptus leucoxydon* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eucalyptus longifolia* Link & Otto and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eucalyptus macarthurii* Deane & Maiden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eucalyptus maculata* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eucalyptus megacornuta* C. A. Gardener

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eucalyptus microcorys* F. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eucalyptus melliodora* A. Cunn ex Schau. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eucalyptus nitida* Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eucalyptus nova-anglica* Deane & Maiden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eucalyptus obliqua* L. Her. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eucalyptus ovata* Labill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eucalyptus paniculata* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eucalyptus pauciflora* Sieb ex Spreng. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eucalyptus pipertia* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eucalyptus polyanthemus* Schauer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eucalyptus ptychocarpa* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eucalyptus punctata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eucalyptus radiata* Sieb. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eucalyptus regnans* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eucalyptus resinifera* Sm and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eucalyptus robusta* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eucalyptus rossii* R. T. Baker & H. G. Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eucalyptus saligna* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eucalyptus siderophloia* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eucalyptus sideroxylon* A. Cunn.ex.Woolls and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eucalyptus staigeriana* F. v. Muell. ex Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eucalyptus tereticornis* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eucalyptus torelliana* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eucalyptus viminalis* Labill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eugenia bracteata* (Willd.) Roxb ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eugenia calcadensis* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eugenia continifolia* Jacq. subsp. *codyensis* (Munro ex Wight) Ashton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eugenia discifera* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eugenia floccosa* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eugenia indica* (Wight) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eugenia mabaeoides* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eugenia manickamia* Murugan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eugenia rottleriana* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eugenia singampattiana* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eugenia thwaitesii* Duthie and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eugenia uniflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leptospermum flavescens* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leptospermum scoparium* Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leptospermum stellatum* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lophostemon confertus* (R.Br.) Peter G.Wilson & J.T.Waterh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Melaleuca armillaris* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Melaleuca hypericifolia* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Melaleuca leucadendron* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Melaleuca nesophylla* F.v. Muell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Melaleuca quinquenervia* S. T. Blake and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Melaleuca styphelioides* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Meteoromyrtus wynaadensis* (Bedd.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Myrtus communis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pimenta dioica* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Psidium cattleianum* Sabine and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Psidium guajava* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhodomyrtus tomentosa* (Ait.) Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Syncarpia glomerulifera* (Sm.) Nied. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Syncarpia laurifolia* Tenore and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Syzygium alternifolium* (Wight) Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Syzygium aqueum* (Burm. F.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Syzygium aromaticum* (L.) Merr. & Perry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Syzygium beddomei* (Duthie) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Syzygium benthamianum* (Wight ex Duthie) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Syzygium bourdillonii* (Gamble) Rathakr. & Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Syzygium calophyllifolium* Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Syzygium caryophyllatum* (L.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Syzygium chandrasekharanii* Chandrabose & Chandr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Syzygium courtallense* (Gamble) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Syzygium cumini* (L.) Skeels and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Syzygium densiflorum* Wall ex. Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Syzygium fergusonii* (Trimen) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Syzygium gambleanum* Rathakr. & Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Syzygium gardneri* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Syzygium hemisphericum* (Wight) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Syzygium jambos* (L.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Syzygium laetum* (Buch. - Ham.) Gandhi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Syzygium lanceolatum* (Lam.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Syzygium malabaricum* (Bedd.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Syzygium malaccensis* (L.) Merr. & Perry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Syzygium megacarpum* (Craib) Rathakr. & Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Syzygium mundagam* (Bourd.) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Syzygium munronii* (Wight) Chandr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Syzygium myhendrae* (Bedd. ex Brandis) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Syzygium rama - varmae* (Bourd.) Chithra

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Syzygium revolutum* (Wight) Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Syzygium rubicundum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Syzygium scoparium* Wallich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Syzygium spathulatum* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Syzygium sriganesanii* Ravikumar & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Syzygium tamilnadensis* Rathakr. & Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Syzygium travancoricum* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Syzygium venosum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Syzygium zeylanicum* (L.) DC. var. *zeylanicum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Syzygium zeylanicum* (L.) DC. var. *ellipticum* Henry, Chandrabose and Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Syzygium zeylanicum* (L.) DC. var. *lineare* (Duthie) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Syzygium zeylanicum* (L.) DC. var. *megamalayanum* K. Ravik. & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Couroupita guianensis* Aubl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gustavia superba* Berg and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Barringtonia acutangula* (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Barringtonia asiatica* (L.) Kurz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Barringtonia racemosa* (L.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Careya arborea* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Kendrickia walkeri* (Wight) Hook. f. ex Triana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Medinilla beddomei* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Medinilla fuchsioides* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Medinilla malabarica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Melastoma malabathricum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Memecylon angustifolium* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Memecylon bremeri* Viswanathan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Memecylon depressum* Benth ex Triana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Memecylon edule* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Memecylon flavescens* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Memecylon gracile* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Memecylon gracillimum* Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Memecylon grande* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Memecylon heyneanum* Benth ex Wight &

Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Memecylon kollimalayana* Viswanathan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Memecylon lawsonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Memecylon leucanthemum* Thwaites and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Memecylon lushingtonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Memecylon manickamii* C. Murugan V. Sundaresan & G.J. Jothi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Memecylon molestum* (Clarke) Cogn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Memecylon mundanthuraianum* Viswanathan & ManikKalamn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Memecylon randerianum* S.M. & M.R. Almeida and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Memecylon rivulare* Bremer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Memecylon rostratum* Thwaites and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Memecylon sisparens* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Memecylon subcordatum* Cogn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Memecylon subramanii* Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Memecylon talbotianum* Brandis & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Memecylon tirunelvelicum* Murugan Manickam & Sundaresan and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Memecylon umbellatum* Burm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Memecylon variens* Thwaites and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Osbeckia aspera* (L.) Blume var. *aspera* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Osbeckia aspera* (L.) Blume var. *travancorica* (Bedd. ex gamble) Hansen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Osbeckia aspera* (L.) Blume var. *wightiana* (Benth ex Wight & Arn.) Trimen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Osbeckia brachystemon* Naud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Osbeckia buxifolia* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Osbeckia gracilis* Bedd. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Osbeckia leschenaultiana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Osbeckia muralis* Naud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Osbeckia reticulata* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Osbeckia rubicunda* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Osbeckia parvifolia* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Osbeckia stellata* Buch. Ham. ex Ker-Gawl. var. *hispidissima* (Wight) Hansen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Osbeckia stellata* Buch. Ham. ex Ker-Gawl. var. *rostrata* (D. Don) Hansen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Osbeckia tirunelvelica* Manickam & Murugan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Osbeckia virgata* D. Don ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Osbeckia wynaadensis* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Osbeckia zeylanica* L f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sonerila brunonis* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sonerila clarkei* Cogn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sonerila devicolamensis* Nayar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sonerila elegans* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sonerila grandiflora* R. Br. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sonerila inaequalis* Murugan et Manickam

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sonerila kanyakumariana* Gopalan & Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sonerila longipetiolata* Josephine Manickam Murugan Sundaresan & Jothi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sonerila parameswaranii* Ravikumar & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sonerila pulneyensis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sonerila rheedii* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sonerila rotundifolia* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sonerila sadasivanii* Nayar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sonerila speciosa* Zenk. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sonerila tenera* Royle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sonerila tinneveli* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sonerila travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sonerila versicolor* Wight var. *versicolor* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sonerila versicolor* Wight var. *axillaris* (Wight) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sonerila wallichii* Benn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sonerila zeylanica* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tibouchina urvilleana* (DC.) Cogn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ammania baccifera* L. subsp *baccifera* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ammania baccifera* L. subsp. *aegyptiaca* (Willd.) Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ammania multiflora* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ammania octandra* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cuphea hyssopifolia* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cuphea ignea* A. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cuphea platycentra* Lemaire and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lagerstroemia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lagerstroemia microcarpa* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lagerstroemia parviflora* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lagerstroemia reginae* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lawsonia inermis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nesaea brevipes* Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nesaea prostrata* (Ham. ex Dillwyn) Suresh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pemphis acidula* Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rotala densiflora* (Roth ex Roem. & Schultes) Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rotala fimbriata* Wight and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rotala illecebroides* (Arn. ex Clarke) Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rotala indica* (Willd.) Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rotala macrKalam* Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rotala rosea* (Roiret.) C. Cook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rotala rotundifolia* (Buch. Ham. Ex D. Don) Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rotala verticillaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sonneratia apetala* Buch. -Ham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Punica granatum* L. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Circaea alpina* L. subsp. *imaicola* (Asch. & Magn.) Kitamura and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fuchsia arborescens* Sims and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fuchsia boliviana* Carr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fuchsia magellanica* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ludwigia adscendens* (L.) Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ludwigia hyssopifolia* (G. Don) Exell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ludwigia octovalvis* (Jacq.) Raven subsp. *sessiliflora* (Mich.) Raven and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ludwigia perennis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ludwigia peruviana* (L.) Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ludwigia prostrata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oenothera biennis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oenothera glazioviana* Mich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oenothera nocturna* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oenothera odorata* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oenothera rosea* Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oenothera stricta* Ledeb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oenothera tetraptera* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trapa natans* L. var. *bispinosa* (Roxb.) Makino and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Turnera subulata* Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Turnera ulmifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Adenia hondala* (Gaertn.) Wilde and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Adenia wightiana* (Wall. ex Wight & Arn.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Passiflora alba* Link & Otto and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Passiflora antioquiensis* Karsten and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Passiflora caerulea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Passiflora edulis* Sims and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Passiflora foetida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Passiflora holoserica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Passiflora laurifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Passiflora leschenaultii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Passiflora ligularis* Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Passiflora mollissima* (H. B. K.) Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Passiflora quadrangularis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Passiflora suberosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Passiflora subpeltata* Ortega and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carica papaya* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Benincasa hispida* (Thunb.) Cogn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Citrullus colocynthis* (L.) Schrader and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Citrullus lanatus* (Thunb.) Matsumura & Nakai and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Coccinia grandis* (L.) Voigt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Corallocarpus epigaeus* (Rottl. & Willd.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ctenolepis garcinii* (Burm.f.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cucumis melo* L. var. *melo* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cucumis melo* L. var. *utilissimus* (Roxb.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cucumis prophetarum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cucumis sativus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cucumis trigonus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cucurbita maxima* Duchesne ex Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cucurbita moschata* (Duchesne ex Lam.) Duchesne ex Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cucurbita pepo* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Diplocyclos palmatus* (L.) Jeffrey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gymnopetalum wightii* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gynostemma pentaphyllum* (Thunb.) Makino and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Kedrostis courtallensis* (Arn.) Jeffrey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Kedrostis foetidissima* (Jacq.) Cogn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lagenaria siceraria* (Molina) Standley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Luffa acutangula* (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Luffa cylindrica* (L.) M.Roem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Momordica charantia* L. var. *charantia* and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Momordica charantia* L. var. *muricata* (Willd.) Chakravarty and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Momordica cymbalaria* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Momordica dioica* Roxb. ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Momordica subangulata* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mukia leiosperma* (Wight & Arn.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mukia maderaspatana* (L.) M. Roem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sechium edule* (Jacq.) Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solena amplexicaulis* (Lam.) Gandhi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solena angulata* (Chakravarty) Babu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trichosanthes anaimalaiensis* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trichosanthes cucumerina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trichosanthes lobata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trichosanthes nervifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trichosanthes tricuspidata* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zehneria maysorensis* (Wight & Arn.) Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zehneria scabra* (L.f.) Sond. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zehneria thwaitesii* (Schweinf.) Jeffrey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Begonia albo-coccinea* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Begonia aliciae* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Begonia anamalayana* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Begonia cordifolia* (Wight) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Begonia floccifera* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Begonia integrifolia* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Begonia malabarica* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Begonia subpeltata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tetrameles nudiflora* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cereus pterogonus* Lem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cylindropuntia ramosissima* (Engler) Knuth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Epiphyllum oxypetalum* (DC.) Haw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hylocereus undatus* (Haw.) Britton & Rose. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nopalea cochenillifera* (L.) Salm-Dyck and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Opuntia elatior* Mill. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Opuntia ficus - indica* (L.) Miller and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Opuntia stricta* (Haw.) Haw. var. *dillenii* (Ker Gawl.) L. D. Benson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Opuntia vulgaris* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pereskia aculeata* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lampranthus spectabilis* (Haw.) N. E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sesuvium portulacastrum* (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trianthema portulacastrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trianthema triquetra* Rottl. var. *triquetra* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trianthema salsoloides* Oliv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zaleya decandra* (L.) Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Corbichonia decumbens* (Forsk.) Exell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gisekia pharnaceoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Glinus lotoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Glinus oppositifolius* (L.) A. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mollugo cerviana* (L.) Ser. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mollugo disticha* Ser. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mollugo nudicaulis* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mollugo pentaphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mollugo stricta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anethum graveolens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Apium graveolens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bupleurum distichophyllum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bupleurum plantaginifolium* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bupleurum wightii* Mukh. var. *wightii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bupleurum wightii* Mukh. var. *ramosissimum* (Wight & Arn.) Chandrabose and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carum nothum* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Centella asiatica* (L.) Urban and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Coriandrum sativum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cuminum cyminum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Daucus carota* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Foeniculum vulgare* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Heracleum aquilegifolium* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Heracleum candolleianum* (Wight & Arn.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Heracleum ceylanicum* Gard. ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Heracleum courtallense* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Heracleum hookerianum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Heracleum rigens* Wall ex DC. var. *rigens* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Heracleum rigens* Wall ex DC. var. *elongatum* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Heracleum rigens* Wall ex DC. var. *multiradiatum* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Heracleum sprengeianum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hydrocotyle conferta* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hydrocotyle javanica* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hydrocotyle sibthorpioides* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pastinaca sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Petroselinum crispum* (Mill.) Nyman ex auct.non. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Peucedanum anamallayense* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pimpinella candolleana* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pimpinella heyneana* (Wall ex DC.) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pimpinella leschenaultii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pimpinella pulneyensis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pimpinella wallichiana* (Miq.) Gandhi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sanicula elata* Buch. - Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trachyspermum ammi* (L.) Sprague and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trachyspermum roxburghianum* (DC.) Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vanasushava pedata* (Wight) Mukh. & Constance and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aralia malabarica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedera australiana* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedera helix* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polyscias acuminata* (Wight) Seem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polyscias fruticosa* (L.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pentapanax leschenaultii* (DC.) Seem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Schefflera capitata* (Wight & Arn.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Schefflera clarkiana* Craib. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Schefflera maduraiensis* Ravikumar & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Schefflera racemosa* (Wight) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Schefflera rostrata* (Wight) Harms var. *rostrata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Schefflera rostrata* (Wight) Harms var. *micrantha* (Clarke) Mahesh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Schefflera roxburghii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Schefflera stellata* (Gaertn.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Schefflera venulosa* (Wight & Arn.) Harms var. *venulosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Schefflera venulosa* (Wight & Arn.) Harms var. *obliquinervia* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Schefflera wallichiana* (Wight & Arn.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tetrapanax papyrifer* (Hook.) Koch and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cornus capitata* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mastixia arborea* (Wight) Bedd. subsp. *arborea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mastixia arborea* (Wight) Bedd. subsp. *meziana* (Wang.) Matthew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alangium salvifolium* (L.f.) Wang. subsp. *salvifolium* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alangium salvifolium* (L.f.) Wang. subsp. *hexapetalum* (Lam.) Wang and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Diervilla florida* Sieb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lonicera caprifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lonicera etrusca* Santi. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lonicera japonica* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lonicera leschenaultii* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lonicera ligustrina* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lonicera periclymenum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lonicera sempervirens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Viburnum cylindricum* Buch. - Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Viburnum erubescens* Wall. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Viburnum hebanthum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Viburnum punctatum* Buch. - Ham. ex D.

Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sambucus nigra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acranthera anamallica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acranthera grandiflora* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aidia gardneri* (Thw.) Tirvengadam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Agrostemma courtallense* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Agrostemma verticillatum* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Benkara malabarica* (Lam.) Tirvengadam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Byrsophyllum tetrandrum* (Bedd.) Hook.f.

ex Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Canthium angustifolium* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Canthium ficiforme* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Canthium neilgherrense* Wight var. *neilgherrense* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Canthium neilgherrense* Wight var. *chartacea* (Gamble) Swamin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Canthium coromandelicum* (Burm. F.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Canthium rheedii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Canthium travancoricum* (Bedd.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Catesbaea spinosa* Linn. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Catunaregam spinosa* (Thunb.) Tirvengadam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ceriscoides turgida* (Roxb.) Tirvengadam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chassalia curviflora* (Wall. ex Kurz) Thw. var. *ophioxyloides* (Wall.) Deb & Krishna and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cinchona calisaya* Wedd. var. *calisaya* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cinchona calisaya* Wedd. var. *ledgeriana* How. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cinchona officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cinchona succirubra* Pav. ex Klotzsch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Coffea arabica* L. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Coffea canephora* Pierre ex A. Froehner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Coffea liberica* Bull. ex Hiern var. *dewevrei* (De Wild. & T. Durand) Leburn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Coffea travancorensis* Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Deccania pubescens* (Roth) Tirvengadam var. *pubescens* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Deccania pubescens* (Roth) Tirvengadam var. *candolleana* (Wight & Arn.) Tirvengadam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dentella repens* (L.) Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dentella serpyllifolia* Wall. ex Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fergusonia tetracocca* (Thw.) Baill. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Galium asperifolium* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Galium rotundifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gardenia angusta* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gardenia gummifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gardenia latifolia* Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gardenia resinifera* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Geophila repens* (L.) I.M. Johnston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Guettarda speciosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Haldina cordifolia* (Roxb.) Ridsdale and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hamelia patens* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedyotis affinis* Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedyotis albo-nervia* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedyotis anamalayana* (Gamble) R. Rao & Hemadri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedyotis articularis* R.Br. ex Wight & Arn. subsp. *articularis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedyotis articularis* R.Br. ex Wight & Arn. subsp. *santapau* (Shetty & Vivek.) Deb & Dutta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedyotis aspera* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedyotis auricularia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedyotis barberi* (Gamble) Henry & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedyotis beddomei* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedyotis biflora* (L.) Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedyotis brachiata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedyotis buxifolia* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedyotis caerulea* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedyotis corymbosa* (L.) Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedyotis devicolamensis* Deb & Dutta and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedyotis diffusa* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedyotis erecta* Manilal & Sivar. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedyotis eualata* (Gamble) Henry & Subram. var. *eualata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedyotis eualata* (Gamble) Henry & Subram. var. *agastyamalayana* Henry & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedyotis gamblei* Henry & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedyotis gracilis* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedyotis graminifolia* L.f. var. *graminifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedyotis graminifolia* L.f. var. *shuteri* (Hook. f.) Deb & Dutta and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedyotis herbacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedyotis hirsutissima* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedyotis lessertiana* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedyotis nitida* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedyotis ovatifolia* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedyotis pruinosa* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedyotis pterita* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedyotis puberula* (G.Don) Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedyotis pumila* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedyotis purpurascens* Hook.f. var. *purpurascens* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedyotis purpurascens* Hook.f. var. *pallida* (Gamble) Mohanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedyotis ramarowii* (Gamble) R.Rao & Hemadri var. *ramarowii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedyotis ramarowii* (Gamble) R. Rao & Hemadri var. *kannikattica* Sundaresan, Manickam ,G.J. Jothi & Murugan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedyotis shettyi* Ravikumar & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedyotis sisparensis* Gage and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedyotis leschenaultiana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedyotis swertioides* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedyotis travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedyotis villosostipulata* (Gamble) R.Rao & Hemadri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedyotis viscida* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hydrophylax maritima* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hymenodictyon obovatum* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hymenodictyon orixense* (Roxb.) Mabblerley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ixora brachiata* Roxb. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ixora coccinea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ixora cuneifolia* Roxb. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ixora elongata* Heyne ex G.Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ixora finlaysoniana* Wall. ex G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ixora johnsoni* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ixora leucantha* Heyne ex G. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ixora malabarica* (Dennst.) Mabberley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ixora monticola* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ixora nigricans* R.Br. ex Wight & Arn. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ixora notoniana* Wall.ex G. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ixora pavetta* Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Knoxia sumatrensis* (Retz.) DC. var. *sumatrensis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Knoxia sumatrensis* (Retz.) DC. var. *glaberrima* Bhattacharjee & Deb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Knoxia sumatrensis* (Retz.) DC. var. *hookeriana* Bhattacharjee & Deb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Knoxia sumatrensis* (Retz.) DC. var. *linearis* (Gamble) Bhattacharjee & Deb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Knoxia wightiana* Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lasianthus acuminatus* Wight and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lasianthus blumeanus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lasianthus capitulatus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lasianthus ciliatus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lasianthus cinereus* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lasianthus dichotomous* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lasianthus jackianus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lasianthus oblongifolius* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lasianthus parvifolius* Wight and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lasianthus rostratus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lasianthus strigillosus* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lasianthus truncatus* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lasianthus venulosus* (Wight & Arn.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Luculia grandifolia* Ghose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Luculia gratissima* Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Luculia pinceana* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mitracarpus villosus* (Sw.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mitragyna parvifolia* (Roxb.) Korth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mitragyna tubulosa* (Arn.) Hav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Morinda citrifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Morinda pubescens* J.E. Smith var. *pubescens* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Morinda pubescens* J.E. Smith var. *tomentosa* Rathna Kumari & Naras. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Morinda pubescens* J.E. Smith var. *stenophylla* (Spreng.) Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Morinda reticulata* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Morinda umbellata* L. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mussaenda belilla* Buch.-Ham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mussaenda frondosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mussaenda glabrata* (Hook.f.) Hutchinson ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mussaenda hirsutissima* (Hook.f.) Hutchinson ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mussaenda tomentosa* Wight ex Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mycetia acuminata* (Wight) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Neanotis decipiens* (Hook.f.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Neanotis hutchinsonii* Deb & R. Dutta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Neanotis indica* (DC.) W.H. Lewis var. *indica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Neanotis indica* (DC.) W.H. Lewis var. *affinis* (Wall. ex Wight & Arn.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Neanotis indica* (DC.) W.H. Lewis var. *deltoidea* (Wall. ex Wight & Arn.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Neanotis monosperma* (Wall. ex Wight & Arn.) W.H. Lewis var. *monosperma* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Neanotis monosperma* (Wall. ex Wight & Arn.) W.H. Lewis var. *tirunelvelica* Henry & Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Neanotis nummularia* (Arn.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Neanotis rheedei* (Wall. ex Wight & Arn.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Neanotis richardiana* (Arn.) W.H. Lewis

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Neanotis tubulosa* (G.Don) Mabberley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Neanotis wightiana* (Wall. ex Wight & Arn.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Neolamarckia cadamba* (Roxb.) Bosser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Neonauclea purpurea* (Roxb.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Neurocalyx calycinus* (R.Br. ex Benn.) Robins. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nostolachma crassifolia* (Gamble) Deb & Lahiri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ochreinauclea missionis* (Wall. ex G.Don) Ridsdale and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Octotropis travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ophiorrhiza barberi* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ophiorrhiza brunonis* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ophiorrhiza eriantha* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ophiorrhiza grandiflora* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ophiorrhiza hirsutula* Wight ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ophiorrhiza incarnata* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ophiorrhiza mungos* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ophiorrhiza pectinata* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ophiorrhiza pykarensis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ophiorrhiza roxburghiana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ophiorrhiza rugosa* Wall. var. *argentea* (Hook.f.) Deb & Mondal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ophiorrhiza rugosa* Wall. var. *merguensis* (Hook.f.) Deb & Mondal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ophiorrhiza rugosa* Wall. var. *prostrata* (D.Don.) Deb & Mondal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ophiorrhiza tirunelvelica* Henry & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oxyceros rugulosus* (Thw.) Tirvengadam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pavetta blKalam* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pavetta breviflora* DC. var. *breviflora* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pavetta breviflora* DC. var. *ciliolata* Gamble ex Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pavetta breviflora* DC. var. *glaberrima* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pavetta breviflora* DC. var. *pubescens* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pavetta breviflora* DC. var. *subcoriacea* Gamble. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pavetta brunonis* Wall. ex G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pavetta calophylla* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pavetta hispidula* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pavetta hohemackeri* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pavetta indica* L. var. *indica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pavetta indica* L. var. *minor* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pavetta indica* L. var. *montana* Thw. ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pavetta laeta* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pavetta oblanceolata* Bremek and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pavetta praeterita* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pavetta thomsonii* Bremek. var. *puberula* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pavetta tomentosa* Roxb. ex J.E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pavetta wightii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pavetta zeylanica* (Hook.f.) Gamble var. *zeylanica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pavetta zeylanica* (Hook.f.) Gamble var. *puberula* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pentas lanceolata* (Forssk.) Deflers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pentas zanzibarica* (Klotzsch) Vatke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pleiocraterium verticillare* (Wight & Arn.) Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Portlandia grandiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pseudaidea speciosa* (Bedd.) Tirv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Psilanthus wightianus* (Wight & Arn.) J. Leroy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Psychotria anamallayana* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Psychotria barberi* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Psychotria beddomei* Deb & Gang. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Psychotria bisulcata* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Psychotria connata* Wall. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Psychotria flavida* Talbot and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Psychotria fosbergii* Sohmer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Psychotria globicephala* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Psychotria johnsonii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Psychotria macrocarpa* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Psychotria nigra* (Gaertn.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Psychotria nilgiriensis* Deb & Gang. var. *nilgiriensis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Psychotria nilgiriensis* Deb & Gang. var. *astephana* (Hook.f.) Deb & Gang. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Psychotria nudiflora* Wight & Arn. var. *nudiflora* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Psychotria nudiflora* Wight & Arn. var. *latifolia* Deb & Gang. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Psychotria octosulcata* Talbot and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Psychotria sarmentosa* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Psychotria subintegra* (Wight & Arn.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Psychotria truncata* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Psydrax dicoccos* Gaertn. var. *dicoccos* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Psydrax dicoccos* Gaertn. var. *lanceolatus* (Arn.) Ridsd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Psydrax ficiformis* (Hook.f.) Bridson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Psydrax umbellata* (Wight) Bridson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Richardia brasiliensis* Gomes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Richardia scabra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rubia cordifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Saprosma corymbosum* (Bedd.) Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Saprosma foetens* (Wight) K. Schum. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Saprosma fragrans* (Bedd.) Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Saprosma glomeratum* (Gard.) Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Spermacoce articularis* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Spermacoce assurgens* Ruiz et Pavon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Spermacoce hispida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Spermacoce latifolia* Aubl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Spermacoce mauritiana* Osea Gideon ex Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Spermacoce pusilla* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Spermacoce ramanii* Sivarajan & Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Spermacoce ocymoides* Burm.f. var. *ocymoides* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Spermacoce ocymoides* Burm.f. var. *theekkumalensis* (Sivarajan & Joseph) Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tamilnadia ulginosa* (Retz.) Tirvengadam & Sastre and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tarenna alpestris* (Wight) Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tarenna asiatica* (L.) Kuntze ex K. Schum. var. *asiatica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tarenna asiatica* (L.) Kuntze ex K. Schum. var. *asiatica forma rigida* (Wight) Raju and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tarenna asiatica* (L.) Kuntze ex K. Schum. var. *montana* (Thw.) Raju and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tarenna canarica* (Bedd.) Bremek. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tarenna monosperma* (Wight & Arn.) Raju. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tarenna nilagirica* (Bedd.) Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tricalysia apiocarpa* (Dalz.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tricalysia sphaerocarpa* (Dalz.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Urophyllum ceylanicum* (Wight) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Wendlandia angustifolia* Wight ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Wendlandia thyrsoidea* (Schultes) Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Valeriana arnottiana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Valeriana hookeriana* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Valeriana leschenaultii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Valeriana moonii* Arn.ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dipsacus leschenaultii* Coult. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scabiosa atropurpurea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acanthospermum hispidum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Achillea millefolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acroclinium roseum* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Adenoon indicum* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Adenostemma lavenia* (L.) Kuntze var. *lavenia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Adenostemma lavenia* (L.) Kuntze var. *madurensis* (DC.) Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Adenostemma lavenia* (L.) Kuntze var. *reticulatum* (DC.) Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Adenostemma lavenia* (L.) Kuntze var. *rugosum* (DC.) Ram Lal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ageratina adenophora* (Spreng.) R.King & H. Robinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ageratum conyzoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ageratum houstonianum* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Amberboa ramosa* (Roxb.) Jafri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anaphalis aristata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anaphalis beddomei* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anaphalis bournei* Fyson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anaphalis brevifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anaphalis busua* (Buch.-Ham.ex D.Don) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anaphalis elliptica* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anaphalis lawii* (Hook.f.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anaphalis leptophylla* (DC.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anaphalis marcescens* (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anaphalis meeboldii* W.W. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anaphalis neelgerryana* (Sch. - Bip. ex DC.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anaphalis notoniana* (DC.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anaphalis subdecurrens* (DC.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anaphalis travancorica* W.W. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anaphalis wightiana* (DC.) DC. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arctotis venusta* Norl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Argyranthemum frutescens* Sch. Bip. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Artemisia nilagirica* (Clarke) Pamp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Artemisia japonica* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Artemisia pallens* Wall. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Artemisia sieversiana* Ehrh. ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aster indamellus* Grierson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aster laevis* L. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aster cordifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aster rotundifolius* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bidens biternata* (Lour.) Merr. & Sherff and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bidens pilosa* L. var. *pilosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bidens pilosa* L. var. *minor* (Blume) Sherff and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bidens triplinervia* H.B.K. var. *macrantha* (Wedd.) Sherff and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Blainvillea acmella* (L.) Philipson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Blepharispermum petiolare* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Blepharispermum subsessile* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Blumea alata* (D.Don) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Blumea aurita* (L.f.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Blumea barbata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Blumea Nripatingeriana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Blumea bifoliata* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Blumea clarkei* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Blumea eriantha* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Blumea fistulosa* (Roxb.) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Blumea hieracifolia* (D.Don) DC. var. *hieracifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Blumea hieracifolia* (D.Don) DC. var. *flexuosa* (Clarke) Randeria and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Blumea hieracifolia* (D.Don) DC. var. *hamiltonii* (DC.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Blumea hieracifolia* (D.Don) DC. var. *macrostachya* (DC.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Blumea lacera* (Burm.f.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Blumea lanceolaria* (Roxb.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Blumea malcolmii* (Clarke) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Blumea membranacea* Wall. ex DC. var. *membranacea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Blumea membranacea* Wall. ex DC. var. *jacquemontii* (Hook.f.) Randeria and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Blumea mollis* (D.Don) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Blumea obliqua* (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Blumea oxyodonta* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Blumea virens* Wall. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Blumea flava* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bracteantha bracteata* (Vent.) Andr. & Haegi var. *bracteata* and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bracteantha bracteata* (Vent.) Andr. var. *albidum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Calendula officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Callistephus chinensis* (L.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carpesium cernuum* L. var. *nilagiricum* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Carthamus tinctorius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Centaurea cyanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Centrantherum punctatum* Cass. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Centipeda minima* (L.) A. Braun & Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chromolaena odorata* (L.) King & Robinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chrysanthemum anethifolium* Brouss. ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chrysanthemum coronarium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Elaeagnus angustifolia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Elaeagnus caudata* SCHLECHT. EX MOMIYAMA caudata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Elaeagnus conferta* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Elaeagnus hortensis* M. BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Elaeagnus indica* SERV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Elaeagnus kologa* SCHLECHT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Elaeagnus latifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Elaeagnus parvifolia* WALL. EX ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Elaeagnus pyriformis* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Elaeagnus umbellata* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Elaeocarpus floribundus* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Elaeocarpus ganitrus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Elaeocarpus lanceolatus* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Elaeocarpus munronii* (WIGHT.) MAST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Elaeocarpus oblongus* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Elaeocarpus serratus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Elaeocarpus sphaericus* (GAERTN.) K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Elaeocarpus tuberculatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Elaeodendron glaucum* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Elaeodendron roxburghii* W. & A. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Elatostema lineolatum* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Elatostema platyphyllum* WEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Elatostema sessile* FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eleocharis dulcis* (BURM.F.) TRIN. EX HENSCHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Elephantopus scaber* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Elettaria cardamomum* MATON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Elettaria cardamomum* MATON major THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Elettaria cardamomum* MATON minor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Elettaria cardamomum* MATON miniscula and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Elettaria repens* BAILLOL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eleusine aegyptiaca* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eleusine coracana* (L.) GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eleusine indica* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eleutherococcus senticosus* (RUPR. & MAXIM.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Elsholtzia bIKalam* (BTH.) BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Elsholtzia ciliata* (THUNB.) HYLAND. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Elsholtzia densa* BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Elsholtzia pilosa* BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Elsholtzia polystachya* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Elsholtzia strobilifera* BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Elytraria acaulis* (L.F.) LINDAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Elytrophorus spicatus* (WILLD.) CAMUS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Embelia acutipetalum* (LAM.EX HASSK.) S.M.& M.R. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Embelia ribes* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Embelia robusta* C.B.CLARK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Embelia subcoriacea* (CL.) MEZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Embelia tsjeriam-cottam* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Embllica officinalis* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Embryopteris glutinifera* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Emilia javanica* (BURM. F.) C. B. ROBINSON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Emilia sonchifolia* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Engelhardia polystachya* RADLK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Engelhardtia roxburghiana* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Engelhardtia spicata* LESCHEN EX. BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Enhydra fluctuans* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Enhydra fluctuans* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eniada scandens* AUCT. NON BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Enicostemma axillare* (LAM.) RAYNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Enicostemma hyssopifolium* (WILLD.) VERDOORN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Enicostemma littorale* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Enicostemma verticillatum* (L.) ENGL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Entada phaseoloides* MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Entada pursaetha* DC. *pursaetha* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Entada rheedii* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Entada scandens* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Enteropogon dolichostachyus* (LAGAS.) KENG EX LAZAR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Epilates divaricata* (L.) CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ephedra equisetina* BUNGE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ephedra gerardiana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ephedra intermedia* SCHR. & MEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ephedra major* HOST NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ephedra nevadensis* WATS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ephedra peduncularis* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ephedra saxatilis* STAPF sikkimensis STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ephedra sinica* STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ephedra vulgaris* HOOK.F. NON A.RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ephemerantha macraei* (LINDL.) HUNT & SUMMERH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Epidendrum retusum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Epidendrum tenuifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Epilobium angustifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Epilobium hirsutum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Epilobium roseum* SCHREB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Epilobium royleanum* HOUSSE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Epimedium elatum* MORR. & DECNE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Epipactis latifolia* ALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Equisetum arvense* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Equisetum debile* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Equisetum diffusum* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Equisetum ramosissimum* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eragrostis amabilis* (L.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eragrostis ciliata* NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eragrostis cynosuroides* BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eragrostis gangetica* (ROXB.) STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eragrostis nutans* (RETZ.) NEES EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eragrostis tremula* HOCHST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eragrostis viscosa* TRIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eranthemum bicolor* SCHRANK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eranthemum nervosum* (VAHL) R. BR. EX ROEM & SCHULTES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eranthemum purpurascens* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eranthemum roseum* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Erechtites valerianaefolia* (WOLF.) DC.

NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eremostachys acanthocalyx* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eremostachys loasifolia* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eremostachys superba* ROYLE EX BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eremostachys vicaryi* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eremurus himalaicus* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eria calamifolia* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eria pannea* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Erianthus arundinaceus* (RETZ.) JESWEIT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Erianthus munja* JESW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Erigeron alpinus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Erigeron asteroides* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Erigeron bellidioides* (DON) BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Erigeron bonariensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Erigeron canadensis* TENORE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Erigeron floribundus* (H.B. & K.) SCH.-BIP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Erigeron multiradiatus* (DC.) CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Erigeron sublyratus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eriglossum rubiginosum* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eriobotrya japonica* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eriobotrya latifolia* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eriocaulon setaceum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eriocaulon sexangulare* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eriocaulon sieboldianum* S. & Z. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eriodendron anfractuosum* BC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Erioglossum rubiginosum* (ROXB.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eriolaena hookeriana* WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eriolaena quinquelocularis* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eriosema chinense* VOG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eriosema himalaicum* OHASHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eritrichium canum* (BTH.) KITAMURA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Erodium cicutarium* (L.) L'HERT EX AIT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Erodium moschatum* L'HERIT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Erophila verna* (L.) C.E. MEY. EX GARCKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eruca sativa* GARS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eruca vesicaria* (LINN.) CAV. *sativa* (mill.)thell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ervatamia coronaria* (JACQ.) STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ervatamia dichotoma* (ROXB.) BLATTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ervatamia heyneana* T.COOKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ervatamia orientalis* (R.BR.) TURR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ervatmia divaricata* (LINN.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Erycibe paniculata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Erygium caeruleum* BEIB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Erygium caeruleum* BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eryngium biebersteinianum* NEVSKI EX BABROV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eryngium billardieri* DELAR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eryngium caeruleum* BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eryngium foetidum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Erysimum altaicum* C.A. MEY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Erysimum repandum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Erysimum sisymbrioides* C.A. MEY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Erythraea roxburghii* G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Erythrina arborescens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Erythrina corallodendron* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Erythrina fusca* LOUR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Erythrina indica* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Erythrina resupinata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Erythrina stricta* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Erythrina suberosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Erythrina variegata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Erythrina variegata* L. *orientalis* MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Erythronium indicum* ROTTL. EX SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Erythralum scandens* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Erythroxylium coca* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Erythroxylum areolatum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Erythroxylum lucidum* MOON. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Erythroxylum monogyneum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Erythroxylum monogynum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Erythroxylum monogynum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Erythroxylum moonii* HOCHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Erythroxylum retusum* BAUER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Erythroxylum retusum* BAUER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ethulia conyzoides* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eucalyptus camaldulensis* DENST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eucalyptus citriodora* HK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eucalyptus globulus* LABILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eucalyptus resinifera* HORT. ARG. EX MAIDEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euchresta horsfieldii* (LESCH.) BENNETT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euchretia buxifolia* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eucomis undulata* AIT. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eugenia aromatica* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eugenia bracteata* (WILD.)ROXB. EX. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eugenia caryophyllaea* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eugenia hemispherica* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eugenia jambolana* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eugenia jambos* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eugenia malaccensis* BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eugenia munroii* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eugenia occidentalis* BOURD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eugenia operculata* SENSU DUTHIE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eugenia racemosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eugenia spicata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eugenia uniflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eulaliopsis binata* (RETZ.) C.E. HUBBARD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eulophia Kalammanensis* REICHB.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eulophia campestris* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eulophia cullenii* (WIGHT) BLUME and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eulophia dabia* (D.DON) HOCHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eulophia epidendrea* (KOENIG) SCHLECHTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eulophia explanata* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eulophia herbacea* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eulophia nuda* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eulophia pratensis* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eulophia ramentacea* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eulophia spectabilis* (DENNST.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euodia lanu-ankenda* (GAERTN.)MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euonymus atropurpureus* JACQ.B.P. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euonymus crenulatus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euonymus hamiltonianus* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euonymus indicus* HEYNE EX. ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euonymus javanicus* BL.BIJDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euonymus pendulus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euonymus serratifolius* BEDD. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euonymus theophrasti* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euonymus tingens* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eupatorium adenophorum* SPRENG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eupatorium ayapana* VENT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eupatorium birmanicum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eupatorium cannabinum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eupatorium glandulosum* SCH. BIP. EX BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eupatorium odoratum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eupatorium perfoliatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eupatorium triplinerve* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia acaulis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia antiquorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia atoto* G.FORSTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia barnhartii* CROIZAT, EUPHORB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia bombaiensis* SANT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia caducifolia* HAINES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia chamaesyce* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia cognata* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia dracunculoides* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia fusiformis* BUCHY.-HAM. EX D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia granulata* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia helioscopia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia hirta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia hispida* BOISS. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia hypericifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia inaequilatera* SOND. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia laeta* HEVNE EX ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia lathyris* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia ligularia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia longan* STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia longifolia* D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia microphylla* HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia milii* DESMOUL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia neriifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia nivulia* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia onicrophylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia orbiculata* H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia pilosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia pilulifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia prostrata* AIT. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia pulcherrima* WILLD. EX KLOT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia resinifera* BERQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia rosea* RETZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia rothiana* SPR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia royleana* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia sanguinea* HOCHST. & STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia splendens* BOI EX HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia stracheyi* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia thomsoniana* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia thymifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia tibetica* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia tirucalli* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia tortilis* ROTTLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia trigona* HAW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia turcomanica* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia uniflora* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia wallichii* HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphorbia longana* LOUR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphrasia himalaica* WETTST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphrasia odontites* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphrasia officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euphrasia platyphylla* PENNEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eurya acuminata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eurya japonica* AUCT. NON THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eurya nitida* KOTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euryale ferox* SALISB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euryangium sumbul* KAUFFMAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eurycoma longifolia* JACK. ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Evodia fraxinifolia* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Evodia lunu-ankenda* MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Evodia meliaefolia* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Evodia roxburghiana* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Evodia rutaecarpa* HOOK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Evodia trichotoma* (LOUR.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Evolvulus alsinoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Evolvulus emarginatus* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Evolvulus nummularius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Exacum bicolor* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Exacum lawii* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Exacum pedunculatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Exacum tetragonum* ROXB and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Excoecaria acerifolia* F. DIDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Excoecaria agallocha* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Excoecaria crenulata* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Exogonium purga* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fabiana imbricata* RUIZ & PAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fagonia arabica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fagonia bruguieri* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fagonia cretica* L. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fagonia indica* L. *schweinfurthii* HADIDI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fagopyrum cymosum* MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fagopyrum dibotrys* (DON) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fagopyrum esculentum* MOENCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fagopyrum tataricum* (L.) GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fagraea ceilanica* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fagraea imperialis* MIQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fagraea obovata* WALL. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fagraea racemosa* JACK, ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Farsetia aegyptiaca* TURRA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Farsetia edgeworthii* HOOK. F. & THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Farsetia hamiltonii* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Farsetia jacquemontii* HOOK. F. & TH. *jacquemontii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Farsetia jacquemontii* HOOK.F. TH. *edgeworthii* (HOOK. F. & TH.) JAFRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Feronia elephantum* CORREA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Feronia limonia* (L.) SWINGLE and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ferula alliacea* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ferula assa-foetida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ferula foetida* REGEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ferula galbaniflua* BOISS. & BUHSE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ferula jaeschkeana* VATKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ferula narthex* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ferula orientalis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ferula persica* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ferula suaveolens* AITCH. & HEMSEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ferula sumbul* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ferula thomsoni* C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Festuca indica* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fibraurea chloroleuca* Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fibraurea tinctoria* LOUR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus altissima* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus amplissima* SMITH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus arnottiana* (MIQ.) MIQ. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus asperrima* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus auriculata* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus bengalensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus benjamina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus callosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus carica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus cunia* HAM. EX ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus dalhousiae* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus drupacea* THUNB. pubescens

(ROTH) CORNER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus elastica* ROXB. EX. HORNEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus exasperata* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus fistulosa* REINW. EX BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus fulva* REINW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus gibbosa* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus glabella* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus glomerata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus heterophylla* L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus hirta* VAHL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus hispida* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus infectoria* SENSU ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus lacor* BUCH.- HAM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus lacor* BUCH.- HAM. infectoria and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus lacor* BUCH.- HAM. lambertiana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus lacor* BUCH.- HAM. wightiana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus lucescens* BLUME and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus microcarpa* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus mollis* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus oppositifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus palmata* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus racemosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus religiosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus retusa* AUCT. NON L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus ribes* REINW. EX BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus rumphii* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus scandens* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus semicordata* BUCH. EX J. E. SMITH conglomerata (ROXB.) CORNER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus talboti* G.KING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus tinctoria* FORST. F. parasitica parasitica (WILLD.) CORNER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus tinctoria* FORST. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus tomentosa* ROXB. EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus tsiela* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus tsjakela* BURM .F. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus virens* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ficus wightiana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Filago arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Filicium decipiens* (WIGHT & ARN.) THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fimbristylis annua* (ALL.) ROOM & SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fimbristylis argentea* (ROTTB.) VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fimbristylis bisumbellata* (FORSK.) BUB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fimbristylis diphylla* VAHL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fimbristylis falcata* (VAHL) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fimbristylis junciformis* KUNTH ENUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fimbristylis miliacea* L. & VAHL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fimbristylis ovata* (BURM.F.) KERN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fimbristylis polytrichoides* (RELZ.) R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fimbristylis sietiniana* KUNTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fioria vitifolia* (L.) MATTEI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Firmiana colorata* (ROXB.) R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fissendocarpa linifolia* (VAHL) BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fissistigma polyanthum* MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Flacourtia cataphracta* ROXB. EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Flacourtia indica* (BURM.F.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Flacourtia jangomas* (LOUR.) RAEUSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Flacourtia ramontchi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Flacourtia sapida* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Flacourtia sepiaria* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Flagellaria indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Flaveria australasica* HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Flemingia bracteata* (ROXB.) WIGHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Flemingia chappar* BUCH.-HAM. EX BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Flemingia congesta* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Flemingia grahamiana* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Flemingia macrophylla* (WILLD.) O.KTZE. EX MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Flemingia nana* ROXB. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Flemingia paniculata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Flemingia procumbens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Flemingia semialata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Flemingia stricta* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Flemingia strobilifera* (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Flemingia tuberosa* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Flemingia wightiana* GRAHAM EX WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fleurya interrupta* (L.) GAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Flickingeria fugax* (RCHB.F.) SEODEMF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Flickingeria macraei* (LINDL.) BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Flickingeria nodosa* (DALZ.) SEIDENF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Floscopa scandens* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fluegea leucopyrus* WIGHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fluegea leucopyrus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fluegea microcarpa* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fluegea virosa* BAILL. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Foeniculum capillaceum* GILB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Foeniculum vulgare* GAERTN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Foeniculum vulgare* GAERTN dulce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fomes officinalis* (VIL EX. FR.) LLOYD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fortunella japonica* (THUNB.) SWINGLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fragaria indica* ANDR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fragaria nilgherrensis* SCHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Francoeria crispa* CASS. NULL and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Frankenia pulverulenta* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fraxinus excelsior* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fraxinus floribunda* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fraxinus hookeri* WENZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fraxinus ornus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fritillaria cirrhosa* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fritillaria imperialis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fritillaria roylei* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fucus distichus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fucus nodosus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fucus vesiculosus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fumaria indica* PUGSLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fumaria officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fumaria parviflora* AUCTION. NON. LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fumaria vaillantii* LOISEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Furcraea foetida* (L.) HAW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fynura bicolour* (WILLD.)DC. NULL and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gaillonia aucheri* JAUB. & SPACH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Galega purpurea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Galega spinosa* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Galeopsis tetrahit* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Galidium cartilagineum* (L.) GAILL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Galinsoga parviflora* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Galium acutum* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Galium aparine* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Galium asperifolium* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Galium elegans* BLOCKI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Galium mullugo* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Galium rotundifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Galium triflorum* MICHX. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Galium verum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ganophyllum falcatum* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Garcinia atroviridis* GRIFF. EX T. ANDER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Garcinia cambogia* GAERTN. DESR. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Garcinia cornea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Garcinia cowa* ROXB. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Garcinia dulcis* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Garcinia echinocarpa* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Garcinia gummi-gutta* (L.) ROBS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Garcinia hanburyi* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Garcinia heterandra* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Garcinia indica* (DUP.) CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Garcinia kydia* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Garcinia mangostana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Garcinia morella* (GAERTN.) DESR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Garcinia pedunculata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Garcinia pictoria* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Garcinia purpurea* G.DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Garcinia rubro-echinata* KOSTERM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Garcinia spicata* (WIGHT & ARN.) HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Garcinia talbotii* RAIZADA EX SANTAPAU. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Garcinia tinctoria* (DC.) W.F. WIGHT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Garcinia travancorica* BEDDOME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Garcinia wightii* T.ANDERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Garcinia xanthochymus* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gardenia augusta* (L.) MERR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gardenia campanulata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gardenia dumetorum* RETZ. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gardenia floribunda* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gardenia florida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gardenia gummifera* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gardenia incida* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gardenia jasminoides* ELLIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gardenia latifolia* AITON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gardenia lucida* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gardenia nummularioides* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gardenia resinifera* ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gardenia turgida* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Garuga pinnata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gastrochilus longiflora* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gastrochilus pandurata* RIDLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gaultheria fragrantissima* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gaultheria nummularioides* D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gaultheria procumbens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gaultheria trichophylla* ROYLE NULL and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gelidium cartilagineum* GAILL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gelonium bifarium* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gelsemium elegans* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gelsemium sempervirens* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gemphostemma ovatum* WALL. EX BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gendarussa vulgaris* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Geniosporum gracilo* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Geniosporum prostratum* (L.) BENTH. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Geniosporum tenuiflorum* (L.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gentiana algida* PALLAS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gentiana argentea* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gentiana borealis* GRISEB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gentiana carinata* GRISEB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gentiana chirayta* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gentiana decumbens* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gentiana desonasa* (ROTTB.) G. DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gentiana kurroo* ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gentiana lutea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gentiana moorcroftiana* WALL. EX. G. DON. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gentiana olivieri* GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gentiana quadrifaria* Bl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gentiana renella* FRIES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gentiana stipitata* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gentiana tenella* FRIES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gentiana thianschanica* RUPR. EX KUSN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gentianella moorcroftiana* (WALL. EX GRISEB.) AIRY-SH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gentianella pedunculata* (ROYLE) H. SM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gentianella tenella* (ROTTB.) BORNER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gentianopsis detonsa* (ROTTB.) MA. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Geodorum densiflorum* (LAM.) SCHLECHTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Geodorum dilatatum* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Geophila herbacea* KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Geophila reniformis* D. DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Geophila repens* (L.) I.M.JOHNSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Geranium himalayense* KLOT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Geranium lucidum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Geranium mascatense* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Geranium molle* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Geranium nepalense* SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Geranium ocellatum* CAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Geranium pratense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Geranium pusillum* BURM.F.SPEC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Geranium rivulare* VILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Geranium robertianum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Geranium rotundifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Geranium sibiricum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Geranium wallichianum* DON EX SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gerbera gossypina* (ROYLE) BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gerbera lanuginosa* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gerbera piloselloides* (L.) CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Geum alatum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Geum elatum* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Geum roylei* WALL. EX BOLLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Geum urbanum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Giesekia pharnacoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ginkgo biloba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Girardinia diversifolia* (LINK) FRIES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Girardinia heterophylla* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Girardinia leschenaultiana* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Girardinia zeylanica* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Girardinia cuspidata* (BL.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Girardinia reticulata* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Girardinia pharnaceoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Girardinia rotundifolia* GRIF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Girardinia sinensis* LAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gleditsia triacanthos* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gleichenia longissima* BURM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Glinus dictamnoides* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Glinus lotoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Glinus oppositifolius* (L.) A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gliricidia maculata* (H.B. & K.) STEUD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Globba clarkei* BAKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Globba marantina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Globba multiflora* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Globba orixensis* ROXB. ASIAT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Globba pauciflora* KING EX BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Glochidion calocarpem* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Glochidion calocarpum* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Glochidion ellipticum* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Glochidion heyneanum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Glochidion hohenackeri* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Glochidion lanceolarium* VOIGT. NON DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Glochidion multiloculare* MUELL.-ARG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Glochidion oblatum* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Glochidion sumatrana* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Glochidion tomentosum* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Glochidion zeylanicum* A. JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gloriosa superba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Glossocardia bosvallea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Glossocardia linearifolia* CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Glossogyne bidens* (RETZ.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Glossogyne pinnatifida* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Glossonema varians* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gluta travancorica* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Glycine labialis* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Glycine max* (L.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Glycine pentaphylla* DLAZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Glycine soja* SIEB. & ZUCC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Glycosmis arborea* (ROXB.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Glycosmis cochinchinensis* PIERRE EX ENGLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Glycosmis macrocarpa* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Glycosmis mauritiana* (LAMK.) TANAKA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Glycosmis mauritiana* (LAMK.) TANAKA *Kalammanensis* (NARAY.) TANAKA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Glycosmis pentaphylla* (RETZ.) DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Glycyrrhiza glabra* L. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Glycyrrhiza glabra* L. violace and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Glycyrrhiza radix* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Glycyrrhiza uralensis* FISCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gmelina arborea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gmelina asiatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gmelina elliptica* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gmelina parviflora* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gmelina philippensis* CHAMP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gnaphalium indicum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gnaphalium luteo-album* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gnaphalium polycaulon* PER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gnetum edule* (WILLD.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gnetum gnemon* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gnetum montanum* MARKGRAF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gnetum scandens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gnetum ula* BRONGN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gnidia glauca* STEUD. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Goldfussia thomsonii* (NEES) BREMEK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gomphia angustifolia* VAHL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gomphia serrata* (GAERTN.) KANIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gomphostemma crinitum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gomphostemma parviflora* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gomphostemma wallichii* PRAIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gomphrena celosioides* MART. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gomphrena globosa* L. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gonatanthus pumilus* (DON) E. & KRAUSE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Goniothalamus sequipedalis* HK.F.& TH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Goniothalamus waynaadensis* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Goniothalamus wightii* HOOK.F. & THOMAS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gonostegia hirta* (BL.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gonystylus macrophyllus* (MIQ.) AIRY SHAW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Goodyera repens* (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Goodyera schlechteri* Kalamliana RCHB.F. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Goodyera secundiflora* (GRIFF.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gordonia obtusa* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gossypium acuminatum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gossypium arboreum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gossypium barbadense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gossypium herbaceum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gossypium hirsutum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gossypium indicum* TOD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gossypium obtusifolium* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gossypium purpurascens* POIR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gossypium religiosum* WATT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gossypium stocksii* MAST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gouania leptostachya* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gouania microcarpa* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gouania tiliaefolia* LAMK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Govania leptostachya* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gracilaria lichenoides* GERV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Grangea maderaspatana* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Graptophyllum hortense* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Graptophyllum pictum* (L.) GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gratiola monniera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Grevillea robusta* A. CUNN. EX R. BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Grewia abutilifolia* VENT. EX JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Grewia asiatica* L. *vestita* MASTERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Grewia asiatica* MAST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Grewia carpinifolia* JUSS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Grewia elastica* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Grewia helicterifolia* WALL. EX G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Grewia heterotricha* MASTERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Grewia hirsuta* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Grewia microcos* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Grewia obtusa* WALL. EX GAMBLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Grewia oppositifolia* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Grewia optiva* DRUMMOND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Grewia orbiculata* ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Grewia paniculata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Grewia polygama* MAST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Grewia populifolia* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Grewia rhamnifolia* HEYNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Grewia rothii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Grewia salvifolia* HEYNE. EX ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Grewia sapida* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Grewia scabrophylla* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Grewia sclerophylla* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Grewia subinaequalis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Grewia tenax* (FORSK.) FIORI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Grewia tiliaefolia* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Grewia umbellata* AUCT.NON ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Grewia villosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Guaiacum officinale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Guazuma tomentosa* H.B. & K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Guazuma ulmifolia* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Guettarda speciosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Guilandina bonducella* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Guizotia abyssinica* CASS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gymnadenia himalayica* SCHLTR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gymnadenia orchidis* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gymnema aurantiaca* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gymnema balsamicum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gymnema hirsutum* WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gymnema khKalamlense* SANTAPAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gymnema lactiferum* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gymnema latifolium* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gymnema montanum* (ROXB.) HOOK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gymnema spartium* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gymnema sylvestre* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gymnocladus assamicus* Kanjilal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gymnopetalum cochinchinensis* (LOUR.) KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gymnopetalum wightii* WT. & ARN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gymnosporia montana* (ROTH.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gymnosporia royleana* M.LAWS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gymnosporia spinosa* MERILL & ROLFE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gymnostachyum febrifugum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gynandropsis gynandra* BRIQUET and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gynandropsis pentaphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gynocardia odorata* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gynostemma pentaphyllum* (THUNB.) MAKINO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gynura angulosa* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gynura cusimbua* (D.DON) MOORE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gynura hispida* THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gynura pseudo-china* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gyrocarpus americanus* JACQ. NULL and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Habenaria commelinifolia* (ROXB.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Habenaria crinifera* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Habenaria diphylla* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Habenaria edgeworthii* HOOK. F. EX COLLETT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Habenaria grandiflora* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Habenaria intermedia* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Habenaria longicorniculata* GRAH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Habenaria orchidis* (LINDL.) HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Habenaria ovalifolia* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Habenaria plantaginea* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Habenaria rariflora* A.RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Habenaria rotundifolia* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Habenaria roxburghii* (PERS.) R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hackelochloa granularis* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Haemanthus multiflorus* MARTYN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Haematoxylon campechianum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hagenia abyssynica* GMEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Haldina cordifolia* (ROXB.) RIDSDALE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Halophila ovalis* (R.BR.) HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Haloxylon multiflorum* (MOQ.) BUNGE EX BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Haloxylon recurvum* BUNGE EX BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Haloxylon salicornicum* BUNGE EX BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hamamelis virginiana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hamelia patens* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hamiltonia suaveolens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Haplanthodes verticillata* (ROXB.) MAJUMDAR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Haplanthus tentaculatus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Haplanthus verticillata* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hardwickia binata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hardwickia pinnata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Harpagophytum procumbens* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Harpullia arborea* (BLANCO) RADLK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hebanthe paniculata* MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedeoma pulegioides* (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedera helix* C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedera nepalensis* C. KOCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedgsonia macrocarpa* (BL.) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedychium acuminatum* ROSCOE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedychium coccineum* HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedychium coronarium* KOENIG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedychium ellipticum* HAMILT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedychium gardnerianum* SHEPPARD EX KER- GAWLER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedychium glaucum* ROSC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedychium gracile* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedychium marginatum* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedychium spicatum* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedychium wardii* C.E.C. NULL and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedyotis articularis* R.BR. EX WIGHT & ARN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedyotis auricularia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedyotis auriculata* (LINN.). AURICULARIA ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedyotis biflora* (L.) LAMK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedyotis brachypoda* (DC.) SIVAR. ET AL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedyotis capitellata* WALL. EX. G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedyotis corymbosa* (L.) LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedyotis costata* (ROXB.) KURZ. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedyotis diffusa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedyotis glabra* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedyotis gracilis* WALL. O.GR. (WALL.) HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedyotis herbacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedyotis hispida* (BENTH.) RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedyotis lineata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedyotis pinifolia* WALL. EX G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedyotis pruinosa* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedyotis puberula* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedyotis pumila* L.F. O.PU(L.F.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedyotis scandens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedyotis tenelliflora* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedyotis umbellata* (L.) LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedyotis uncinella* HK. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedyotis verticillata* (L.) LAMK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedyotis vestita* R.BR. EX G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedysarium sennoides* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedysarium alhagi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedysarium gangeticum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedysarium purpureum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedysarium sennoides* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedysarium triflorum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hedysarium tuberosum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Helianthus annuus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Helianthus tuberosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Helicanthes elastica* (DESR.) DANSER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Helicia excelsa* BLUME. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Helicia robusta* (ROXB.) R. BR. EX BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Helicteres isora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Helicteres isora* L. *glabrescens* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Helicteres isora* L. *tomentosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Heliophyllum indicum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Heliotropium bacciferum* FORSK. *tuberosum* (BOISS.) KAZMI *bacciferum* NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Heliotropium brevifolium* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Heliotropium curassavicum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Heliotropium eichwaldi* STEUD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Heliotropium ellipticum* LEDEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Heliotropium indicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Heliotropium keralense* SIV. & MANL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Heliotropium ophioglossum* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Heliotropium ovalifolium* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Heliotropium peruvianum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Heliotropium rariflorum* STOCKS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Heliotropium strigosum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Heliotropium subulatum* HOCHST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Heliotropium supinum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Heliotropium tuberculatum* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Heliotropium undulatum* VAHL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Heliotropium zeylanicum* HEYNE. EX C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Helixanthera wallichiana* (SCHULT.) DANSER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Helleborus niger* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Helleborus viridis* BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Helminthostachys zeylanicus* (L.) HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Heltropium ophioglossum* STOCKS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hemarthria compressa* (L.F.) BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hemerocallis fulva* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hemidesmus indicus* (L.) SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hemidictyum ceterach* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hemigraphis latebrosa* NESS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hemionitis arifolia* (BURM.) MOORE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Heracleum cachemiricum* C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Heracleum candicans* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Heracleum candolleianum* (WT. & ARN.) GAMBLE . and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Heracleum canescens* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Heracleum lanatum* MICHX. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Heracleum nepalense* D.DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Heracleum pinda* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Heracleum pinnatum* C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Heracleum rigens* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Heracleum wallichii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Heritiera littoralis* AITON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Heritiera minor* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Heritiera papilio* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hermodactylus tuberosus* (L.)MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hernandia ovigera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hernandia peltata* MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Herniaria glabra* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Herniaria hirsuta* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Herniaria intermedia* (BOISS.) O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Herpestis monniera* (L.) H.B. & K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hesperethusa alata* (W. & A.) ALST and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hesperethusa crenulata* (ROXB.) M. ROEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hetaeria obliqua* Bl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Heterophragma quadriloculare* K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Heterophragma roxburghii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Heteropogon contortus* (L.) BEAUV. EX R. & S. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Heterostemma piperifolium* KING & GAMBLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Heterostemma tanjorensis* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hevea brasiliensis* (WILLD. EX. JUSS.) MUELL. - HRG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hewittia malabarica* (L.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Heylandia latebrosa* D.C. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Heynea sumatrana* MIG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Heynea trijuga* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hibiscus abelmoschus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hibiscus aculeatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hibiscus cancellatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hibiscus canescens* HEYNE EX. WIGHT & ARNOLD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hibiscus cannabinus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hibiscus esculentus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hibiscus ficulneus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hibiscus furcatus* ROXB. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hibiscus hirtus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hibiscus hispidissimus* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hibiscus lampas* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hibiscus lunariifolius* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hibiscus manihot* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hibiscus micranthus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hibiscus mutabilis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hibiscus obtusifolius* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hibiscus ovalifolius* (FORSK.) VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hibiscus platanifolius* (WILLD.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hibiscus populneus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hibiscus rosa-sinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hibiscus sabdariffa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hibiscus surattensis* L. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hibiscus syriacus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hibiscus tiliaceus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hibiscus trionum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hibiscus vitifolias* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hibiscus vitifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hieracium umbellatum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hieracium virosum* PALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hieracium vulgatum* (FR.) ALMQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hippocratea indica* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hippophae rhamnoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hippophae rhamnoides* L. *saticifolia* (D.DON) SARVETTAZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hippophae salicifolia* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hippophae tibetana* SCHLECT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hiptage benghalensis* (L.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hiptage madablota* GAERTN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hitchenia caulina* BAKER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hodgsonia macrocarpa* (BI.) COGN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Holarrhena antidysenterica* (ROTH.) A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Holarrhena mitis* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Holarrhena pubescens* (BUCH.-HAM.) WALLICH EX DO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Holboellia latifolia* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Holigarna arnottiana* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Holigarna ferruginea* MARCHAND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Holigarna grahamii* (WGT.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Holigarna longifolia* BUCH.-HAM. EX ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Holigarna nigra* BOURD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Holmskioldia sanguinea* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Holoptelea integrifolia* (ROXB.) PLANCHON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Holostemma ada-kodien* SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Holostemma annulare* (ROXB.) K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Holostemma rheedianum* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Holostemma rheedii* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Holosteum umbellatum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Homalomena aromatica* SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Homalomena rubescens* KUNTH ENUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Homonoia retusa* (GRAH. EX WT.) MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Homonoia riparia* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hopea glabra* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hopea odorata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hopea parviflora* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hopea ponga* (DENNST.) MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hopea wightiana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hopea dichotoma* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hordeum vulgare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hornstedtia costata* (ROXB.) K. SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Horsfieldia glabra* (BL.) WARB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Horsfieldia irya* (GAERTN.) WARB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Horsfieldia kingii* (HK.F.) WARB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Houttuynia cordata* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hovenia acerba* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hoya carnosa* R. BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hoya globulosa* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hoya multiflora* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hoya ovalifolia* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hoya pendula* WGT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hoya viridiflora* R.BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hoya wightii* HOOK. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hugonia mystax* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Humboldtia unijuga* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Humboldtia vahliana* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Humulus lupulus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hunteria corymbosa* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hunteria legocii* SKINA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hunteria zeylanica* (RETZ.) GARDNER EX THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Huperzia phlegmaria* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hura crepitans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hybanthus enneaspermus* (L.F.) MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hyderangea macrophylla* (THUNB.) SER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hydnocarpus alpina* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hydnocarpus anthelminthica* PIERRE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hydnocarpus castanea* HOOK. F. & THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hydnocarpus inebrians* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hydnocarpus kurzii* (KING) WARB. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hydnocarpus laurifolia* (DENNST.) STEUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hydnocarpus macrocarpa* (BEDD.) WARB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hydnocarpus octandra* THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hydnocarpus pentandra* (BUCH.-HAM.) OKEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hydnocarpus venenata* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hydnocarpus wightiana* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hydnophytum Kalammanense* BECC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hydnophytum formicarium* JACK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hydrangea arborescens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hydrangea aspera* BUCH.-HAM. EX D. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hydrangea macrophylla* (THUNB.) SER. *stylosa* (HK.F. & TH.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hydrangea paniculata* SIEB. *grandiflora* SIEB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hydrastis canandensis* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hydrilla verticillata* (L.F.) ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hydrocharis dubia* (BL.) BACKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hydrocotyle asiatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hydrocotyle javanica* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hydrocotyle javanica* THUNB. *PODUNTHA MOLKENBOER EX C.B. CLARKE* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hydrocotyle rotundifolia* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hydrocotyle sibthorpiodes* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hydrolea zeylanica* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hygrophila auriculata* (SCHUMACH.) HEINE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hygrophila erecta* (Burm.f.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hygrophila heinei* SREEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hygrophila phlomoides* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hygrophila polysperma* (ROXB.) AND. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hygrophila quadrivalvis* (BUCH.-HAM.) NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hygrophila ringens* (L.) R.BR. EX STEUDEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hygrophila salicifolia* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hygrophila schulli* (HAM.) M.R. & S.M. ALMEIDA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hygrophila spinosa* T. ANDER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hygroryza aristata* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hymenaea courbaril* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hymenaea hornemannianum* (HAYNE) D. DIETR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hymenocrater sessilifolius* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hymenodictyon excelsum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hymenodictyon obovatum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hymenodictyon orixense* (ROXB.) MABBERLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hyoscyamus albus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hyoscyamus muticus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hyoscyamus niger* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hyoscyamus pusillus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hyoscyamus reticulatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hyoscyamus squarrosus* GRIFF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hypocoum leptocarpum* HOOK. F. & THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hypocoum pendulum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hypocoum procumbens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hyperanthera moringa* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hypericum cernuum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hypericum chinense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hypericum elodeoides* CHOIS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hypericum humifusum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hypericum japonicum* THUNB. EX MURR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hypericum laxum* (BL.) KOIDZUMI NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hypericum monanthemum* HK. F. & TH. EX DYER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hypericum monogynum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hypericum mysurense* HEYNE EX. WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hypericum oblongifolium* CHOISY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hypericum patulum* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hypericum perforatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hypericum sampsoni* HANCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hypericum uralum* BACH.-HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hypobathrum microcarpum* (Bl.) Bakh.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hypochaeris glabra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hypodematium crenatum* (FORSK.) KUHN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hypolepis punctata* (THUNB.) METT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hypolytrum nemorum* (VAHL) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hypoxis aurea* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hypoxis orchioides* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hyptis brevipes* POIT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hyptis capitata* JACQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hyptis pectinata* POIT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hyptis suaveolens* POIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hyssopus officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hyssopus parviflora* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ichnocarpus frutescens* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ilex denticulata* WALL. EX. WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ilex godajam* COLEBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ilex paraguariensis* A.ST.HIL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ilex wightiana* WALL. EX. WIGHT and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Illecebrum lanatum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Illicium anisatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Illicium griffithii* HOOK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Illicium religiosum* S. & L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Illicium verum* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Illigera appendiculata* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Illigera villosa* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ilysanthes oppositifolia* (ROXB.) URB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ilysanthes reptans* (ROXB.) URB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Impatiens balsamina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Impatiens brachycentra* KAR. & KIR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Impatiens chinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Impatiens gigantea* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Impatiens glandulifera* ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Impatiens latifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Impatiens minor* (DC.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Impatiens roylei* WALP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Impatiens scabrida* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Impatiens tilo* (DC.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Impatiens tripetala* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Imperata arundinacea* CYR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Imperata cylindrica* (L.) RAEUSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Incarvillea emodi* (LINDL.) CHATTERJ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Indigofera angustifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Indigofera anil* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Indigofera argentea* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Indigofera articulata* GONAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Indigofera aspalathoides* VAHL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Indigofera astragalina* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Indigofera caerulea* ROXB. caerulea and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Indigofera cassioides* ROTTL. EX DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Indigofera ennaephylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Indigofera galeoides* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Indigofera gerardiana* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Indigofera glabra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Indigofera glandulosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Indigofera hebepetala* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Indigofera heterantha* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Indigofera hirsuta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Indigofera linifolia* RETZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Indigofera linnaei* ALI and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Indigofera nil* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Indigofera nummulariifolia* (L.) SKINA EX ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Indigofera oblongifolia* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Indigofera paucifolia* DELILE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Indigofera pulchella* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Indigofera suffruticosa* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Indigofera sumatrana* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Indigofera tinctoria* L. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Indigofera trifoliata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Indigofera trita* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Indigofera uniflora* HAM. EX ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Indoneesiella echicides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Indoneesiella echiodides* (L.) SREEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Indoneesiella intermedia* SREEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Intsia bijuga* (Colebr.) O. Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Inula cappa* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Inula cuspidata* C.B. CL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Inula grandiflora* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Inula grantioides* BOISS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Inula graveolens* DESF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Inula helenium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Inula obtusifolia* KERN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Inula racemosa* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Inula royleana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ionidium enneaspermum* VENT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ionidium suffruticosum* GING. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Iphigenia indica* (L.) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea aquatica* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea asarifolia* (DESR.) ROEM. & SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea batatas* (L.) LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea biloba* FORSSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea bona-nox* HEYNE EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea burmanni* CHOISY NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea cairica* (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea campanulata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea candicans* SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea carnea* (MART. EX CHOISY) AUSTIN. *fistulosa* (MART. E CHOISY) AUSTIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea carnea* JACQ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea coccinea* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea coptica* (L.) ROTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea cymosa* ROEM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea dasysperma* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea digitata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea dissecta* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea eriocarpa* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea fastigiata* (ROXB.) SWEET NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea fistulosa* MART EX CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea glaberrima* BOJ. EX HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea grandiflora* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea hederacea* AUCTION. NON JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea hederifolia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea hispida* ROEM. & SCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea illustris* (CLARKE) PRAIN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea involucreata* BEAUV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea marginata* (DESR.) VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea mauritiana* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea maxima* G. DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea muricata* (L.) JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea nil* (L.) ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea obscura* KER.-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea paniculata* (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea pes-caprae* (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea pes-tigridis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea petaloidea* CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea purga* (WEND.) HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea purpurea* (L.) ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea quamoclit* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea reniformis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea reptans* (L.) POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea sepiaria* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea sindica* STAPP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea staphylina* R, BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea tridentata* (L.) ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea tuberosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea turbinata* LAG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea turpethum* (L.) R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea uniflora* ROEM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea violacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ipomoea vitifolia* SWEET. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Iris decora* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Iris ensata* THUNB. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Iris florentina* KUNZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Iris foetidissima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Iris germanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Iris kashmiriana* BAKER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Iris kemaonesis* D.DON EX ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Iris nepalensis* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Iris songarica* SCHRENK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Iris versicolor* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Isachne globosa* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ischaemum muticum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ischaemum pilosum* HACK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ischaemum rugosum* SALISH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Isopyrum acuminata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Isopyrum anemonoides* KAR. & KIR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Isopyrum thalictroides* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Itea chinensis* HOOK. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ixora acuminata* ROXB. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ixora alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ixora arborea* ROXB. EX J.E. SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ixora brunnescens* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ixora coccinea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ixora cuneifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ixora grandiflora* Zoll. & Mor. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ixora nigricans* BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ixora notoniana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ixora parviflora* VAHL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ixora pavetta* ANDR. BOT. REPOS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ixora polyantha* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ixora sub-sessilis* WALL. EX G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ixora undulata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *JacarKalam acutifolia* HUMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jacobinia tinctoria* HEMSL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jaeschkea gentianoides* KURZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jaeschkea oligosperma* (GRISEB.) KNOBL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Janakia arayalpathra* JOSEPH & CHANDRASHEKARAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jasminum amplexicaule* BUCH.-HAM. EX G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jasminum anastomozans* WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jasminum angustifolium* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jasminum arborescens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jasminum auriculatum* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jasminum azoricum* L. *azoricum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jasminum bignoniaceum* WALL. EX. G.

DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jasminum calophyllum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jasminum chrysanthemum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jasminum cuspidatum* ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jasminum diversifolium* KOBUSKI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jasminum flexile* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jasminum grandiflorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jasminum humile* SENSU CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jasminum malabaricum* WIGHT and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jasminum multiflorum* (BURM.F.) ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jasminum nervosum* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jasminum officinale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jasminum pubescens* (RETZ.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jasminum ritchiei* CLARKE IN HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jasminum rottlerianum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jasminum sambac* (L.) AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jasminum sambac* AIT. heyneana WALL.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jasminum scandens* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jasminum subhumila* W.W. SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jasminum trichotomum* HEYNE. EX ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jasminum undulatum* KER-GAWLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jateorhiza palmata* (LAM.) MIERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jatropha curcas* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jatropha glandulifera* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jatropha glandulosa* VAHL and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jatropha glauca* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jatropha gossypifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jatropha montana* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jatropha multifida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jatropha nana* DALZ. & GIBS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jatropha panduraefolia* ANDR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Joannesia princeps* VELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Juglans regia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Juglans regia* L. kumaonia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Juncellus inundatus* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Juncus inflexus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Juncus lampocarpus* EHRH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Juncus prismatocarpus* R. BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Juniperus communis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Juniperus excelsa* BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Juniperus indica* BERTOL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Juniperus macropoda* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Juniperus polycarpus* C. KOCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Juniperus recurva* BUCH.-HAM. EX D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Juniperus wallichiana* HOOK.F. EX PARL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jurinea dolomiaea* BOISS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jurinea himalaica* STEWART NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jurinea macrocephala* (ROYLE) CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jurinea macrophylla* BTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jussiaea repens* L. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jussiaea suffruticosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Jussiaea tenella* BURM. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Justicia acaulis* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Justicia adhatoda* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Justicia beddomei* (CL.) BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Justicia betonica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Justicia bicalyculata* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Justicia bilvalvis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Justicia ecbolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Justicia gendarussa* BURM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Justicia madurensis* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Justicia nasuta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Justicia paniculata* (VAHL) CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Justicia picta* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Justicia procumbens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Justicia prostrata* (CL.) GAMBLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Justicia quinqueangularis* KOEN. EX.

ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Justicia repens* DELESS. EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Justicia simplex* DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Justicia tranquebariensis* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Justicia vasculosa* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Kaempferia angustifolia* ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Kaempferia galanga* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Kaempferia rotunda* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Kalanchoe integra* (MEDIK.) KUNTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Kalanchoe laciniata* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Kalanchoe pinnata* (LAM.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Kalanchoe rosea* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Kalanchoe spathulata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Kallstroemia pubescens* (DON) DANDY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Kametia caryophyllata* (ROXB.) NICOL. & SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Kandelia candel* (L.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Kandelia rheedei* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Kandelia rheedii* W.&A. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Kedrostis foetidissima* (JACQ.) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Kedrostis rostrata* (ROTTL.) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Kickxia ramosissima* (WALL.) JANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Kigelia africana* (LAMK.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Kigelia pinnata* (JACQ.) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Kingiodendron pinnatum* (ROXB. EX DC.) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Kirganelia reticulata* BAILL. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Kleinhovia hospita* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Kleinia grandiflora* (WALL. EX DC.) RANI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Knema angustifolia* (ROXB.) WARB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Knema attenuata* (WALL.) WARB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Knema erratica* (HOOK.F. & TH.) SINCLAIR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Knema linifolia* (ROXB.) WARB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Knoxia brachycarpa* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Knoxia corymbosa* WILLD. NULL and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Knoxia roxburghii* (SPRENG.) M.A. RAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Knoxia sumatrensis* (RETZ.) DC. *hookeriana* BHATTACHARJEE & DEB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Kochia indica* WGT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Kochia scoparia* (L.) SCHRAD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Kochia sedoides* SCHRAD NEUES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Koelpinia linearis* PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Kokoona zeylanica* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Kopsia flavida* BLUME. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Kopsia fruticosa* A. DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Kurrimia bipartita* M.LAWS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Kydia calycina* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Kyllinga brevifolia* ROTTB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Kyllinga monocephala* ROTTB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Kyllinga nemoralis* HUTCH. & DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Kyllinga squamulata* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Kyllinga triceps* ROTTB. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lablab purpureus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lactuca dissecta* D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lactuca gracilis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lactuca heyneana* D.C. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lactuca indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lactuca orientalis* (BOISS.) BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lactuca remotiflora* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lactuca runcinata* DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lactuca sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lactuca scariola* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lactuca serriola* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lactuca tatarica* C.A.REY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lactuca virosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lagascea mollis* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lagascea spinosissima* COV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lagenandra ovata* (L.) THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lagenandra toxicaria* (L.) THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lagenaria leucantha* RUSBY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lagenaria siceraria* (MOLINA) STANDLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lagenaria vulgaris* SER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lagerstroemia flos-reginae* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lagerstroemia hirsuta* (LAM.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lagerstroemia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lagerstroemia lanceolata* WALL. EX. WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lagerstroemia microcarpa* W. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lagerstroemia parir-flosh* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lagerstroemia parviflora* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lagerstroemia reginae* PL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lagerstroemia speciosa* (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Laggera alata* (D.DON) SCH.-BIP. EX OLIVE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Laggera aurita* (WILD.) SCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Laggera crispata* (VAHL) HEP. & WD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Laggera flava* BENTH. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Laggera pterodonta* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lagotis cashmeriana* (ROYLE) RUPR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lagotis glauca* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lallemantia royleana* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lamarkia aurea* MOENCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Laminaria saccharina* LAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lamium album* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lamium amplexicaule* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lamprachaenium microcephalum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lancea tibetica* HK. F. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), Safed Musli farming for Diabetic neuropathy formulations: Impact of *Lannea coromandelica* (HOUTT.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lannea grandis* (DENNST.) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lansium domesticum* JACK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lantana aculeata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lantana camara* L. *aculeata* (L.) MOLDENKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lantana camara* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lantana indica* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Laportea crenulata* GANDICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Laportea interrupta* (L.) CHEW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Larrea tridentata* (SESSE & MOC.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lasia aculeata* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lasia heterophylla* SCHOTT MELET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lasia spinosa* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lasianthus Kalammanicus* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lasiosiphon eriocephalus* (MEISNER)

DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lasiurus hirsutus* (FORSK.) BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lastrea filix-mas* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lathraea squamaria* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lathyrus altaicus* LED. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lathyrus aphaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lathyrus inconspicuus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lathyrus luteus* BAKER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lathyrus odoratus* L. NULL and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lathyrus pratensis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lathyrus sativus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lathyrus sphaericus* RETZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Launaea acaulis* (ROXB.) BABCOCK EX KERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Launaea asplenifolia* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Launaea capitata* (SPRENG.) DANDY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Launaea chondrilloides* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Launaea fallax* (JAUB. & SPACH.) O.

KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Launaea glomerata* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Launaea nudicaulis* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Launaea pinnatifida* CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Launaea procumbens* (ROXB.) RAMAYYA & RAJAGOPA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Launaea remotiflora* (DC.) STEBBINS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Launaea resedifolia* (LINN.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Launaea sarmentosa* (WILLD.) ALST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Launea acaulis* (ROXB.) KERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Launea procumbens* (ROXB.) RAM. & RAJ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Launea sarmentosa* ALSTON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Impatiens chandrasekharanii* Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Impatiens chinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Impatiens clavicornu* Turez. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Impatiens cordata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Impatiens crenata* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Impatiens cuspidata* Wight and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Impatiens dasysperma* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Impatiens debilis* Turez. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Impatiens denisonii* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Impatiens disotis* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Impatiens diversifolia* Wall ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Impatiens elegans* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Impatiens floribunda* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Impatiens fruticosa* Lesch. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Impatiens gardneriana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Impatiens goughii* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Impatiens grandis* Heyne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Impatiens hensloviana* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Impatiens herbicola* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Impatiens hookeriana* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Impatiens inconspicua* Benth ex. Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Impatiens jerdoniae* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Impatiens laticornis* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Impatiens latifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Impatiens lawsonii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Impatiens lenta* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Impatiens leptura* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Impatiens leschenaultii* (DC.) Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Impatiens levingei* Gamble ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Impatiens ligulata* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Impatiens maculata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Impatiens minor* (DC.) Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Impatiens modesta* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Impatiens munronii* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Impatiens neo-barnesii* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Impatiens nilgirica* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Impatiens oppositifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Impatiens orchioides* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Impatiens parasitica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Impatiens parvifolia* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Impatiens phoenicea* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Impatiens rufescens* Benth. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Impatiens scabriuscula* Heyne ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Impatiens scapiflora* Heyne ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Impatiens tangachee* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Impatiens tenella* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Impatiens tomentosa* Heyne ex Wight &

Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Impatiens travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Impatiens trichocarpa* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Impatiens umbellata* Heyne ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Impatiens uncinata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Impatiens verticillata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Impatiens viridiflora* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Impatiens viscida* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Impatiens viscosa* Bedd. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Impatiens wightiana* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acronychia pedunculata* (L.) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aegle marmelos* (L.) Correa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Atalantia monophylla* (L.) Correa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Atalantia racemosa* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Atalantia wightii* Tanaka and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Boenninghausenia albiflora* (Hook.) Reichb. ex Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chloroxylon swietenia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Choisya ternata* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Citrus aurantifolia* (Christm.) Swingle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Citrus aurantium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Citrus limon* (L.) Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Citrus maxima* (Burm.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Citrus medica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Citrus nobilis* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Citrus reticulata* Blanco and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Citrus sinensis* (L.) Osbeck. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Clausena austro-indica* B. C. Stone and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Clausena dentata* (Willd.) M. Roem and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Clausena indica* (Dalz.) Oskin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Clausena lansium* (Lour.) Skeels and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euodia fraxinifolia* (D. Don.) Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euodia lunu-ankenda* (Gaertn.) Merr. var. *lunu-ankenda* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euodia lunu-ankenda* (Gaertn.) Merr. var. *tirunelvelica* Henry & Chandr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fortunalla japonica* (Thunb.) Swingle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Glycosmis angustifolia* Lindl. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Glycosmis cyanocarpa* (Blume) Spreng. var. *cymosa* Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Glycosmis macrocarpa* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Glycosmis mauritiana* (Lam.) Tanaka and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Glycosmis pentaphylla* (Retz.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Glycosmis tirunelveliense* Murugan & Manickam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Limonia acidissima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Luvunga eleutherandra* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Melicope indica* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Melicope lunu-ankenda* (Gaertn.) T. G. Hartley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Murraya koenigii* (L.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Murraya paniculata* (L.) Jack and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Naringi crenulata* (Roxb.) Nicolson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pamburus missionis* (Wight) Swingle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Paramigyna beddomei* Tanaka and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Paramignya monophylla* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pleiospermium alatum* (Wall ex. Wight & Arn.) Swingle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ruta chalepensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tetradium fraxinifolia* (Hook.) T. G. Hartley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Toddalia asiatica* (L.) Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Triphasia trifolia* (Burm. f.) P. Wilson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vepris bilocularis* (Wight & Arn.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zanthoxylum armatum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zanthoxylum ovalifolium* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zanthoxylum rhetsa* (Roxb.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zanthoxylum limonellia* (Dennst.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ailanthus excelsa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ailanthus triphysa* (Dennst.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Quassia amara* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Suriana maritima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gomphia serrata* (Gaertn.) Kanis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ochna integerrima* (Lour.) Merr. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ochna jabotapita* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ochna lanceolata* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ochna obtusata* DC. var. *obtusata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ochna gamblei* King ex Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Boswellia serrata* Roxb. ex Coleb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bursera penicillata* (Sesse & Moc. ex DC.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Canarium strictum* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Canarium vulgare* Leenh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Commiphora berryi* (Arn.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Commiphora caudata* (Wight & Arn.) Engler var. *caudata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Commiphora caudata* (Wight & Arn.) Engler var. *pubescens* (Wight & Arn.) K.M. Matthew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Garuga floribunda* Decne var. *gamblei* (King ex W. W. Sm.) Kalkman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Garuga pinnata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aglaia apiocarpa* (Thw.) Hiern and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aglaia barberi* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aglaia bourdillonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aglaia domestica* (Correa) Pellegrin Lecomte and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aglaia elaeagnoidea* (Juss.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aglaia edulis* (Roxb.) Wall and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aglaia lawii* (Wight) Saldanha and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aglaia tomentosa* Teijsm. & Binn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aglaia odorata* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aglaia simplicifolia* (Bedd.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aphanamixis polystachya* (Wall.) Parker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Azadirachta indica* A. Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chukrasia tabularis* A. Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cipadessa baccifera* (Roth) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dysoxylum binectariferum* (Roxb.) Hook. f. ex Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dysoxylum ficiforme* (Wight) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dysoxylum malabaricum* Bedd. ex Hiern and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Melia azedarach* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Naregamia alata* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Reinwardtiadendron anamallayanum* (Bedd.) Saldanha and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sandoricum koetjape* (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Soyimida febrifuga* (Roxb.) A. Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Swietenia macrophylla* King and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Swietenia mahagoni* (L.) Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Toona ciliata* M. Roem. var. *ciliata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Toona ciliata* M. Roem. var. *pilistila* (C. DC.) Nair & Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trichilia connaroides* (Wight & Arn.) Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Turraea villosa* Benn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Walsura trifolia* (A. Juss.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Xylocarpus granatum* Koen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dichapetalum gelonioides* (Roxb.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anacolosia densiflora* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Olax scandens* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Olax imbricata* Roxb. var. *imbricata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Olax imbricata* Roxb. var. *nigrescens* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strombosia ceylanica* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ximenia americana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cansjera rheedii* Gmel. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Opilia amentacea* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Apodytes dimidiata* E. Meyer ex Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gomphandra coriacea* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gomphandra tetrandra* (Wall ex. Roxb.) Sleumer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Miquelia dentata* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nothapodytes nimmoniana* (Graham) Mabblerley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pyrenacantha volubilis* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sarcostigma kleinii* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Erythrophalum populifolium* (Arn.) Mast. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ilex aquifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ilex denticulata* Wall ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ilex gardneriana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ilex malabarica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ilex opaca* Ait. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ilex walkeri* Wight & Gard. ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ilex wightiana* Wall ex. Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bhesa indica* (Bedd.) Ding and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cassine glauca* (Rottb.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cassine paniculata* (Wight & Arn.) Lobl.-Callen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Celastrus paniculatus* Willd. var. *paniculatus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Celastrus paniculatus* Willd. subsp. *dependens* (Wall.) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Celastrus paniculatus* Willd. subsp.

aggregatus K.T.Mathew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euonymus angulatus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euonymus barberi* C. Murugan & V. S. Manickam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euonymus crenulatus* Wall ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euonymus dichotomous* Heyne ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euonymus indicus* Heyne ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euonymus japonicus* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euonymus kanyakumariensis* Murugan & Manickam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euonymus paniculatus* Wight ex Lawson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Euonymus serratifolius* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Glyptopetalum grandiflorum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Glyptopetalum lawsonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Glyptopetalum zeylanicum* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Loeseneriella bourdillonii* (Gamble) Raju and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Loeseneriella obtusifolia* (Roxb.) A. C. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lophopetalum wightianum* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Maytenus emarginata* (Willd.) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Maytenus heyneana* (Roth) Raju & Babu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Maytenus ovatus* (Wall ex Wight & Arn.) Loes. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Maytenus rufa* (Wall.) Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Maytenus wallichiana* (Wight & Arn.) Raju & Babu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Microtropis microcarpa* Wight var. *microcarpa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Microtropis microcarpa* Wight var. *densiflora* Merr. & Freem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Microtropis latifolia* Wight ex Lawson and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Microtropis ovalifolia* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Microtropis ramiflora* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Microtropis stocksii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Microtropis wallichiana* Wight ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pleurostylia opposita* (Wall.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Reissantia grahamii* (Wight) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Reissantia indica* (Willd.) Halle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Salacia beddomei* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Salacia chinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Salacia fruticosa* Heyne ex Lawson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Salacia macrosperma* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Salacia oblonga* Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alphitonia excelsa* Reiss ex Endlicher and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Colletia cruciata* Gill. & Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Colletia ferox* Gill. & Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Colubrina asiatica* (L.) Brongn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gouania microcarpa* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hovenia acerba* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Maesopsis eminii* Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Noltea africana* (L.) Reichb. ex Harv. & Sond.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pomaderris apetala* Labill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pomaderris lanigera* Sims and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhamnus cathartica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhamnus dahuricus* Pall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhamnus virgatus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhamnus wightii* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sageretia hamosa* Brongn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sageretia parviflora* (Klein) G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scutia myrtina* (Burm. f.) Kurz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ventilago denticulata* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ventilago gamblei* Suesseng and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ventilago goughii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ventilago madraspatana* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ziziphus glabrata* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ziziphus horrida* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ziziphus incurva* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ziziphus mauritiana* Lam. var. *mauritiana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ziziphus mauritiana* Lam. var. *fruticosa* (Haines) Sebastine & Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ziziphus nummularia* (Burm.f.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ziziphus oenoplia* (L.) Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ziziphus rugosa* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ziziphus xylopyrus* (Retz.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ampelocissus araneosa* (Dalz. & Gibs.) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ampelocissus divaricata* (Wall ex Lawson) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ampelocissus indica* (L.) Planch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ampelocissus latifolia* (Roxb.) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ampelocissus tomentosa* (Heyne ex Roth) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ampelocissus wightiana* Shetty & Singhand 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cayratia anemonifolia* (Zipp. Ex Miq.) Suesseng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cayratia auriculata* (Roxb.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cayratia japonica* (Thunb.) Gagnep. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cayratia mollissima* (Wall.) Gagnep. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cayratia pedata* (Lam.) Juss. ex Gagnep. var. *pedata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cayratia pedata* (Lam.) Juss. ex Gagnep. var. *glabra* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cayratia roxburghii* (Wight & Arn.) Gagnep. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cayratia tenuifolia* (Wight & Arn.) Gagnep. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cayratia trifolia* (L.) Domin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cissus arnottiana* B.V.Shetty & P.Singh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cissus adnata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cissus discolor* Blume. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cissus latifolia* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cissus glyptocarpa* (Thw.) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cissus heyneana* (Wall. ex Lawson) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cissus quadrangularis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cissus repKalam* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cissus repens* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cissus vitiginea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyphostemma setosum* (Roxb.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Parthenocissus neilgherriensis* (Wight) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Parthenocissus semicordata* (Wall.) Planchon var. *roylei* (King) Raizada & Saxina and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tetrastigma gamblei* Shetty & Singh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tetrastigma leucostaphylum* (Dennst.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tetrastigma nilagiricum* (Miq.) Shetty and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tetrastigma sulcatum* (Lawson) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vitis vinifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leea asiatica* (L.) Ridsdale and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leea guineensis* G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leea indica* (Burm. F.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leea macrophylla* Roxb. ex Hornem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Allophylus cobbe* (L.) Raeusch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cardiospermum canescens* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cardiospermum halicacabum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dimocarpus longan* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dodonaea viscosa* (L.) Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Filicium decipiens* (Wight & Arn.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Harpullia arborea* (Blanco) Radlk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lepisanthes erecta* (Thw.) Leenh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lepisanthes senegalensis* (Juss. ex Poir.) Leenh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lepisanthes tetraphylla* (Vahl.) Radlk. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Litchi chinensis* Sonner. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Otonephelium stipulaceum* (Bedd.) Radlk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sapindus emarginatus* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sapindus trifoliata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Schleichera oleosa* (Lour.) Oken and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aesculus indica* (Cambess.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acer caesium* Wall. ex Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acer oblongum* Wall. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acer pseudo-platanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Melianthus major* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Turpinia malabarica* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Turpinia cochinchinensis* (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Meliosma pinnata* (Roxb.) Maxim. subsp. *barbulata* (Cufod.) Beus. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Meliosma simplicifolia* (Roxb.) Walp. subsp. *simplicifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Meliosma simplicifolia* (Roxb.) Walp. subsp. *pungens* (Wall ex Wight & Arn.) Beus. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sabia limoniacea* Wall. ex Hook. F. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anacardium occidentale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Buchanania axillaris* (Desr.) Ramam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Buchanania lanzan* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gluta travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Holigarna arnottiana* Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Holigarna beddomei* Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Holigarna ferruginea* Marchand and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Holigarna grahamii* (Wight) Kurz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Holigarna nigra* Bourd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), Safed Musli farming for Diabetic neuropathy formulations: Impact of *Lannea coromandelica* (Houtt.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mangifera indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nothopegia aureo-fulva* Bedd. ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nothopegia beddomei* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nothopegia colebrookeana* (Wight) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nothopegia heyneana* (Hook. f.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nothopegia racemosa* (Dalz.) Ramam. var. *racemosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nothopegia racemosa* (Dalz.) Ramam. var. *angustifolia* (Gamble) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nothopegia travancorica* Bedd ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nothopegia vajravelui* Ravikumar & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhus mysorensis* G. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhus paniculata* Wall. ex Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhus tomentosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Schinus molle* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Schinus terebinthifolius* Raddi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Semecarpus anacardium* L. var. *anacardium* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Semecarpus anacardium* L. var. *cuneifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Semecarpus auriculata* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Semecarpus travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Spondias indica* (Wight & Arn.) Airy Shaw & Forman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Spondias pinnata* (L.f.) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Corynocarpus laevigata* Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Moringa concanensis* Nimmo ex Gibs. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Moringa pterygosperma* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Connarus monocarpus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Connarus sclerocarpus* (Wight & Arn.) Schellenb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Connarus wightii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ellipanthus tomentosus* Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rourea minor* (Gaertn.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Abrus fruticulosus* Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Abrus precatorius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Abrus pulchellus* Wall ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aeschynomene americana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aeschynomene aspera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aeschynomene indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alysicarpus beddomei* Schind. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alysicarpus bupleurifolius* (L.) DC. var. *bupleurifolius* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alysicarpus bupleurifolius* (L.) Dc. var. *gracilis* (Edgew.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alysicarpus bupleurifolius* (L.) Dc. var. *hybridus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alysicarpus heterophyllus* (Benth. ex Baker) Jefri & Ali and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alysicarpus longifolius* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alysicarpus monilifer* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alysicarpus ovalifolius* (Schumac) J. Leon. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alysicarpus racemosus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alysicarpus roxburghianus* Thoth. & Pramanik and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alysicarpus glumaceus* (Vahl) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alysicarpus scariosus* Rottler. ex. Spring) Grah. ex Thw. var. *scariosus* and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alysicarpus scariosus* (Rottler. ex. Spring) Grah. ex Thw. var. *pilifer* (Prain) Pramanik & Thoth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alysicarpus vaginalis* (L.) DC. var. *vaginalis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alysicarpus vaginalis* (L.) DC. var. *stocksii* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arachis hypogaea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Butea acuminata* (Benth.) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Butea monosperma* (Lam.) Taub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Butea parviflora* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Butea purpurea* (Benth. ex Baker) Blatter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cajanus albicans* (Wight & Arn) Maesen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cajanus goensis* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cajanus lineata* (Wight & Arn) van der. Maesen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cajanus cajan* (L.) Millsp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cajanus rugosus* (Wight & Arn) Maesen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cajanus scarabaeoides* (L.) Thouars and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cajanus trinervius* (DC.) van der. Maesen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Calopogonium mucunoides* Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Calpurnia aurea* (Ait.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Canavalia cathartica* Thouars and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Canavalia gladiata* (Jacq.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Canavalia maritima* (Aubl.) Thouars and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Canavalia mollis* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Canavalia virosus* (Roxb.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Castanospermum australe* A. Cunn. & Fraser ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Centrosema pubescens* Benth. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chorizema ilicifolium* Labill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Christia obcordata* (Poir.) Bakh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Christia vespertilionis* (L.f.) Bakh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cicer arietinum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Clanthus puniceus* Soland ex. Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Clitoria ternatea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Laurentia longiflora* (L.) PETERMANN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Laurus cassia* BURM.F. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Laurus cinnamomum* (L.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Laurus nobilis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lavandula bipinnata* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lavandula burmanni* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lavandula carnosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lavandula stoechas* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lavandula vera* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lavatera kashmiriana* CAMB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lawsonia alba* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lawsonia inermis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lawsonia spinosa* L.. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lechea verticillata* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leea aequata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leea alata* EDGEW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leea arguata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leea asiatica* (L.) RIDSDALE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leea aspera* EDGE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leea bracteata* CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leea compactiflora* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leea crispa* V. ROYEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leea guineensis* G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leea hirta* ROXB EX HORNEIM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leea indica* MERILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leea macrophylla* ROXB. EX HORN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leea robusta* ROXB. HORT. BENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leea sambucina* BENTH. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lemanea australis* ATKINS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lemnaphyllum carnosum* (J. SM.) PRESL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lemna globosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lemna obcordata* BOJ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lemna perpusilla* TORREY NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lens culinaris* MEDIC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lens esculenta* MOENCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leonotis nepetaefolia* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leontopodium jacotianum* BEAUVERD NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leonurus cardiaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leonurus hamiltoniana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leonurus incurva* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leonurus japonicus* HOUTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leonurus sibiricus* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leonurus stelligera* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lepeocercis serrata* TRIM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lepianthes umbellata* (L.) RAF. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lepidagathis cristata* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lepidagathis hamiltoniana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lepidagathis incurva* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lepidagathis pungens* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lepidagathis scariosa* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lepidagathis trinervia* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lepidagathis trinervis* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lepidium apetalum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lepidium capitatum* HOOK. F. & THOMS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lepidium cartilagineum* (J. MAY.) THELL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lepidium draba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lepidium iberis* L. alba and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lepidium iberis* POLL . and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lepidium latifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lepidium perfoliatum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lepidium ruderales* L. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lepidium sativum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lepidium virginicum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lepionorus sylvestris* BL. BIJDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lepionurus sylvestris* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lepisanthes Kalammanica* KING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lepisanthes rubiginosa* (ROXB.) LEENH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lepisanthes tetraphylla* (VAHL) RADLK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leptadenia pyrotechnica* DCNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leptadenia reticulata* (RETZ.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leptadenia spartium* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leptochilus decurrens* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leptochloa malabarica* (L.) VELDKAMP and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leptodermis lanceolatus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leptonychia heteroclita* (ROXB.) KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lespedeza sericea* MIQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lettsomia aggregata* ROXB. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lettsomia atropurpurea* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lettsomia elliptica* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lettsomia mysorensis* CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lettsomia nervosa* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lettsomia setosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leucaena glauca* (L.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leucas aspera* (WILLD.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leucas capitata* DESF. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leucas cephalotes* (ROTH.) SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leucas ciliata* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leucas flaccida* R.BR. *scaberula* (HOOK.F.) SRINIVASAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leucas indica* (L.) R.BR. EX VATKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leucas lanata* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leucas lavandulifolia* J.E. SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leucas linifolia* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leucas martinicensis* (JACQ.) R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leucas mollissima* WALL. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leucas plukenetii* (ROTH) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leucas stelligera* WALL. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leucas stricta* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leucas urticaefolia* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leucas zeylanica* (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leuconotis eugenifolia* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leucosceptrum canum* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leucostegia immersa* (HK.) PRESL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leucostegia nodosa* BEDD.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leueas rosmarnifolia* CIRUTUMPAI benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Levisticum officinale* W.D.J. KOCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Licuala spinosa* WURMB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ligularia amplexicaule* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ligularia jacquemontiana* (DECNE) RAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ligusticum elatum* C.B. CL. NULL and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ligustrum indicum* (LOUR.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ligustrum lucidum* (LOUR.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ligustrum nicum* (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ligustrum perrottetii* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ligustrum robustum* BLUME. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lilium candidum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lilium giganteum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lilium martagon* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lilium neilgherrense* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lilium polyphyllum* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lilium wallichianum* SCHULT. & SCHULT. F and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Limnanthemum cristatum* GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Limnanthemum indicum* GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Limnanthemum nymphaeoides* LINK FL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Limnophila aromatica* (L.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Limnophila gratioloides* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Limnophila gratissima* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Limnophila indica* (L.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Limnophila polystachya* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Limnophila racemosa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Limnophila roxburghii* G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Limnophila rugosa* (ROTH) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Limnophila sessiliflora* (VAHL) BI. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Limnophyton obtusifolium* (L.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Limodrum spatulatum* WLLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Limonia acidissima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Limonia alata* W. & A. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Limonia crenulata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Limonium cabulicum* (BOISS.) O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Linaria cirrhosa* H.K. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Linaria minor* DESF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Linaria ramosissima* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lindelofia longiflora* (BENTH.) BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lindenbergia indica* (L.) KTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lindenbergia muraria* (ROXB.) P.BRUCHE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lindenbergia urticaefolia* LEHM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lindera caudata* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lindera neesiana* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lindera pulcherrima* BENTH. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lindernia anagallis* (BURM.F.) PENNELL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lindernia antipoda* (L.) ALSTON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lindernia caespitosa* (BL.) PANIGRAHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lindernia ciliata* (COLESM.) PENNELL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lindernia cordifolia* (COLSM.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lindernia crustacea* (L.) F. V. MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lindernia hyssopioides* (L.) HAINES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lindernia oppositifolia* (RETZ.) MUKH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lindernia procumbens* (KROCK.) BORBAS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lindernia pyxidaria* ALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lindernia rotundifolia* (L.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lindernia ruellioides* (COLSM) PENNEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lindsaea cultrata* (WILLD.) SW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Linociera malabarica* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Linociera ramiflora* (ROXB.) WALL. EX G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Linum perenne* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Linum strictum* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Linum usitatissimum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Liparis nervosa* (THUNB.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Liparis parviflora* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lippia alba* N.E. BR. EX BRITTON & WILS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lippia geminata* H.B.K. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lippia javanica* (BURM.F.) SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lippia nodiflora* MICH. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Liquidambar orientalis* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Liquidambar styraciflua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Liqustrum indicum* (LOUR.) NERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Liriodendron tulipifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Litchi chinensis* SONN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lithocarpus pachyphyllus* (KURZ) REHDER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lithospermum arvense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lithospermum officinale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Litsea chinensis* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Litsea citrata* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Litsea coriacea* (HEYNE EX. MEISNER) HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Litsea cubeba* (LOUR.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Litsea glutimosa* (LOUR.) C.B. ROBINSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Litsea glutinosa* (LOUR.) ROBINSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Litsea lancifolia* HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Litsea monopetala* (ROXB.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Litsea polyantha* JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Litsea quinqueflora* (DENNST.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Litsea sebifera* PERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Litsea stocksii* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Litsea umbrosa* NEES NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Litsea zeylanica* C. & T. NESS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lobelia alsinoides* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lobelia chinensis* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lobelia cordigera* CAV. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lobelia excelsa* LESCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lobelia inflata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lobelia leschenaultiana* (PRESL) SKOTTSB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lobelia nicotianaefolia* ROTH. EX. R. & S. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lobelia pyramidalis* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lobularia maritima* DESV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lochnera pusilla* K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lochnera rosea* REICHB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lodoicea maldivica* (POIR.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lodoicea seychellarum* LABILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Loeseneriella obtusifolia* (ROXB.) A.C.SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lomatogonium carinthiacum* (WULF.) BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lonicera glauca* HK. F. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lonicera japonica* THUNB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lonicera leschenaultii* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lonicera macrantha* (D.DON) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lonicera semenovii* REGEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lonicera spinosa* (JACQUEM. EX DECNE) WALP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lonicera webbia* WALL. EX DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lophopetalum wallichii* KURZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Loranthus coriaceus* DESR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Loranthus elasticus* DESR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Loranthus falcatus* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Loranthus longiflorus* DESR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Loranthus pentandrus* HEYNE. EX SCHULT.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lotus corniculatus* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Loxococcus rupicola* WENDL.& DRUDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ludwigia adscendens* (L.) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ludwigia clavelliana* GOMEZ DE LA MAZA & MONLINET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ludwigia hyssopifolia* (DON) EXCELL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ludwigia octovalvis* (JACQ.) RAVEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ludwigia octovalvis* (JACQ.) RAVEN

sessiliflora (MICHELI) RAVEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ludwigia parviflora* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ludwigia perennis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ludwigia peruviana* (L.) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ludwigia prostrata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Luffa acutangula* (L.) ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Luffa acutangula* ROXB. amara (ROXB.) CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Luffa aegyptiaca* MILL. EX. HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Luffa amara* ROXB. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Luffa cylindrica* (L.) M.J. ROEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Luffa echinata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Luffa graveolens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Luffa graveolens* ROXB. *longystyla* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Luffa pentandra* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Luffa tuberosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Luffa umbellata* (KLEIN) ROEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Luisia tenuifolia* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lumnitzera racemosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lupinus albus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lupinus angustifolius* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lupinus digitatus* FORSK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lupinus luteus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Luvunga eleutherandra* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Luvunga scandens* (BLUME) KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Luzula campestris* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lychnis apetala* L. SP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lychnis coronaria* LAMK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lycianthes laevis* (DUN.) BITTER SUBTRUNCATA (WALL. EX DUN.) DEB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lycianthes laevis* (DUNAL) BITTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lycium barbarum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lycium europaeum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lycium ruthenicum* MURR. EX DUNAL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lycoperdon gemmatum* BATSCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lycoperdon pusillum* PER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lycopersicon esculentum* MILL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lycopersicon lycopersicum* (L.) KARST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lycopersicon esculentum* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lycopodium cernuum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lycopodium clavatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lycopodium phlegmaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lycopus europaeus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lycoris radiata* (L'HERIT.) HERBERT

NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lygodium circinatum* (BURM) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lygodium flexuosum* (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lygodium japonicum* (THUNB.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lygodium microphyllum* (CAV.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lygodium pinnatifidum* SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lygodium scandens* (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lyonia ovalifolia* (WALL.) DRUDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Maba bauxifolia* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Maba buxifolia* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Macadamia ternifolia* F. MUELL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Macaranga denticulata* (BL.) MUELL.-ARG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Macaranga indica* W. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Macaranga nicobarica* BALAKR. & CHAKRAB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Macaranga peltata* (ROXB.) MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Macaranga roxburghi* WRIGHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Macaranga tanarius* (L.) M. & A. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Macaranga tetracoccus* (ROXB.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Machilus bombycina* KING EX HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Machilus macrantha* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Machilus villosa* HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Maclura pomifera* (RAFIN.) C.K. SCHM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Macropanax dispermus* (BI.) KTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Macrosolen cochinchinensis* (LOUR.) TIEGH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Macrosolen parasiticus* (L.) DANSER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Macrotomia benthamii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Macrotomia perennis* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Macrotomia speciosa* AITCHET HEMST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Macrotyloma uniflorum* (LAM.) VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Madhuca butyracea* (ROXB.) MACBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Madhuca diplostemon* (CLARKE) ROYEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Madhuca indica* GMEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Madhuca insignis* (RADLK) LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Madhuca longifolia* (KOEN.) MACLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Madhuca malabarica* (BEDD.) R.N.PARKAR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Madhuca neriifolia* (MOON) LAM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Maerua apetala* (ROTH) JACOBS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Maerua arenaria* HOOK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Maerua oblongifolia* (FORSK.) A.RICH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Maesa chisia* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Maesa indica* (ROXB.) A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Maesa montana* DC, and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Maesa ramentacea* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Maharanga emodi* (WALL.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mahonia acanthifolia* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mahonia borealis* TAKEDA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mahonia leschenaultii* (WALL. EX. WIGHT & ARN.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mahonia manipurensis* TAKEDA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mahonia nepaulensis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mahonia pycnophylla* (FEDDE) TAKEDA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mahonia sikkimensis* TAKEDA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mahonia simonsii* TAKEDA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Majorana hortensis* MOENCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Malachra capitata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Malaxis acuminata* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Malaxis biloba* (LINDL.) AMES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Malaxis mackinnonii* (DUTHIE) AMES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Malaxis muscifera* (LINDLEY) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Malaxis rheedei* SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Malaxis saprophyta* (KING & PRANTL) TANG & WAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mallotus ferrugineus* (ROXB.) MUELL-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mallotus peltatus* (GEIS.) MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mallotus philippensis* (LAM.) MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mallotus repandus* (WILLD.) MULL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mallotus rhamnifolius* (WILLD.) MULL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mallotus tetracoccus* (ROXB.) KURZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Malpighia glabra* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Malpighia punicifolia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Malus pumila* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Malus sylvestris* MILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Malva neglecta* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Malva parviflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Malva rotundifolia* L. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Malva sylvestris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Malva verticillata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Malvastrum americanum* (L.) TORR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Malvastrum coromandelianum* GARCKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mammea americana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mammea longifolia* PLANCH. & TRIANA. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mammea suriga* (BUCH.-HAM. EX ROXB.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mandragora autumnalis* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mandragora officinalis* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mangifera caesia* JACK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mangifera domestica* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mangifera indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mangifera sylvatica* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Manihot esculenta* CRANTZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Manihot utilissima* POHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Manilkara hexandra* (ROXB.) DUBARD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Manilkara kauki* (L.) DUBJ. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Manilkara zapota* (L.) VAN ROYEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Manisuris granularis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Maoutia puya* WEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mappia foetida* MIERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Maranta arundinaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Maranta arundinacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Marchantia palmata* - NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Marchantia polymorpha* - NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mariscus concinnus* SCHRADER EX NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mariscus javanicus* (HOUTT.) MERR. & METCALF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Marlea tomentosa* ENDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Marrubium vulgare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Marsdenia brunoniana* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Marsdenia hamiltonii* W. & A. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Marsdenia lucida* EDGEW. EX MADDEN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Marsdenia roylei* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Marsdenia tenacissima* (ROXB.) MOON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Marsdenia tinctoria* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Marsdenia volubilis* (L.F.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Marsilea dentata* KUNTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Marsilea grandifolia* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Marsilea minuta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Marsilea quadrifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Martnia diandra* GLOX. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Martynia annua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Martynia diandra* GLOX. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mastixia assamica* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mastixia arborea* CB. CLARK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mathiola incana* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Matricaria aurea* (Loefl.)Sch. Bip. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Matricaria chamomilla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Matricaria lasiocarpa* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Matricaria recutita* L. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Matthiola flavida* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Matthiola incana* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Matthiola tristis* R.BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mattiastrium thomsonii* (CL.) KAZMI NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Maytenus emarginata* (WILLD.) DING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Maytenus heyneana* (ROTHY) RAJU & BABU NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Maytenus senegalensis* (LAM.) EXELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mazus japonicus* (THUNB.) KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mazus pumilus* (BURM.F.) VAN STEENIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Meconopsis aculeata* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Meconopsis nepaulensis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Meconopsis paniculata* (D.DON) PRAIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Meconopsis robusta* HK. F. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Meconopsis simplicifolia* (G.DON) WALP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Meconopsis wallichii* HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mecoropsis nepaulensis* DC. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Medicago lupulina* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Medicago minima* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Medicago polymorpha* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Medicago sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Megacarpaea polyandra* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Melaleuca alternifolia* (MAIDEN & BETCHE) CHEEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Melaleuca cajaputi* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Melaleuca leucadendron* L. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Melanorrhoea curtisii* OLIV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Melanorrhoea usitata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Melanorrhoea wallichii* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Melanthesa rhamnoides* (RETZ.) BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Melanthesa turbinata* (ROXB.) WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Melanthium indicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Melasma thompsonii* (HK.F.) WETTST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Melastoma affine* D. Don and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Melastoma asperum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Melastoma decemfidum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Melastoma malabathricum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Melia azadirachta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Melia azedarach* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Melia composita* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Melia dubia* HIERN, NON CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Melanthus major* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Melica ciliata* DUTHIE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Melica jacquemontii* DCNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Melilotus indica* (L.) ALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Melilotus officinalis* (L.) PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Melilotus parviflora* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Meliosma arnottiana* WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Meliosma simplicifolia* (ROXB.) WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Melissa axillaris* (BENTH.) BAKH. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Melissa officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Melissa parviflora* BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Melocalamus compactiflorus* BENTH. F. HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Melocanna bambusoides* TRIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Melocanna bambusoides* TRIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Melochia corchorifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Melodinus monogynus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Melothria heterophylla* COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Melothria indica* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Melothria maderaspatana* (L.) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Melothria perpusilla* COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Melothria scabra* (LINN. F.) PANIGR. ET S.C. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Memecylon amplexicaule* ROXB. *malabarica* CLARKE IN HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Memecylon angustifolium* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Memecylon edule* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Memecylon gracile* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Memecylon heyneanum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Memecylon malabaricum* (CLARKE) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Memecylon sessile* BENTH. EX WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Memecylon talbotianum* BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Memecylon umbellatum* BURM. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Menanthes sumatrana* (MIQ.) BREMEK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Menispermum cocculus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Menispermum columba* ROXB. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Menispermum cordifolium* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Menispermum glabrum* BRUM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mentha aquatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mentha arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mentha cordifolia* OPHIZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mentha crispa* GARSAULT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mentha dumetorium* SCHULT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mentha longifolia* (L.) HUDS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mentha mulleriana* SCH.-BIP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mentha niliaca* JACQ. *alopecuroides* NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mentha piperita* STOKES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mentha pulegium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mentha rotundifolia* (L.) HUDS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mentha sativa* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mentha spicata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mentha sylvestris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mentha verticillata* D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mentha viridis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Meriandra benghalensis* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Meriandra strobilifera* BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Merremia dissecta* (JACQ.) HALLIER F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Merremia emarginata* (BURM.F.) HALL.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Merremia gangetica* (L.) CUFO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Merremia hastata* (DESR.) HALLIER. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Merremia hederacea* (N.BURM.) H.HALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Merremia mammosa* (LOUR.) HALL. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Merremia peltata* (Linn.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Merremia tridentata* (L.) HAILLIER *tridentata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Merremia tridentata* (L.) HALL. F. *hastata* (DESR.) OOST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Merremia tridentata* (L.) H. HALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Merremia tuberosa* (LINN.) RENDLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Merremia turpethum* RENDLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Merremia umbellata* (L.) HALLIER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Merremia vitifolia* (BURM. F.) HALL. F and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mesembryanthemum crystallinum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mesua ferrea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mesua nagassarium* (BURM.F.) KOSTERM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Metathelypteris gracilescens* (BL.) CHING NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Meyna laxiflora* ROBYNS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Meyna spinosa* ROXB. EX LINK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mezoneuron cucullatum* (ROXB.) WT. AND ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mezoneuron sumatranum* W.A. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Michelia champaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Michelia doltsopa* BUCH.- HAM. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Michelia montana* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Michelia nilagirica* ZENK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Micranthus oppositifolius* WENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Microcos paniculata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Microglossa pyrifolia* (LAM.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Microglossa volubilis* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Microlepidia puberula* VAVR NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Microlepidia speluncae* (L.) MOORE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Micromelum hirsutum* OSKIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Micromelum integerrimum* (Buch-Ham) Roem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Micromelum minutum* (FORST. F.) WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Micromelum pubescens* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Micromeria biflora* (DON) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Micromeria capitellata* BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Micrometum integerrimum* (BUCH.-HAM.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Micropus xanthopus* (FR.) KUNT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Microrhynchus nudicaulis* LESS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Microsorium alternifolium* COPEL.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Microsorium punctatum* (L.) COPEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Microsorium scolopendria* (BURM.F.)

COPEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Microstegium ciliatum* A.CAMUS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Microstylis muscifera* RIDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Microstylis saprophyta* KING & PANTL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Microstylis versicolor* (LINDL.) ABEYW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Microstylis wallichii* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Microtoena insuavis* (HANCE) PRAIN EX DUNN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Microula tibetica* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mikania cordata* (BURM. F.) R.L. ROBINSON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mikania micrantha* H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Milium ramosum* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Miliusa roxburghiana* (GRIFF.) HK. F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Miliusa tomentosa* (ROXB.) SINCLAIR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Miliusa velutina* HOOK. F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Millettia auriculata* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Millettia caudata* (BENTH.) BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Millettia extensa* (BENTH.) BAKER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Millettia pachycarpa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Millettia piscidia* WIGHT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Millettia racemosa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Millingtonia hortensis* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mimosa abstergens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mimosa amara* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mimosa cineraria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mimosa cinerea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mimosa ferruginea* ROTTLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mimosa flexuosa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mimosa hamata* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mimosa intsia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mimosa invisa* MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mimosa lucida* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mimosa paniculata* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mimosa pudica* L. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mimosa pudica* L. hispida BRENAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mimosa pudica* L. tetrandra (WILLD.)DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mimosa pudica* L. unijuga (DUCHASS. & WALP.)GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mimosa rubicaulis* AUCT. NON LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mimosa rubicaulis* LAMK. himalayana (GAMBLE) DHASHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mimosa spinisilqua* KLEIN. EX POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mimosa suma* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mimulus moschatus* DOUGL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mimulus strictus* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mimusops elengi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mimusops hexandra* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mimusops indica* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mimusops kauki* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mirabilis jalapa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mischocarpus undulatus* Bl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mitracarpus villosus* (SW.) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mitragyna parvifolia* KORTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mitragyna parvifolia* KORTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mitragyna rotundifolia* KUNTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mnesithea laevis* (RETZ.) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Modecca palmata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Modecca trilobata* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Modecca wightiana* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Moghania bracteata* HIU-LIN-LI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Moghania chappar* KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Moghania macrophylla* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Moghania nana* MUKHSJEE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Moghania phursia* O.KTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Moghania semialata* (ROXB.) MUKHERJEE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Moghania stricta* (ROXB.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Moghania strobilifera* J.ST. HILAIRE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Moghania tuberosa* KTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Molineria crassifolia* BAKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Molinia coerulea* MOENCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mollugo cerviana* SER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mollugo hirta* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mollugo lotoides* (L.) O. KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mollugo nudicaulis* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mollugo nudicaulis* LAMK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mollugo oppositifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mollugo pentaphylla* L. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mollugo spargula* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mollugo stricta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Momordica balsamina* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Momordica charantia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Momordica charantia* L. *charantia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Momordica charantia* L. *muricata* (WILLD.) CHAKR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Momordica cochinchinensis* SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Momordica cymbalaria* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Momordica dioica* ROXB. EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Momordica exserta* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Momordica muricata* VELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Momordica tuberosa* COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Momordica umbellata* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Monetia barlerioides* L HERIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Moniera cuneate* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Moniera cuneifolia* MICHX. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Monochoria hastaefolia* PRESL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Monochoria hastata* SOLMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Monochoria vaginalis* PRESL.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Monotropa uniflora* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Morchella esculenta* PERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Morina coulteriana* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Morina longifolia* WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Morina persica* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Morinda angustifolia* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Morinda citrifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Morinda coreia* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Morinda pubescens* J.E.SMITH IN REES *pubescens* VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Morinda pubescens* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Morinda tinctoria* ROXB. *tomentosa* (ROTH) HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Morinda tomentosa* HEYNE EX ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Morinda umbellata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Moringa concanensis* NIMMO EX DALZ. & GIBSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Moringa conconensis* NIMMO. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Moringa oleifera* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Moringa pterygosperma* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Morus acedosa* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Morus alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Morus australis* POIRET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Morus indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Morus laevigata* WALL. EX BRAND. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Morus nigra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Moschosma polystachyum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Moullava spicata* (DALZ.) NICOLS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mucuna atropurpurea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mucuna bracteata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mucuna capitata* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mucuna cochinchinensis* Cheval and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mucuna gigantea* (WILLD.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mucuna hirsuta* WIGHT & ARN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mucuna monosperma* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mucuna nigricans* (LOUR.) STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mucuna pruriens* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mucuna prurita* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mucuna utilis* Wall. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mukia maderaspatana* (L.) M.ROEMER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mukia scabrella* (L..F.) ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mundulea sericea* (WILLD.) A. CHEVAL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mundulea suberosa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Munronia pinnata* (WALL.) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Muntingia calabura* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Murdannia edulis* (STOKES) FADEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Murdannia elata* (VAHL) BRUECKNER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Murdannia japonica* (THUNB) FADEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Murdannia nudiflora* (L.) BRENAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Murdannia scapiflora* (ROXB.) ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Murdannia semiteres* (DALZ.) SANTAPAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Murdannia vaginata* (L.) BRUECK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Muricia cochinchinensis* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Murraya exotica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Murraya koenigii* (L.) SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Murraya paniculata* (L.) JACK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Musa balbisiana* COLLA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Musa chinensis* SWEET. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Musa ornata* ROXB. NULL and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Musa paradisiaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Musa rosacea* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Musa sapientum* O.KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Musa sapientum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Musa superba* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Musa textilis* NEE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Musa troglodytarum* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Musa velutina* WENDL. & DRUDE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mussaenda belilla* BUCH.- HAM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mussaenda erythrophylla* SCHUM. & THONN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mussaenda frondosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mussaenda glabra* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mussaenda glabrata* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mussaenda hirsutissima* (HOOK. F.) HUTCHINSON EX GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mussaenda laxa* (HOOK. F.) HUTCH EX GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mussaenda macrophylla* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mussaenda roxburghii* HK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mutilla occidentalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mylitta lapidescens* HORAN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Myosoton aquaticum* (L.) MOENCH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Myrica cerifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Myrica esculenta* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Myrica integrifolia* ROXY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Myrica nagi* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Myrica pensylvanica* LOISEL. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Myrica sapida* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Myricaria bracteata* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Myricaria coulteriana* ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Myricaria elegans* ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Myricaria germanica* DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Myriogyne minuta* LESS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Myriogonon nutans* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Myriophyllum spicatum* LINN. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Myristica argentea* WARB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Myristica dactyloides* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Myristica fragrans* HOUTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Myristica laurifolia* HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Myristica malabarica* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Myristica moschata* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Myristica officinalis* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Myropyrum similacifolium* BLUME NULL

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Myrsine africana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Myrsine capitellata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Myrsine semiserrata* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Myrsine serrata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Myrtus caryophyllata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Myrtus communis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Myxopyrum serratum* A.W. HILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Myxopyrum smilacifolium* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nannorrhops ritchieana* H. WENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Naravelia zeylanica* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Narcissus tazetta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nardostachys grandiflora* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nardostachys jatamansi* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Naregamia alata* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Naringi alata* (WALL. EX WIGHT & ARN.) EL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Naringi crenulata* (ROXB.) NICOLSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nasturtium fontanum* ASCHERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nasturtium indicum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nasturtium officinale* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nasturtium palustre* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Natsiatum herpeticum* BUCH.-HAM. EX ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nauclea aculeata* H.B. & K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nauclea cadamba* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nauclea missionis* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nauclea orientalis* (L.) L. NULL and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nauclea ovalifolia* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nauclea sessilifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Neanotis hirsuta* (L.F.) LEWIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Neanotis rheedei* (WIGHT & ARN.) W.H.LEWIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Neillia thyrsiflora* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Neisosperma oppositifolium* (Lamk.) Fosb. & Sach. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nelsonia canescens* (LAM.) SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nelumbium speciosum* WILLD. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nelumbo nucifera* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Neodissochaeta celebica* (Bl.) Bakh.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Neolamarckia cadamba* (ROXB.) BOSSER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Neolitsea cassia* (L.) KOSTERM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Neolitsea chinensis* (LAM.) CHUN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Neolitsea scrobiculata* (MEISSNER) GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Neolitsea umbrosa* (NEES) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Neolitsea zeylancia* (NEES) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Neonauclea sessilifolia* (ROXB.) MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nepenthes distillatoria* AUCT. EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nepenthes khasiana* KH.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nepeta cataria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nepeta ciliaris* BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nepeta coerulascens* MAXIM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nepeta connata* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nepeta discolor* ROYLE EX BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nepeta elliptica* ROYLE EX BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nepeta eriostachya* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nepeta floccosa* BTH. LAB. GEN. & SP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nepeta glomerulosa* BOISS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nepeta glutinosa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nepeta hindostana* (ROTH) HAINES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nepeta leucophylla* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nepeta longibracteata* (BENTH.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nepeta malabarica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nepeta podostachys* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nepeta royleana* STEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nepeta ruderalis* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nepeta spicata* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nephelium lappaceum* LINN. MANT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nephelium litchi* (LOUR.) GAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nephelium longana* CAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nephelium stipulaceum* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nephrolepis biserrata* SCHOTT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nephrolepis cordifolia* (L.) PRESL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nephrolepis multiflora* (ROXB.) JARRETT EX MORTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Neptunia natans* (L. F.) DRUCE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Neptunia oleracea* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Neptunia prostrata* (LAM.) BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Neptunia triquetra* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nerium antidysentericum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nerium coronarium* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nerium indicum* MILLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nerium odorum* SOLANED and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nerium oleander* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nerium tomentosum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nervilia aragoana* GAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nervilia plicata* SCHLTR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nervilia prainiana* (KING & PANTL) SCIDEN.F and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nesaea lanceolata* (WT. & ARN.) KOEHNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nesaea prostrata* (DILLWYN) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Neuracanthus sphaerostachyus* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Neuracanthus trinervis* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nicandra physalodes* (L.) GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nicotiana macrophylla* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nicotiana plumbaginifolia* VIV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nicotiana rustica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nicotiana tabacum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Niebuhria linearis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nigella damascena* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nigella sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nilgiranthus ciliatus* (NEES) BREMEK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nilgiranthus heyneanus* (NEES) BREMEK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nipa fruticans* WURMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nomocharis nana* (KLOTZ.) WILSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nopalea cochenillifera* (L.) LYONS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nothapodytes nimmoniana* (GRAH.) MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Notholaena eckloniana* KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nothopanax fruticosum* MIQ. FL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nothopegia castaneifolia* (Roth) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nothopegia colebrookiana* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nothosaerva brachiata* WIGHT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Notonia grandiflora* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nyctanthes arbor-tristis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nymphaea alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nymphaea caerulea* SAVIGN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nymphaea cyanea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nymphaea edulis* D.C and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nymphaea lotus* HOOK. F.(NON L). and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nymphaea nouchali* BURM. F. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nymphaea odorata* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nymphaea pubescens* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nymphaea rubra* ROXB. EX ANDREWS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nymphaea stellata* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nymphaea stellata* WILLD. *cyanea* H.F. & T. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nymphaea tetragona* GEORGI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nymphoides cristata* (ROXB.) O. KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nymphoides hydrophylla* (LOUR.)

KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nymphoides indica* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nymphoides indicum* (L.) O. KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nymphoides macrospermum* VASUDEVAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nymphoides peltata* (GMEL.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nypa fruticans* Wurb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ochlandra brandisii* GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ochlandra rheedii* BENTH. & HOOK. F. EX GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ochlandra scriptoria* (DENNST.)

C.E.FISCHER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ochlandra travancorica* GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ochna gamblei* KING(SONARI) NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ochna jabotapita* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ochna lanceolata* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ochna obtusata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ochna pumila* HAM. EX D. DON PRODR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ochna squarrosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ochradeneus baccatus* DEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ochradenus baccatus* DEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ochreinauclea missionis* (WALL.EX G.DON) RIDSDALE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ochrocarpus longifolius* (WIGHT) T.ANDERSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ochthochloa coracana* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ocimum adscendens* WIGHT EX HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ocimum album* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ocimum americanum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ocimum basilicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ocimum basilicum* L. *basilicum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ocimum basilicum* L. *majus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ocimum basilicum* L. *pilosum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ocimum basilicum* L. *minimum* DAMERT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ocimum canum* SIMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ocimum caryophyllatum* SCHWEIG EX. SCHRAUK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ocimum gratissimum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ocimum kilimandscharicum* GUERKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ocimum pilosum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ocimum polystachyon* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ocimum prostratum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ocimum sanctum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ocimum tenuiflorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Odina pinnata* KOENIG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Odina woder* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oenanthе javanica* (BI.)DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oenothera biennis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Olax acuminata* WALL. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Olax imbricata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Olax nana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Olax scandens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oldenlandia auricularia* K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oldenlandia biflora* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oldenlandia corymbosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oldenlandia dichotoma* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oldenlandia diffusa* ROXB. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oldenlandia fruticosa* (L.) K. SCHUM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oldenlandia glandulifera* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oldenlandia herbacea* (L.) ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oldenlandia heynii* BR. EX. G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oldenlandia umbellata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Olea cuspidata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Olea dioica* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Olea europea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Olea ferruginea* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Olea glandulifera* WALL. EX DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Olea polygama* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oleandra neriiformis* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oleandra pistillaris* (SW.) C. CHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oleandra wallichii* PRESL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oligochaeta ramosa* (ROXB.) WAGEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oligomeris linifolia* (VAHL) MACB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Onosma bracteatum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Onosma echiioides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Onosma hispidum* WALL. EX G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Onosma hookeri* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Onychium contiguum* (WALL.) HOPE.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Onychium japonicum* O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Onychium siliculosum* (DESV.) C. CHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Operculina petaloidea* (CHOISY) OOSTSTROOM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oxypetalum turpethum* (L.) S. MANSO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ophelia angustifolia* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ophelia chiraita* GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ophelia densifolia* GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ophelia elegans* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ophelia multiflora* DATZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ophiocephalus striatus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ophioglossum costatum* R.BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ophioglossum fibrosum* L. NULL and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ophioglossum nudicaule* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ophioglossum pendulum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ophioglossum thermale* KUMAROV NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ophioglossum vulgaatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ophioglossum vulgatum* (L.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ophiopogon intermedius* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ophiopogon japonicum* KER-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ophiopogon malcolmsonii* ROYLE EX HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ophiopogon wallichianus* HOOK.F. PAUCIFLORA HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ophiorrhiza mungos* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ophiorrhiza nicobarica* BALAKR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ophiorrhiza nutans* C. B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ophiorrhiza ochroleuca* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ophiorrhiza pauciflora* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ophiorrhiza rugosa* WALL. ARGUITEA DEB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ophioxylon serpentinum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ophiuros exaltatus* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ophrestia pentaphylla* (DALZ.) VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Opilia amentacea* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oplismenus burmannii* (RETZ.) BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Opopanax chironium* KOCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Opuntia cochinellifera* MILL. GARD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Opuntia dillenii* (KER-GAMIER) HAW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Opuntia elatior* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Opuntia ferox* HAW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Opuntia ficus-indica* (L.) MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Opuntia monacantha* HAW. SUPPL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Opuntia nigricans* HAW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Opuntia stricta* (HAW.) HAW. dillenii (KER.GAWL) BENSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Opuntia vulgaris* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Orchis chusua* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Orchis habenarioides* K. & P. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Orchis latifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Orchis laxiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Orchis mascula* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Orchis spathulata* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oreocnide frutescens* (THUNB.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oreocnide integrifolia* (GAUD) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Origanum majorana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Origanum vulgare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ormocarpum cochinchinense* (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ormocarpum sennoides* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ormosia travancoria* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Orobancha aegyptiaca* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Orobancha solmsii* CLARKE EX. HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Orophea katschallica* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oroxylum indicum* (L.) VENT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Orthosiphon aristatus* (BL.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Orthosiphon diffusus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Orthosiphon glabratus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Orthosiphon grandiflorus* BOLDINGH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Orthosiphon incurvus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Orthosiphon pallidus* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Orthosiphon rubicundus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Orthosiphon spiralis* (LOUR) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Orthosiphon stamineus* BENTH. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Orthosiphon thymiflorus* (ROTH.) SLEASEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Orygia decumbens* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oryza granulata* Nees. & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oryza meyeriana* (Zoll.&Mor.)Baill *granulata* Tateoka and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oryza mutica* STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oryza rufipogon* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oryza sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Osbeckia aspera* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Osbeckia capitata* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Osbeckia chinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Osbeckia crinita* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Osbeckia cupularis* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Osbeckia nepalensis* HK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Osbeckia sexatilis* (DENNST.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Osbeckia sikkimensis* CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Osbeckia stellata* KER-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Osbeckia zeylanica* L.F. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Osmanthus fragrans* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Osmunda claytoniana* L.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Osmunda regalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Osyris arborea* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Osyris quadripartita* SALZ EX DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Osyris wightiana* WALL. EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Othonnopsis intermedia* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Otostegia aucheri* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Otostegia limbata* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ottelia alismoides* (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ougeinia dalbergioides* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ougeinia oojeinensis* (ROXB.) HOCHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ouratea angustifolia* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oxalis acetosella* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oxalis corniculata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oxalis corymbosa* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oxalis debilis* H.B.K. *corymbosa* (DC.) LOUR. 0. C0. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oxalis latifolia* H.B. & K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oxalis martiana* ZUCC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oxalis pubescens* H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oxyria digyna* (L.) HILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oxyspora paniculata* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oxystelma esculentum* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oxystelma secamone* (L.) KARST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oxytenanthera nigrociliata* MUNRO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oxytenanthera thwaitesii* MUNRO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oxytropis lapponica* (WAHL.) GAY. CORRESS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oxytropis mollis* ROYLE EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oxytropis tatarica* BUNGE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pachygone ovata* (POIR.) HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pachygone zeylanica* (GAERTN) SANT. & WAGH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pachyrrhizus angulatus* RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pachyrrhizus erosus* (L.) URBAN NULL

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pachystoma senile* (LINDL.) REICHB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Padus cornuta* (WALL. EX ROYLE) CARR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Paederia foetida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Paederia scandens* (LOUR.) MERILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Paederia tomentosa* BLUME BIJDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Paeonia emodi* WALL. EX. ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pajanelia longifolia* (WILLD.) K.SCHUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Palaquium ellipticum* (DOLZ.) BAILLON

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Palhinhaea cernua* (L.) FRANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pamburus missionis* (WIGHT) SWINGLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Panax ginseng* MEY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Panax pseudoginseng* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Panax quinquefolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Panax wangianus* Sun and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pancratium triflorum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pancratium zeylanicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *PKalamnus fascicularis* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *PKalamnus foetidus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *PKalamnus furcatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *PKalamnus kaida* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *PKalamnus odoratissimus* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *PKalamnus tectorius* AUCT. NON SOLAND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *PKalamnus thwaitesii* MARTELLI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *PKalamnus unipapillatus* DENNST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Panicum antidotale* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Panicum argyptiacum* HORT. EX ROEM. & SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Panicum brizoides* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Panicum crus-corvi* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Panicum flavo-marginatum* MEZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Panicum floro-marginatum* MEZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Panicum frumentaceum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Panicum grossarium* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Panicum grosslarium* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Panicum incomtum* TRIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Panicum isachne* ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Panicum italicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Panicum macimum* FACQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Panicum maximum* JACQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Panicum miliaceum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Panicum milliare* AUCT. NON LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Panicum psilopodium* TRIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Panicum psilopodium* TRIN. *psilopodium* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Panicum repens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Panicum sarmentosum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Panicum stagninum* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Panicum sumatrense* ROTH EX ROEM. ET SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Papaver argemone* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Papaver dubium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Papaver hybridum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Papaver nudicaule* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Papaver orientale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Papaver rhoeas* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Papaver somniferum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Paphiopedilum druryi* (BEDD.) STEIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pholidota recurva* Lindl. (Allelopathically enriched) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Paracalyx scariosa* (ROXB.) ALI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Paraleptochilus decurrens* (BLUME) COPEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Parameria barbata* (BI.) SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Parameria polyneura* HOOK.R. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Paramignya angulata* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Paramignya longispina* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Paramignya monophylla* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pardanthus chinensis* KER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Paris polyphylla* SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Parkia biglandulosa* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Parkia javanica* MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Parkia roxburghii* G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Parkia timoriana* (A. DC.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Parkinsonia aculeata* L.SP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Parmelia cirrhata* FR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Parmelia kamstchadalensis* ACH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Parmelia nilgherrensis* NYL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Parmelia perforata* ACH. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Parmelia perlata* (HUDS.) ACH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Parmignya monophylla* WIGHT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Parnassia laxmannii* PALL. EX SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Parnassia nubicola* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Parnassia palustris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Parnassia pusilla* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Parochetus communis* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Parsonsia alboflavescens* (DENNST.) MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Parsonsia helicandra* HOOK. & ARN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Parsonsia laevigata* (Moon) Alston. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Parsonsia spiralis* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Parthenium hysterophorus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pasania truncata* (KING) SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Paspalum conjugatum* BERG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Paspalum distichum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Paspalum scrobiculatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Paspalum scrobiculatum* L. *commersonii* STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Passiflora assamica* CHAKRAVARTY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Passiflora edulis* SIMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Passiflora foetida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Passiflora incarnata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Passiflora perpera* MAST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Passiflora quadrangularis* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Paullinia cupana* H.B. & K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pausinystalia yohimba* PIERRE and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pavetta crassicaulis* BREMEK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pavetta indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pavetta indica* L. minor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pavetta tomentosa* ROXB. EX SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pavonia odorata* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pavonia procumbens* SOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pavonia propinqua* GARCKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pavonia repKalam* (J.E. SM.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pavonia zeylanica* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Payena lucida* A. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pecteilis susannae* (L.) RAF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pedaliium murex* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pedicularis bicornuta* CLOTZ. EX. GARCKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pedicularis cheilanthifolia* SCHRENK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pedicularis comosa* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pedicularis longiflora* RUDOLPH tubiformis (KLOTZSCH) PENNEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pedicularis pectinata* WALL. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pedicularis pycnantha* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pedicularis pyramidata* ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pedicularis siphonantha* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pedilanthus tithymaloides* (L.) POIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Peganum harmala* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pegia nitida* COLEBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pegolettia senegalensis* CASS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pegonatherum crinitum* KUNTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pelargonium graveolens* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pelargonium roseum* R. BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Peliosanthes bakeri* HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Peliosanthes tetra* ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pellaea colomelanos* LINK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pellaea hastata* (THUNB) PRANTL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Peltigera canina* WILLD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Peltophorum dasyrhachis* (MIQ.) KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Peltophorum pterocarpum* (DC.) BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pemphis acidula* FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pennisetum alopecuroides* (L.) SPRENG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pennisetum americanum* (L.) LEEKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pennisetum compressum* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pennisetum flaccidum* GRISEB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pennisetum glaucum* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pennisetum spicatum* ROEM. & SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pennisetum typhoides* (BURM.F.) STAPF ET HUBB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pennisetum typhoideum* (RICH) NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pentanema indicum* (L.) LING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pentaneura khasiana* KURZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pentapetes phoenicea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pentaptera tomentosa* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pentatropis capensis* (L.F.) BULLOCK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pentatropis cynanchoides* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pentatropis microphylla* (ROXB.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pentatropis nivalis* (GMEL.) FIELD & WOOD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pentatropis spiralis* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Peperomia pellucida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Peperomia reflexa* (L.F.) A. DIETR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Peperomia tetraphylla* (G.FORST.) HOOK. & A. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Peranama cyatheoides* D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pergularia aktensa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pergularia daemia* (FORSK.) CHOIV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pergularia extensa* N.E.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pergularia tomentosa* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pericampylus glaucus* (LAMK.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pericampylus incanus* MIERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Perilepta auriculata* (NEES) BREMEK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Perilla frutescens* (L.) BRITT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Periploca aphylla* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Periploca indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Periploca sylvestris* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Peristrophe bicalyculata* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Peristrophe bivalvis* MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Peristrophe paniculata* (FORSK.) BRUMMITT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Peristrophe roxburghiana* (SCHULT.) BREMEK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Peristylus stocksii* (HK.F.) KRANZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Perotis indica* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Perovskia abrotanoides* KAR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Perovskia atriplicifolia* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Persea fructifera* KOST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Persea gamblei* (KING EX HK.F.) KOST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Persea macrantha* (NEES) KOST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Petrea volubilis* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Petroselinum crispum* NYM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Peucedanum aucheri* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Peucedanum dhana* BUCH.-HAM. EX CLARKE DALZELII C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Peucedanum grande* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Peucedanum graveolens* BENTH. EX HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Peucedanum nagpurens* (C.) PRAIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phaius grandifolius* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phaius tancarvilleae* (L. HERIT.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phaius wallichii* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phalaenopsis amabilis* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phalaris arundinacea* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phalaris canariensis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phallus rubicundus* (BOSC.) FRIES NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pharbitis nil* CHOIS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pharnaceum cerviana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pharnaceum mollugo* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phaseolus aconitifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phaseolus adenanthus* G.F. MEYER and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phaseolus aureus* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phaseolus dalzellii* COOKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phaseolus lunatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phaseolus mungo* (L) MANT. *radiatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phaseolus mungo* (L) MANT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phaseolus pauciflorus* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phaseolus radiatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phaseolus roxburghii* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phaseolus semierectus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phaseolus sublobatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phaseolus trilobus* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phaseolus vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phaulopsis dorsiflora* (RETZ.) SANTAPAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phaulopsis imbricata* (FORSK.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phlegmariurus phlegmaria* (L.) SEN & SEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phlogacanthus curviflorus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phlogacanthus guttatus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phlogacanthus jenkinsii* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phlogacanthus pubinervis* T.ANDERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phlogacanthus thrysiflorus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phlogacanthus thrysiflorus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phlogacanthus thrysiformis* (HARD.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phlomis bracteosa* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phoebe lanceolata* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phoebe wightii* MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phoenix acaulis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phoenix asperulatus* HUTCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phoenix dactylifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phoenix farinifera* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phoenix humilis* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phoenix loureirii* KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phoenix paludosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phoenix pusilla* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phoenix sylvestris* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pholidota chinensis* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pholidota imbricata* (ROXB.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pholidota recurva* Lindl. (Allelopathically enriched) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phoradendron leucarpum* (RAF.) REV. & M.C. JOHNST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Photinia notoniana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Photinia serrulata* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phragmites australis* (CAV.) TRIN. EX STEUD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phragmites communis* TRIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phragmites karka* TRIN. EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phragmites maxima* BLATTER & MCCANN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phragmites roxburghii* (KUNTH) STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phrymium dichotoma* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phyla nodiflora* (L.) GREENE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phyllagathis rotundifolia* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phyllanthus acidus* (L.) SKEELS and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phyllanthus airy-shawii* BRUNEL & ROUX and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phyllanthus amarus* SCHUM. & THENN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phyllanthus clarkei* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phyllanthus debilis* KLEIN EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phyllanthus distichus* (L.) MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phyllanthus emblica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phyllanthus fraternus* WEBSTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phyllanthus gomphocarpus* HK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phyllanthus indofischeri* BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phyllanthus maderaspatensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phyllanthus missionis* HOOK.F. FL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phyllanthus mukherjeeanus* MITRA ET BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phyllanthus multiflorus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phyllanthus niruri* SENSU HOOK.F. Non Linn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phyllanthus polyphyllus* DALZ. & GIBS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phyllanthus reticulatus* POIR. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phyllanthus rhamnoides* WILLD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phyllanthus rheedii* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phyllanthus simplex* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phyllanthus urinaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phyllanthus virgatus* G.FORSTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phyllocephalum indicum* (LESS.) KIRKMAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phyllochlamys taxoides* KOORDERS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phyllostachys bambusoides* SIEB. & ZUCC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phymatodes ebenipes* (HOOK.) CHING.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phymatodes scolopendria* (BURM.) CHING. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Physalis alkekengi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Physalis alkekengi* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Physalis angulata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Physalis divaricata* D.Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Physalis flexuosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Physalis indica* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Physalis minima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Physalis peruviana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Physochlaina praealta* (DECNE) MIERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Physostigma venenosum* BALF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phytolacca acinosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phytolacca americana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Phytolacca lathenia* (MOQ.) HANS WALTERS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Picrasma guassioides* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Picea abies* (L.) KARST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Picrasma javanica* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Picrasma nepalensis* BENN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Picrasma quassioides* BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Picris hieracioides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Picrorhiza kurroa* ROYLE EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Picrorhiza scrophulariiflora* PENNELL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Picrorrhiza kurroa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pieris ovalifolia* D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pilea microphylla* (L.) LIEBM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pilea umbrosa* WEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Piliostigma malabaricum* (ROXB.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pilocarpus jaborandi* HOLMES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pimenta acris* KOSTEL ALLG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pimenta racemosa* J. W. MOORE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pimpinella anisum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pimpinella bracteata* HAINES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pimpinella diversifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pimpinella heyneana* (WALL. EX DC.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pimpinella involucrata* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pimpinella saxifraga* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pimpinella stocksii* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pimpinella tirupatiensis* BAL. & SUB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pinanga dicksonii* (ROXB.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pinanga manii* BECC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pinus dammara* LAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pinus deodara* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pinus excelsa* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pinus gerardiana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pinus griffithi* M. CLELL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pinus insularis* ENDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pinus kesiya* GORDON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pinus longifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pinus maritima* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pinus merkussi* JUNGH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pinus picea* PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pinus roxburghii* SARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pinus sylvestris* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pinus wallichiana* JACKS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pinus webbiana* WALL. EX. LAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Piper argyrophyllum* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Piper attenuatum* BUCH.-HAM. EX MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Piper aurantiacum* WALL. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Piper auranticum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Piper baccatum* CAS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Piper bachystachyum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Piper bantamense* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Piper barberi* GAMBLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Piper betele* LINN. SIRIBOA (MIQ.) C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Piper betle* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Piper betleoides* C. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Piper boehmeriaefolium* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Piper caninum* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Piper chaba* HUNTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Piper clusii* C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Piper crassipes* KORTH. EX. C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Piper cubeba* L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Piper dichotomum* HORT. PAR. EX KUNTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Piper diffusum* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Piper gamblei* CI. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Piper griffithii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Piper guineense* SCHUM & THONN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Piper lanceolatum* RUIZ & PAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Piper longum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Piper mullesua* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Piper nigrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Piper officinarum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Piper pedicellatum* C. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Piper pedicellosum* WALL. EX CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Piper peepuloides* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Piper retrofractum* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Piper ribesioides* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Piper sarmentosum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Piper sylvaticum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Piper thomsoni* Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Piper thomsonii* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Piper trichostachyon* (MIQ.) C. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Piper trioicum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Piper wallichii* (MIQ.) HAND MAZZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pipturus velutinus* WEDD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pisonia aculeata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pisonia alba* SPAN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pisonia grandis* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pisonia mitis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pisonia morindifolia* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pisonia umbellata* (FORST.) SEEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pistacia chinensis* BUNGE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pistacia chinensis* BUNGE *integerrima* (STEW) RECH.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pistacia integerrima* STEW. EX BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pistacia khinjuk* STOCKS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pistacia lentiscus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pistacia terebinthus* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pistacia vera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pistia stratiotes* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pistia stratiotes* LINN. CUNEATA ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pisum arvense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pisum sativum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pithecellobium angulatum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pithecellobium bigeminum* MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pithecellobium clypearia* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pithecellobium dulce* (ROXB.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pithecellobium fasciculatum* BENTH.

NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pithecellobium globosum* KOSTERM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pithecellobium lobatum* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pithecellobium monadelphum* (ROXB.) KOSTER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pithecolobium dulce* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pithecolobium subcoriaceum* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pithecolobium umbelletum* (VAHL.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pittosporum floribundum* SENSU HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pittosporum nepaulense* (DC.) REHDER & WILSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pittosporum nilghirens* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pittosporum tetraspermum* WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pityrogramma calomelanos* (L.) LINK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Planchonella obovata* (R.BR.) PIERRE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plantago amplexicaulis* CAV. *bauphula* (EDGEW.) RECH. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plantago arenaria* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plantago asiatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plantago brachyphylla* EDGEW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plantago ciliata* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plantago depressa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plantago erosa* WALL. IN ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plantago himalaica* PILG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plantago ispaghula* ROXB. EX FLEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plantago lagocephala* BUNGE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plantago lanceolata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plantago major* L. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plantago media* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plantago ovata* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plantago psyllium* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plantago pumila* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plantago stocksii* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plantago tibetica* HK. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Platanthera susannae* (L.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Platanus orientalis* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Platostoma africanum* BEAUV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Platostoma africanus* BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Platostoma flaccidum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plecosperrum spinosum* TREC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plectranthus ambonicus* (LOUR.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plectranthus barbatus* ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plectranthus coetsa* HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plectranthus fruticosus* WIGHT EX HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plectranthus incanus* LINK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plectranthus japonicus* (BURM.F) KOIDZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plectranthus lophanthoides* (DON) GRIER. & LONG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plectranthus mollis* (AITON) SPLRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plectranthus nilgherricus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plectranthus rugosus* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plectranthus striatus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plectranthus ternifolius* D. DON and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plectranthus vettiveroides* (JACOB) SINGH & SHARMA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plectronia didyma* KURZ FOR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plectronia parviflora* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pleione maculata* (LINDL.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pleiospermium alatum* (WALL. EX WT. & ARN.) SURINGLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pleopeltis contorta* (CHRIST.) PANIGR. & PATAV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pleopeltis lanceolata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pleopeltis macrocarpa* (BORRY EX

WILLD.) KAULF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pleopeltis nuda* HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plesmonium margaretiferum* (ROXB.) SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pleurospermum angelicoides* (DC.) CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pleurospermum brunonis* (DC.) BENTH. EX. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pleurospermum candollei* (DC.) CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pleurostylia opposita* (WALL.) ALSTON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pluchea indica* LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pluchea lanceolata* OSKIN & HIERN. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pluchea pinnatifida* HOOK. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pluchea tomentosa* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pluchea indica* LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plumbago auriculata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plumbago capensis* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plumbago indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plumbago rosea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plumbago zeylanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plumeria acuminata* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plumeria acutifolia* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plumeria alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plumeria rubra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plumieria acutifolia* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plumieria alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plumieria rubra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Poa cynosuroides* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Poa malabarica* KLEIN.EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Podocarpus latifolia* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Podocarpus neriifolius* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Podophyllum emodi* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Podophyllum hexandrum* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Podophyllum peltatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Poeciloneuron indicum* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Poeciloneuron pauciflorum* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pogonatherum crinitum* (THUNB.) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pogonia plicata* (ROXB.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pogostemon auricularis* (L.) HASSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pogostemon benghalensis* (BURM.F.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pogostemon cablin* (BLANCO) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pogostemon elsholtzioides* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pogostemon heyneanus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pogostemon paniculatus* (WILLD.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pogostemon parviflorus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pogostemon patchouli* PELLET. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pogostemon plectranthoides* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pogostemon pubescens* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pogostemon purpurascens* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pogostemon vestitus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pogostemon villosus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Poikilospermum suaveolens* (BL.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Poinciana elata* L. NULL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Poinciana gilbesii* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Poinciana pulcherrima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polanisia felina* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polanisia icosandra* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polemonium caeruleum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polianthes tuberosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polyalthia cerasoides* (ROXB.) BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polyalthia coffeoides* (HOOK.F.&THOMS.) BENTH. & HOOK.F. EX. HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polyalthia fragrans* BENTH. & HOOK. F. EX HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polyalthia korinti* (DUNAL) BENTH. & J.HOOK. EX J.HOOK. & TH oms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polyalthia longifolia* BENTH. & HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polyalthia simiarum* BENTH. & HK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polyalthia suberosa* (ROXB.) THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polyanthes tuberosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polycarpaea corymbosa* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polycarpon prostratum* (FORSK.) ASCH. & SCHWEINF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygala abyssinica* (R.BR.) FRESEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygala arillata* HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygala arvensis* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygala chinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygala crotalarioides* HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygala elongata* KLEIN EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygala erioptera* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygala glomerata* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygala irregularis* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygala leptalea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygala longifolia* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygala persicariaefolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygala senega* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygala sibirica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygala telephioides* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygala vulgaris* THUNB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygallata arillata* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygonatum cirrhifolium* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygonatum multiflorum* (L.) ALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygonatum verticillatum* (L.) ALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygonum affine* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygonum alatum* HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygonum alpinum* ALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygonum amphibium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygonum amplexicaule* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygonum auriculatum* MEISN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygonum aviculare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygonum barbatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygonum bistorta* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygonum bistorta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygonum capitatum* BUCH.-HAM. EX DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygonum chinense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygonum chinense* LINN. SUBHASTATA MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygonum convolvulus* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygonum cymosum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygonum flaccidum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygonum glabrum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygonum hydropiper* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygonum lapathifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygonum macrophyllum* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygonum minus* HUDS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygonum molle* D.DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygonum multiflorum* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygonum nepalense* MEISSN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygonum orientale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygonum paronychioides* MEYER EX HOHEN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygonum perfoliatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygonum persicaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygonum plebeium* R. BR. EFFUSA HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygonum plebeium* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygonum polystachyum* WALL. EX MEISSN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygonum posumbi* HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygonum pulchrum* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygonum recumbens* ROYLE EX BAB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygonum roettleri* ROTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygonum rumicifolium* ROY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygonum serrulatum* LAGASCA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygonum sphaerostachyum* MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygonum stagninum* (BUCH.-HAM. EX MEISSN.) STEWARD *stagninum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygonum stewartianum* DIELS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygonum strigosum* BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygonum tenellum* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygonum tomentosum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygonum tortuosum* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygonum vacciniifolium* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygonum virginianum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygonum viviparum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polypodium irioides* LAMK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polypodium quercifolium* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polypodium vulgare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polyporus anthelminticus* BERK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polyporus officinalis* FRIES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polyscias fruticosa* (L.) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polysolenia wallichii* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polystichum aculeatum* (L.) ROTH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polystichum biaristatum* (BLUME) MOORE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polystichum squarrosus* (D.DON) FEE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polytoca barbata* STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polytrichum juniperinum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pometia pinnata* Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ponerorchis chusua* (D.DON) SOO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pongamia glabra* VENT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pongamia pinnata* (L.) PIERRE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pontederia vaginalis* BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Populus alba* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Populus caspica* BORNH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Populus ciliata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Populus euphratica* OLIV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Populus nigra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Porana paniculata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Porphyra umbilicalis* (L.) AG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Porphyra vulgaris* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Portulaca grandiflora* HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Portulaca quadrifida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Portulaca meridiana* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Portulaca oleracea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Portulaca pilosa* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Portulaca quadrifida* L. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Portulaca sativa* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Portulaca tuberosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Potentilla anserina* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Potentilla arbuscula* D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Potentilla argyrophylla* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Potentilla atrosanguinea* LODD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Potentilla bifurca* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Potentilla fragarioides* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Potentilla fruticosa* L. rigida (LEHM.) WOLF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Potentilla fulgens* WALL. EX HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Potentilla gerardiana* LINDL. EX LEHM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Potentilla kleiniana* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Potentilla lineata* TREVIR EX REICH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Potentilla mooniana* WIGHT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Calophyllum inophyllum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Calophyllum polyanthum* Wall.ex Choisy

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Garcinia cowa* Roxb. ex DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Garcinia gummi-gutta* (L.) Robs. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Garcinia mangostana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Garcinia morella* (Gaertn.) Desr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Garcinia papilla* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Garcinia rubro-echinata* Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Garcinia spicata* (Wight & Arn.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Garcinia talbotii* Raiz. ex Sant and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Garcinia travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Garcinia wightii* T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Garcinia xanthochymus* Hook. f. ex. T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hypericum androsaemum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hypericum humifusum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hypericum japonicum* Thunb. ex Murr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hypericum mysurense* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hypericum patulum* Thunb ex Murray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hypericum uralum* Buch. - Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hypericum wightianum* Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mammea suriga* (Buch. - Ham. ex Roxb.) Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mesua ferrea* L. subsp. *ferrea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mesua ferrea* L. subsp. *pulchella* (Planch. & Triana) Vesque var. *pulchella* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mesua ferrea* L. subsp. *pulchella* (Planch. & Triana) Vesque var. *coromandeliana* (Wight) Mahesh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Poeciloneuron indicum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Poeciloneuron pauciflorum* Bedd. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Camellia japonica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Camellia sinensis* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eurya nitida* Korth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gordonia obtusa* Wall ex Wight Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Schima wallichii* (DC.) Korth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ternstroemia japonica* (Thunb.) Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Saurauia fasciculata* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Saurauia napaulensis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stachyurus himalaicus* Hook. f. & Thoms. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dipterocarpus indicus* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hopea erosa* (Bedd.) van Sloot. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hopea glabra* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hopea parviflora* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hopea ponga* (Dennst.) Mabberley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hopea utilis* (Bedd.) Bole and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Shorea roxburghii* G. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vateria indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ancistrocladus heyneanus* Wall. ex Graham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Abelmoschus angulosus* Wall ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Abelmoschus esculentus* (L.) Moench and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Abelmoschus ficulneus* (L.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Abelmoschus manihot* (L.) Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Abelmoschus moschatus* Medicus subsp. *tuberosus* (Span.) Borss. Waalk and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Abutilon crispum* (L.) Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Abutilon hirtum* (Lam.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Abutilon indicum* (L.) Sweet subsp. *indicum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Abutilon indicum* (L.) Sweet subsp. *guineense* (Schumach.) Borssum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Abutilon megapotamicum* (Spreng.) Mill. & Naud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Abutilon neilgherrense* Munro ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Abutilon pannosum* (Forst. f.) Schlect and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Abutilon persicum* (Burm. F.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Abutilon ramosum* (Cav.) Guill. & Perr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Abutilon striatum* Dickson ex Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Abutilon theophrastii* Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alcea rosea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Decaschistia crotonifolia* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Decaschistia rufa* Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gossypium arboreum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gossypium barbadense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gossypium herbaceum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gossypium hirsutum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hibiscus canescens* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hibiscus cannabinus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hibiscus furcatus* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hibiscus hirtus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hibiscus lobatus* (Murr.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hibiscus lunariifolius* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hibiscus mutabilis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hibiscus micranthus* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hibiscus panduriformis* Burm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hibiscus platanifolius* (Willd.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hibiscus radiatus* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hibiscus rosa-sinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hibiscus sabdariffa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hibiscus schizopetalus* (Mast.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hibiscus surattensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hibiscus syriacus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hibiscus tiliaceus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hibiscus trionum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hibiscus vitifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Kydia calycina* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Malachra capitata* (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Malva parviflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Malva sylvestris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Malva verticillata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Malvastrum coromandelianum* (L.) Garcke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Malvaviscus arboreus* Cav. var. *arboreus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Malvaviscus arboreus* Dill ex Cav. var. *penduliflorus* (DC.) Schery and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Modiola caroliniana* (L.) G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pavonia odorata* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pavonia procumbens* (Wall ex. Wight & Arn.) Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pavonia zeylanica* (L.) Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Plagianthus pulchellus* A. Gray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sida acuta* Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sida cordata* (Burm. f.) Borssum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sida cordifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sida mysorensis* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sida rhombifolia* L. var. *rhombifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sida rhombifolia* L. var. *retusa* (L.) Borss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sida schimperiana* Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sida spinosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Thespesia lampas* (Cav.) Dalz. ex Dalz. & Gibs and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Thespesia populnea* (L.) Soland ex Correa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Urena lobata* L. subsp. *lobata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Urena lobata* L. subsp. *sinuata* (L.) Borssum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Adansonia digitata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bombax ceiba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bombax ellipticum* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bombax insigne* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ceiba pentandra* (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chorisia speciosa* St. Hil. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cullenia exarillata* Robyns and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Durio zibethinus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Byttneria herbacea* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cola acuminata* (P. Beauv.) Schott & Endlicher and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dombeya acutangula* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dombeya burgessiae* Gerr. ex Harv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dombeya mastersii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dombeya mollis* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dombeya platanifolia* Boj. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dombeya spectabilis* Boj. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dombeya wallichii* (Lindl.) K. Schum. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eriolaena hookeriana* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eriolaena lushingtonii* Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eriolaena quinquelocularis* (Wight & Arn.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eriolaena stocksii* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Firmiana colorata* (Roxb.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Guazuma ulmifolia* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Helicteres isora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Heritiera papilio* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hildegardia populnifolia* (Roxb.) Schott & Endl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Kleinhovia hospita* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Leptonychia moacurroides* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Melhaniania balakrishnanii* K.Ravik., R.Ganesan & K.Ramamurthy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Melhaniania cannabina* Wight ex Mast. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Melhaniania hamiltoniana* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Melhaniania incana* Heyne ex Wight & Arn.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Melochia corchorifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Melochia nodiflora* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Melochia pyramidata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pentapetes phoenicea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pterospermum acerifolium* (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pterospermum canescens* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pterospermum diversifolium* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pterospermum obtusifolium* Wight ex Mast. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pterospermum reticulatum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pterospermum rubiginosum* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pterospermum xylocarpum* (Gaertn.) Sant. & Wagh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pterygota alata* (Roxb.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sterculia balanghas* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sterculia foetida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sterculia guttata* Roxb. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sterculia urens* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sterculia villosa* Roxb. ex DC. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Theobroma cacao* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Waltheria indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Berrya cordifolia* (Willd.) Burret. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Berrya javanica* (Turez.) Burret. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Corchorus aestuans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Corchorus capsularis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Corchorus fascicularis* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Corchorus olitorius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Corchorus tridens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Corchorus trilocularis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Corchorus urticifolius* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Grewia abutilifolia* Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Grewia abutilifolia* Vent. ex Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Grewia barberi* Drumm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Grewia bracteata* Roth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Grewia damine* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Grewia flavescens* Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Grewia gamblei* Drumm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Grewia heterotricha* Mast. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Grewia hirsuta* Vahl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Grewia lanceaefolia* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Grewia nervosa* (Lour.) Panigr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Grewia oppositifolia* Buch - Ham ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Grewia orbiculata* Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Grewia orientalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Grewia pKalamica* Drumm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Grewia rhamnifolia* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Grewia rothii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Grewia serrulata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Grewia tenax* (Forsk.) Fiori and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Grewia tiliifolia* Vahl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Grewia umbellifera* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Grewia villosa* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Muntingia calabura* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Triumfetta annua* L. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Triumfetta pentandra* A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Triumfetta pilosa* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Triumfetta rhomboidea* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Triumfetta rotundifolia* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Elaeocarpus amoenus* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Elaeocarpus blascoi* Weibeln and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Elaeocarpus lanceifolius* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Elaeocarpus munronii* (Wight) Mast. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Elaeocarpus recurvatus* Corner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Elaeocarpus rugosus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Elaeocarpus serratus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Elaeocarpus glandulosus* Wall. ex Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Elaeocarpus tuberculatus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Elaeocarpus venustus* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hugonia mystax* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Linum mysurense* Heyne ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Linum usitatissimum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Reinwardtia indica* Dumort. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Erythroxylum coca* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Erythroxylum lanceolatum* (Wight) Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Erythroxylum monogynum* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Erythroxylum moonii* Hochr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Erythroxylum obtusifolium* (Wight) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aspidopterys canarensis* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aspidopterys indica* (Roxb.) Hochr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Galphimia gracilis* Bartl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hiptage benghalensis* (L.) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hiptage obtusifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hiptage parvifolia* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Malpighia coccigera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Malpighia glabra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Malpighia heterantha* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Malpighia punicifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tristellateia australasiae* A. Rich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Balanites aegyptiaca* (L.) Del. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fagonia cretica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Guaiacum officinale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tribulus lanuginosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tribulus subramanii* P. Singh, Giri & V. Singh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Erodium moschatum* (L.) L' Herit and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Geranium nepalense* Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pelargonium capitatum* (L.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pelargonium cucullatum* (L.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pelargonium x domesticum* L.H.Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pelargonium graveolens* L' Herit and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pelargonium grossularioides* (L.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pelargonium x hortorum* L.H.Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pelargonium inquinans* (L.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pelargonium peltatum* Soland. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tropaeolum majus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tropaeolum pentaphyllum* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Limnanthes douglasii* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Biophytum insignis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Biophytum intermedium* Wight var. *pulneyensis* Edgew. & Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Biophytum longibracteatum* Tad. & Jacob and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Biophytum nudum* (Arn.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Biophytum polyphyllum* Munro and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Biophytum proliferum* (Arn.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Biophytum reinwardtii* (Zucc.) Klotzsch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Biophytum sensitivum* (L.) DC. var. *sensitivum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Biophytum sensitivum* (L.) DC var. *candolleianum* (Wight) Edgew. & Hook.f and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Biophytum sensitivum* (L.) DC var. *nervifolium* (Thw.) Edgew. & Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oxalis acetosella* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oxalis cernua* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oxalis corniculata* L. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oxalis corymbosa* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oxalis deppei* Lodd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oxalis latifolia* H. B. K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oxalis pubescens* H. B. K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oxalis variabilis* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Averrhoa bilimbi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Averrhoa carambola* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hydrocera triflora* (L.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Impatiens acaulis* Arn. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Impatiens auriculata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Impatiens balsamina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Impatiens campanulata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Potentilla multifida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Potentilla nepalensis* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Potentilla reptans* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Potentilla salesoviana* STEPH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Potentilla sericea* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Potentilla sibbaldi* HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Potentilla sundaica* (BL.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Potentilla supina* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pothomorphe subpeltata* (WILLD.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pothos cathcarti* SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pothos kunstleri* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pothos officinalis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pothos scandens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pouzolzia bennettiana* WT. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pouzolzia frondosa* (DON) KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pouzolzia hirta* HASSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pouzolzia indica* GAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pouzolzia quinquenervis* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pouzolzia sanguinea* (BL.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pouzolzia viminea* WEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pouzolzia zeylanica* (L.) BENN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Prangos pabularia* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pratia begonifolia* (WALL.) LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pratia nummularia* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Premna barbata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Premna coriacea* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Premna corymbosa* ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Premna divaricata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Premna esculenta* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Premna flavesens* HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Premna herbacea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Premna integrifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Premna latifolia* ROXB. *mucronata* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Premna latifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Premna macrophylla* WALL. EX SCHAUER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Premna mucronata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Premna obtusifolia* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Premna parasitica* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Premna serratifolia* L. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Premna spinosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Premna thyrsoidea* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Premna tomentosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Premna villosa* CLARKE IN HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Primula denticulata* HK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Primula macrophylla* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Primula reticulata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Prinsepia utilis* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Prismatomeris tetrandra* K.SCHUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Priva cordifolia* (L.F.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Priva leptostachya* JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pronephrium nudatum* (ROXB. EX GRIFF.) HOLTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Prosopis chilensis* (MOLINA) STUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Prosopis cineraria* (L.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Prosopis farcta* (SOL EX RUSS) MAC BRIDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Prosopis juliflora* (SW.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Prosopis spicigera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Protium kataf* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Protium pubescens* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Protium serratum* (COLEBR) ENGLER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Prunus amygdalus* BATSCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Prunus armeniaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Prunus avium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Prunus carmesiana* HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Prunus cerasoides* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Prunus cerasus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Prunus ceylanica* (WT.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Prunus communis* FRITSCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Prunus communis* HUDS. insitia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Prunus cornuta* (ROYLE) STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Prunus domestica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Prunus dulcis* (MILLER) D.A. WEBB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Prunus insititia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Prunus mahaleb* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Prunus malus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Prunus persica* BATSCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Prunus puddum* (WALL.) ROXB. EX BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Prunus salicina* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Prunus triflora* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Prunus undulata* HAM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Przewalskia tangutica* MAXIM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Psalliota campestris* L FR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Psammogeton bitermatus* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Psammogeton canescens* (DC.) VATKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pseudarthria viscida* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pseuderanthemum bicolor* (SCHRANK.) RADIK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pseuderanthemum platiferum* (WALL.) RADLK. EX LINDAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pseudodissochaeta assamica* (CL.) NAYAR NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pseudodrynaria caronae* (WALL. EX METT.) CHING. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pseudognaphalium luteoalbum* (L.) HILL.

& BURTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pseuduvaria prainii* (KING) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Psidium cattleianum* SABINE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Psidium guajava* L. *pomiferum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Psidium guajava* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Psidium pomiferum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Psidium pyrifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Psidium guajava* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Psilanthus travancorensis* (WIGHT & ARN.) LERAY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Psilotrichum trichotomum* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Psilotum nudum* BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Psophocarpus tetragonolobus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Psoralea corylifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Psoralea plicata* DEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Psoralea tetragonoloba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Psychotria calocarpa* KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Psychotria curviflora* THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Psychotria dalzielii* J. HOOK. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Psychotria glandulosa* (DENNST.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Psychotria ipecacuanha* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Psychotria montana* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Psychotria sarmentosa* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Psychotria viridiflora* REINW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Psychrogeton andryaloides* (DC) NOVOP. EX KRASH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pteridium aquilinum* (L.) KUHN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pteris aquilina* BEDD. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pteris biaurita* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pteris cretica* L.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pteris ensiformis* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pteris longipes* DON F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pteris multifida* POIR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pteris vitata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pteris wallichiana* AGARDH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pternandra coerulescens* JACK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pterocarpus dalbergioides* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pterocarpus indicus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pterocarpus marsupium* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pterocarpus santalinus* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pterococcus corniculatus* (SM.) PAX & HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pterocymbium javanicum* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pterolobium hexapetalum* (ROTH) SANT. & WAGH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pteropyrum oliverii* JAUB. & SPACH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pterospermum acerifolium* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pterospermum canescens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pterospermum diversifolium* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pterospermum heyneanum* WALL. EX. WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pterospermum rubiginosum* HEYNE EX. WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pterospermum suberifolium* (L.) LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pterospermum xylocarpum* (GAERTH.) SAMT. & WAGH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pterygota alata* R. BR. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ptesmonium margaritifera* (ROXB.) SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ptychopetalum olacoides* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ptychopetalum uncinatum* ANSELMINO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ptychotis ajowan* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pueraria hirsuta* (THUNB.) SCHU. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pueraria lobata* (WILLD.) OHWI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pueraria phaseoloides* (ROXB.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pueraria tuberosa* (ROXB. EX. WILLD.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pulicaria crispa* SCH.-BIP and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pulicaria dysenterica* (L.) GAERTN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pulicaria glaucescens* JAUB. & SPACH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pulicaria wightiana* (DC.) BENTH. EX CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Puneeria coagulans* STOCKS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Punica granatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pupalia lappacea* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pupalia orbiculata* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Putranjiva roxburghii* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Putranjiva zeylanica* MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pycnocycla aucheriana* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pycnocycla glauca* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pycnospora lutescens* (POIR.) SCHINDLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pygeum gardneri* HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pygeum wightianum* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pygmaeopremna herbacea* (ROXB.)

MOLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pygmaeopremna pyrifolia* - culta NAKAI NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pyrethrum indicum* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pyrethrum umbeliferum* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pyrola rotundifolia* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pyrrosia adnascens* (SW.) CHING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pyrrosia heterophylla* (L.) ORUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pyrrosia lanceolata* (L.) FARWELL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pyrrosia mannii* (GIES.) CHING NULL

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pyrrosia penangiana* (HK.) HOLTT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pyrus aucuparia* GAERTN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pyrus chinensis* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pyrus communis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pyrus cydonia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pyrus lindleyi* REHD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pyrus malus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pyrus pashia* BUCH.-HAM EX DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pyrus tomentosa* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Quamoclit coccinea* MOENCH.METH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Quamoclit phoenicea* CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Quamoclit pinnata* BOJER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Quamoclit vulgaris* CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Quassia indica* (GAERTN.) NOOTEBOOM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Quercus acutissima* CARR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Quercus floribunda* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Quercus ilex* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Quercus incana* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Quercus infectoria* OLIV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Quercus lamellosa* SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Quercus leucotrichophora* A. CAMUS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Quercus pachyphylla* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Quercus robur* PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Quercus truncata* KING. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Quisqualis indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Radermachera xylocarpa* (ROXB.) SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Randia cochinchinensis* (LOUR.) MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Randia densiflora* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Randia dumetorum* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Randia fasciculata* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Randia longiflora* LAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Randia longispina* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Randia malabaricum* LAM. NULL and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Randia rugulosa* (THW.) HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Randia spinosa* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Randia tetrasperma* BENTH. & HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Randia tomentosa* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Randia uliginosa* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ranunculus aquatilis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ranunculus arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ranunculus cantoniensis* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ranunculus diffusus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ranunculus falcatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ranunculus hirtellus* ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ranunculus hyperboreus* ROTLB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ranunculus laetus* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ranunculus lingua* L. SP. PL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ranunculus muricatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ranunculus pensylvanicus* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ranunculus sceleratus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ranunculus trichophyllus* CHAIX IN VILL. DAUPH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ranunculus tricuspidatus* MAXIM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Raphanus caudatus* ALEF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Raphanus sativus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rauvolfia canescens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rauvolfia densiflora* (WALL.) BENTH. EX HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rauvolfia micrantha* HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rauvolfia reflexa* T. & B. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rauvolfia serpentina* (L.) BENTH. EX KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rauvolfia tetraphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ravenala madagascarensis* SONN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Reaumuria hypericoides* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Reinwardtia indica* DUMORT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Reinwardtia trigyna* PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Reissantia arborea* (ROXB) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Reissantia grahamii* (WIGHT) DING.HOU. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Reissantia indica* (WILLD.) HALLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Remirea maritima* AUBL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Remusatia vivipara* SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Reseda odorata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhabdia lycioides* SENU CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhamnus dahuricus* PALL. REISE RUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhamnus nepalensis* WALL. EX ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhamnus prostrata* JACQ. EX PAKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhamnus purpurea* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhamnus purshiana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhamnus triquetra* (WALL.) BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhamnus virgatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhamnus wightii* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhaphidophora decursiva* SCHOTT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhaphidophora laciniata* (BURM.F.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhaphidophora pertusa* SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhazya stricta* DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rheum acuminatum* HK. F. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rheum australe* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rheum emodi* WALL. EX MEIM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rheum moorcroftianum* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rheum nobile* HOOK.F. & THOMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rheum officinale* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rheum palmatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rheum rhaponticum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rheum spiciforme* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rheum spiciforme* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rheum undulatum* PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rheum webbianum* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhinacanthus calcaratus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhinacanthus communis* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhinacanthus nasuta* (L.) KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhynchoglossum obliquum* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhizophora apiculata* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhizophora mangle* Roxb. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhizophora mucronata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhodamnia trinervia* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhodiola heterodonta* (Hook. f. & Thoms.) Boriss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhodiola imbricata* EDGEW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhododendron anthopogon* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhododendron arboreum* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhododendron barbatum* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhododendron campanulatum* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhododendron chrysanthum* PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhododendron cinnabarinum* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhododendron decipiens* LACAITA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhododendron falconeri* HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhododendron javanicum* BENN. PL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhododendron lepidotum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhododendron ponticum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhododendron setosum* D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhododendron thomsonii* HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhodomyrtus parviflora* ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhodomyrtus semialata* MURR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhodomyrtus tomentosa* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhus chinensis* MILL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhus coriaria* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhus hookeri* SAHNI & BAHADUR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhus insignis* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhus javanica* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhus parviflora* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhus punjabensis* J.L. STEW. EX BRAND. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhus semialata* MURR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhus succedanea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhus wallichii* HOOK.F. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhynchosia minima* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhynchosia minima* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhynchosia minima* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhynchosia minima* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhynchosia minima* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhynchosia minima* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhynchosia minima* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rhynchosia minima* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ribes grossularia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ribes himalense* ROYLE EX DECNE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ribes nigrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ribes orientale* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ribes rubrum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Richardia scabra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ricinus communis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Riedlea corchorifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rikliella squarrosa* (L.) RAYNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rivea hypocrateriformis* CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rivea ornata* CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rocella montagnei* BEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rorippa islandica* (OEDER) BORBAS SCHINZ & THELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rorippa dubia* HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rorippa indica* (L.) HIERN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rorippa indieca* HIERN. APETALA HOCHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rorippa islandica* (OED.) BORBASS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rorippa montana* SMALL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rorippa nasturtium-aquaticum* (L.) HAYEK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rosa alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rosa banksiae* AIT. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rosa brunonii* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rosa centifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rosa chinensis* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rosa eglanteria* MILL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rosa foetida* HERM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rosa gallica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rosa indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rosa macrophylla* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rosa moschata* HERRM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rosa multiflora* THUNB. EX J. MURR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rosa rubra* BLACKW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rosa sericea* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rosa webbiana* WALL. EX ROYLE. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Roscoea alpina* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Roscoea procera* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Roscoea purpurea* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rosmarinus officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rostellularia procumbens* (L.) NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rosularia rosulata* (EDGEW.) OHBA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rotala baccifera* KOEHNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rotala densiflora* (ROTH) KOEHNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rotala indica* (WILLD.) KOEHNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rotala rotundifolia* KOEHNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rothia indica* (L.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rotula aquatica* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rourea mimosoides* PLANCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rourea minor* (GAERTN.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rourea santaloides* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Roylea cinerea* (DON) BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Roylea elegans* WALL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rubia cordifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rubia munjista* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rubia sikkimensis* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rubia tinctorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rubus biflorus* HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rubus contennifer* KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rubus ellipticus* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rubus fruticosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rubus idaeus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rubus lasiocarpus* SMITH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rubus lucens* FOCKE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rubus moluccanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rubus niveus* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rubus paniculata* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rubus rugosus* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rubus saxatilis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rubus strigosus* MICHX. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rubus ulmifolicus* SCHOTT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rudolphia frondosa* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ruellia patula* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ruellia prostrata* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ruellia secundra* BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ruellia strepens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ruellia suffruticosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ruellia tuberosa* L. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rumex acetosella* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rumex crispus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rumex dentatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rumex hastatus* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rumex hymenosepalus* TORR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rumex maritimus* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rumex nepalensis* SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rumex orientalis* BERNH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rumex paulsenianus* RECH. F. FEDD.

NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rumex scutatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rumex vesicarius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rumphia amboinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rungia parviflora* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rungia pectinata* (L.) NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rungia repens* (L.) NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ruscus aculeatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Russelia equisetiformis* SCHL. & CHAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ruta angustifolia* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ruta chalepensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ruta graveolens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ruta tuberculata* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rytidix granularis* (L.) SKEELS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sabia lanceolata* COLEBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sabia robusta* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Saccharomyces cerevisiae* MEYEN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Saccharum arundinaceum* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Saccharum bengalense* RETZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Saccharum ciliare* ANDERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Saccharum fuscum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Saccharum munja* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Saccharum officinarum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Saccharum robustum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Saccharum sara* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Saccharum sinense* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Saccharum spontaneum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sacciolepis indica* CHASE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sacciolepis interrupta* (WILLD.) STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Saccolabium guttatum* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Saccolabium papillosum* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Saccolabium praemorsum* HOOK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sageraea dalzelli* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sageraea laurifolia* (GRAHAM) BLATTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sagina saginoides* (L.) KARST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sagittaria sagittifolia* L. *sagittifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Saguerus rumphii* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Salacia chinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Salacia fruticosa* HEYNE EX LAWS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Salacia grandiflora* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Salacia macrophylla* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Salacia macrosperma* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Salacia oblonga* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Salacia reticulata* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Salicornia brachiata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Salicornia indica* DREGE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Salix acmophylla* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Salix acutifolia* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Salix alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Salix babylonica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Salix caprea* L. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Salix daphnoides* VILL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Salix elegans* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Salix pychnostachya* ANDERSS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Salix tetrasperma* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Salmalia insignis* (WALL.) SCHOTT & ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Salmalia malabarica* SCHOTT & ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Salomonina cantoniensis* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Salsola baryosma* (R. & S.) DANDY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Salsola foetida* DEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Salsola kali* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Salvadora indica* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Salvadora oleoides* DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Salvadora persica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Salvadora persica* L. wightiana (PLANCH EX THW.) VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Salvadora wightiana* PLANCH. EX THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Salvia aegyptiaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Salvia bengalensis* KOENIG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Salvia cabulica* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Salvia coccinea* BUCHOZ EX ETLINGA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Salvia glutinosa* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Salvia haematodes* W. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Salvia hians* ROYLE EX BTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Salvia lanata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Salvia macrosiphon* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Salvia moorcroftiana* WALL. EX BENTH

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Salvia mukerjeea* BENNET & RAIZADA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Salvia officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Salvia plebeia* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Salvia pumila* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Salvia sclarea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Salvia spinosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Salvinia cucullata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Kalamdera indica* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Kalamdera lucida* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Kalamnea Kalamn* (JACQ.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sambucus ebulus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sambucus hookeri* REHDER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sambucus javanica* REINW. EX BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sambucus nigra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sambucus wightiana* WALL. EX WGT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sandoricum indicum* CAV. DISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sandoricum koetjape* (BURM.F.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sanguinaria canadensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sanicula europaea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sansevieria cylindrica* BOJ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sansevieria ebracteata* (CAV.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sansevieria hyacinthoides* (L.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sansevieria lanuginosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sansevieria roxburghiana* SCHULT. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sansevieria trifasciata* HORT. EX PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sansevieria zeylanica* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Santaloides minus* SCHELLENB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Santalum album* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Santalum flonum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Santolina chamaecyparissus* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sapindus emarginatus* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sapindus laurifolia* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sapindus mukorossi* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sapindus trifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sapium indicum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sapium insigne* TRIMEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sapium sebiferum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Saponaria vaccaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Saprosma ternatum* (WALL. EX ROXB.) HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Saraca asoca* (ROXB.) DE WILDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Saraca indica* AUCT. NON L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sarcandra glabra* (THUNB.) NAKAI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sarcocephalus cordatus* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sarcocephalus missionis* HAVILAND REV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sarcococca saligna* (D.DON) MUELL.-ARG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sarcolobus globosus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sarcostemma acidium* (ROXB.) VOIGT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sarcostemma acidium* VOIGT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sarcostemma brevistigma* WIGHT and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sarcostemma brunonianum* WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sarcostemma intermedium* DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sarcostemma secamone* (L.) BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sarcostemma stocksii* HK. F and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sarcostigma kleinii* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sassafras albidum* (NUTT.) NESS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sassafras officinale* NEES. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Satureja hortensis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Satureja montana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Satyrium nepalense* D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Saurauia armata* KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Saurauia macrotricha* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Saurauia napaulensis* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Saurauia nepalensis* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Saurauia robusta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Saurauia roxburghii* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sauromatum guttatum* (WALL.) SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sauromatum pedatum* (WILLD.) SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sauromatum venosum* (AIT.) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sauropus androgynus* (L.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sauropus quadrangularis* MUELL. ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Saussurea affinis* SPR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Saussurea albescens* (DC.) SCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Saussurea auriculata* (DC.) SCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Saussurea bracteata* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Saussurea candicans* CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Saussurea ceratocarpa* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Saussurea costus* (FALC.) LIPSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Saussurea gossypiphora* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Saussurea gracilis* DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Saussurea heteromalla* (DON) HAND.-MAZZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Saussurea hypoleuca* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Saussurea lappa* C.B.CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Saussurea obvallata* (DC.) EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Saussurea sacra* EDGEW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Saussurea schultzii* H.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Saussurea simpsoniana* (FIELD & GARD.) LIPSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Saussurea taraxacifolia* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Saxifraga diversifolia* WALL. EX SER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Saxifraga imbricata* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Saxifraga ligulata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scabiosa speciosa* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scaevola frutescens* KRAUSE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scaevola koenigii* VAHL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scaevola sericea* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scaevola taccada* (GAERTN.) ROXB. N and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.ULL

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scaphium affine* RIDLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scaphium wallichii* SCHOTT & ENDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scapiflora* species (ROXB.) ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Schefflera elata* (BUCH.-HAM. EX D.DON) HARMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Schefflera elliptica* (BL.) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Schefflera hypoleuca* (KURZ) HARMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Schefflera shypoleucoids* HARMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Schefflera stellata* (GAERTN.) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Schefflera venulosa* (WIGHT & ARN.) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Schefflera venulosum* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Schima wallichii* (DC.) KORTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Schinus molle* HORT. EX ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Schisandra chinensis* (TURCZ.) BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Schisandra neglecta* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Schizachyrium exile* STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Schizaea dichotoma* (L.) SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Schizandra neglecta* SM. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Schizophyllum commune* FR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Schleichera oleosa* (LOUR.) OKEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Schleichera trijuga* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Schlerichera trijuga* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Schrebera swietenoides* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Schultzia benthami* C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Schumannianthus virgatus* (ROXB.) ROLFE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Schweinfurthia papilionacea* MERRILL

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Schweinfurthia sphaerocarpa* A.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scilla coromandeliana* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scilla hohenackeri* FISCHET MAY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scilla hyacinthina* (ROTH.) MAC BRIDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scilla indica* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scindapsus aureus* (LINDEN EX ANDRE) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scindapsus officinalis* SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scirpus articulatus* L. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scirpus barbatus* ROTTB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scirpus corymbosus* HEYNE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scirpus grossus* L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scirpus inclinatus* (DEL.) ASCHERS. & SCHWEINF. EX BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scirpus kysoor* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scirpus lacustris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scirpus maritimus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scirpus tuberosus* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scleria hebecarpa* NEES and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scleria levis* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scleria lithosperma* (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scleria pergracilis* (NEES) KUNTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scleria poaeformis* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scleria terrestris* (L.) FASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sclerocarya birrea* HOCHST and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scleropyrum pentandrum* (DENNST.) MABBERLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scleropyrum wallichianum* (WIGHT & ARN.) A. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scolopia aculeata* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scolopia crenata* CLOS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scoparia dulcis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scopolia anomala* (LINK & OTTO) AIRY-SHAW NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scopolia lurida* DUNAL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scopolia stramonifolia* (WALL.) SHRESTHA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scorzonera virgata* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scrophularia koelzii* PENN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scrophularia variegata* M.B. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scurrula parasitica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scurrula philippensis* (CH. & SCH.) DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scutellaria angulosa* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scutellaria assamica* MUKHERJEE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scutellaria discolor* COLEBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scutellaria galericulata* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scutellaria glandulosa* COLEBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scutellaria heydei* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scutellaria indica* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scutia indica* BRONG.. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scutia myrtina* (N.BURM.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scyphiphora hydrophyllacea* GAERTN.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sebastiania chamaelea* MUELL.ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Secamone emetica* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sechium edule* SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Securinega leucopyrus* (WILLD.) MUELL.ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Securinega suffruticosa* (PALL.) REHDER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Securinega virosa* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sedum asiaticum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sedum crassipes* WALL. EX HOOK. F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sedum ewersii* LEDEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sedum multicaule* WALL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sedum quadrifidum* PALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sedum tibeticum* HOOK.F. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sedum tillacoides* DUTHIE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sedum trifidum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sedum wallichianum* HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Selaginella bryopteris* (L.) BAK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Selaginella chrysocaulos* (HOOK. & GREV.)SPRING.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Selaginella ciliaris* (RETZ.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Selaginella involvens* SPRENG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Selaginella krausiana* A.BR.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Selaginella monosperma* SPRING.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Selaginella plumosa* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Selaginella radicata* (HOOK. & GREV.) SPRING.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Selaginella repKalam* (DESV. EX POIR.) SPRENG NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Selaginella rupestris* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Selaginella willdenowii* (POIR.) BAK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Selenicereus grandiflorus* (LINN.) BRITT. & ROSE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Selinum candollei* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Selinum filicifolium* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Selinum striatum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Selinum tenuifolium* WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Selinum vaginatum* C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Semecarpus anacardium* L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Semecarpus heterophylla* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Semecarpus kurzii* ENGLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Semecarpus travancorica* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sempervium sedoides* JACQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Senebiera didyma* PERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Senecio aureus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Senecio bhutanicus* BALAK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Senecio cappa* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Senecio graciliflorus* . DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Senecio hohenackeri* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Senecio jacquemontianus* BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Senecio kraschennikovii* SCHICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Senecio laetus* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Senecio nudicaulis* HAM. EX D. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Senecio quinquelobus* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Senecio scandens* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Senecio tenuifolius* BURM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Senecio vulgaris* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Senna prostrata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Serenoa repens* (BARTR.) SMALL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sesamum indicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sesamum laciniatum* KLEIN EX. WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sesamum orientale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sesamum prostratum* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sesbania aculeata* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sesbania aculeata* PERS. *cannabina* (RETZ.) BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sesbania aegyptiaca* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sesbania bispinosa* (JACQ.) W.F. WIGHT

bispinosa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sesbania cannabina* RETZ. POIRET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sesbania grandiflora* (L.) POIRET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sesbania paludosa* PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sesbania sesban* (L.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sesbania sesban* (L.) MERR. *bicolor* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sesbania sesban* (L.) MERR. *picta* (CON.) SANTAPAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sesbania sesban* (L.) MERR. *typica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sesbania sesban* (L.) MERR. *sesban sesban* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sesbania speciosa* TAUB. EX ENGL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Seseli diffusum* (ROXB. EX. SM.) SAMT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Seseli indicum* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Seseli sibiricum* BENTH. EX CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sesuvium portulacastrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Setaria glauca* BEAUV and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Setaria italica* (L.) BEAUV and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Setaria planifolia* STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Setaria plicata* (LAM.) COOKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Setaria verticillata* (L.) P. BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Setaria viridis* BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Shorea robusta* GAERTN. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Shorea roxburghii* G.DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Shorea tumbaggaia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sida acuminata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sida acuta* BURM. F. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sida alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sida carpinifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sida cordata* (BURM.F.) BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sida cordifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sida humilis* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sida lanceolata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sida mauritiana* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sida orientalis* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sida ovata* FORSK. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sida retusa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sida rhombifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sida rhombifolia* L. *retusa* (L.) BORASSUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sida rhombifolia* L. *retusa* (L.) MASTERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sida rhombifolia* L. *rhombifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sida rhombifolia* L. *rhomboidea* (DC.) MASTERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sida rhomboidea* ROXB. EX FLEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sida spinosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sida veronicaefolia* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sideroxylon spinosum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sideroxylon tomentosum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Siegesbeckia orientalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sigesbeckia orientalis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Silene apetala* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Silene inflata* SM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Silene laxantha* MAJUMDAR NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Silene moorcroftiana* WALL. EX BTH.

NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Silene vulgaris* (MOENCH) GARCKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Silybum marianum* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Simmondsia chinensis* (LINK) C.K. SCHNEID. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sinapis alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sinapis chinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sinapis juncea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sinapis ramosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sison ammi* HERB. MADR. EX WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sisymbrium altissimum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sisymbrium irio* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sisymbrium loeselii* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sisymbrium orientale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sisymbrium sophia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sium latijugam* C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Skimmia anquetilia* N.P.TAYLOR & AIRY SHAW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Skimmia arborescens* T.ANDERS EX. GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Skimmia laureola* (DC.) ZUCC. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Smilax aspera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Smilax china* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Smilax glabra* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Smilax glaucophylla* KLOTZSCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Smilax lanceifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Smilax macrophylla* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Smilax ocreata* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Smilax ovalifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Smilax parvifolia* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Smilax perfoliata* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Smilax prolifera* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Smilax pseudo-china* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Smilax wightii* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Smilax zeylanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Smithia conferta* J.E. SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Smithia geminiflora* ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Smithia sensitiva* AIT. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum aculeatissimum* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum albicaule* KOTSCHY EX DUNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum americanum* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum anguivi* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum aviculare* FORST. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum capsicoides* ALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum ciliatum* LAMK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum denticulatum* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum dulcamara* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum erianthum* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum ferox* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum giganteum* JACQ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum gracilipes* DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum hirsutum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum incanum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum indicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum insanum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum jacquini* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum khasianum* C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum kurzii* PRAIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum laciniatum* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum lasiocarpum* DUNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum lycopersicum* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum mauritianum* SCORP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum melongena* L. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum melongena* L. *incanum* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum myriacanthum* DUNAL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum nigrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum pseudocapsicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum pubescens* HEYNE. EX WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum sarmentosum* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum seforthianum* ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum sisymbirifolium* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum spirale* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum surattense* BURM. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum torvum* SWARTZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum trilobatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum tuberosum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum verbascifolium* AUCTION L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum viarum* DUNAL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum villosum* SCHUR. *puniceum* (KRISCHLEGER) EDMONDS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum violaceum* ORTEGA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum virginianum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solanum xanthocarpum* SCHRAD & WENDL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solena amplexicaulis* (LAM.) GANDHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Solena heterophylla* LOUR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sonchus arvensis* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sonchus asper* (L.) HILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sonchus brachytus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sonchus maritimus* L and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sonchus oleraceus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sonchus wightianus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sonerila maculata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sonerila rheedei* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sonerila tenera* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sonneratia acida* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sonneratia apetala* BUCH.-HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sonneratia caseolaris* (L.) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sonneratia griffithii* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sophora glauca* LESCH. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sophora griffithii* STOCKS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sophora mollis* (GRAH. EX ROYLE) BAK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sophora tomentosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sophora wightii* BAKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sopubia delphinifolia* G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sorbaria tomentosa* (LINDL.) REHDER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sorbus aucuparia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sorbus tianshanica* RUPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sorghum bicolor* MOENCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sorghum halepense* (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sorghum saccharatum* PERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sorghum vulgare* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Soymida febrifuga* (ROXB.) A.JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sparganium stoloniferum* BUCH.- HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Spathodea campanulata* P. BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Spathoglottis plicata* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Spatholobus parviflorus* (ROXB.) KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Spatholobus roxburghii* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Spergula arvensis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Spergularia rubra* (L.) J.PRESL & C.PRESL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Spermacoce articularis* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Spermacoce hispida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Spermatocyon suaveolens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sphaeranthus africanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sphaeranthus amaranthoides* BURM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sphaeranthus hirtus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sphaeranthus indicus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sphaeranthus microcephalus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sphaeranthus senegalensis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sphaerostephanos subtractus* (BERG.) HOLLT.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sphaerostephanos unitus* (L.) HOLLT.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sphenoclea zeylanica* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sphenodesme involucrata* (PRESL.) paniculata (CL.) MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sphenodesme pentandra* JACK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sphenomeris chinensis* (L.) MAXON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sphenomeris chusana* COPELAND NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sphyrnthera lutescens* (KURZ) PAX & HOFFER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Spilanthes acmella* MURR. olerace and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Spilanthes calva* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Spilanthes oleracea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Spilanthes paniculata* WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Spinacia oleracea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Spinifex littoreus* (N.BURM.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Spiraea aruncus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Spiraea bella* SIMS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Spiraea canescens* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Spiraea lindleyana* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Spondias acuminata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Spondias mangifera* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Spondias mombin* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Spondias pinnata* (L.F.) KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stachyphrynium spicatum* (ROXB.) SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stachys floccosa* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stachys officinalis* (L.) TREV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stachys palustris* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stachys parviflora* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stachys sylvatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stachys tuberosa* LOUR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stachytarpheta indica* (L.) VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stachytarpheta jamaicensis* (L.) VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stachytarpheta mutabilis* (JACQ.) VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stachytarpheta urticaefolia* (SALISB.) SIMS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Statice aegyptica* DELILE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stauranthera grandifolia* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stauranthera umbrosa* CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stellaria alsine* GRIMM. *undulata* (THUNB.) OHWI NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stellaria aquatica* SCOP and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stellaria media* WIGHT EX EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stellera chamaejasme* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stemodia viscosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stemona tuberosa* LOUR. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stenochlaena palustris* (N.BURM.) BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stenolobium stans* SEE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stenoloma chinensis* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stenotaphrum dimidiatum* (L.) BRONGN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stephania glabra* (THUNB.) MIERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stephania glandulifera* MIERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stephania hernandifolia* (WILLD.) WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stephania japonica* (THUNB.) MIERS discolour (BLUME.) FORMAN and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stephania japonica* (THUNB.) MIERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stephania japonica* (THUNB.) MIERS. *japonica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stephania rotunda* LOUR NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stephania wightii* (A.) DUN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stephegyne parvifolia* KORTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sterculia alata* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sterculia balanhas* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sterculia foetida* L. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sterculia guttata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sterculia rubiginosa* VENT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sterculia scaphigera* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sterculia urens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sterculia villosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stereospermum chelonoides* (L.F.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stereospermum colais* (DILLWYN) MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stereospermum neuranthrum* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stereospermum personatum* (HASSK.) CHATTERJEE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stereospermum suaveolens* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stereospermum tetragonum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stereospermum xylocarpum* WIGHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Steudnera virosa* (KUNTH) PRAIN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stichoneuron caudatum* RIDLEY NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stictocardia campanulata* (L.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stipa capensis* THUNB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stipa capillata* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stipa sibirica* (L.) LAMK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stipa tortilis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stranvaesia glaucescens* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Streblus asper* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Streblus taxoides* (HEYNE EX ROTH) KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Striga asiatica* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Striga gesnerioides* (WILLD.) VATKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Striga lutea* LOUR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Striga orobanchoides* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strobilanthes acrocephalus* T. AND. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strobilanthes auriculatus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strobilanthes callosus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strobilanthes ciliatus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strobilanthes consanguineus* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strobilanthes dalhousianus* C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strobilanthes flaccidifolius* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strobilanthes heyneanus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strobilanthes kunthiana* T.ANDERS. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strobilanthes lupulinus* NEES NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strobilanthes nobilis* CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strobilanthes wallichii* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strobilanthes wightianus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stroemia tetrandra* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strophanthus dichotomus* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strophanthus wallichii* A. DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strophanthus wightianus* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strychnos aenea* A.W. HILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strychnos axillaris* COLEB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strychnos cinnamomifolia* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strychnos colubrina* AUCTION. PL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strychnos gaultheriana* PIER. NULL and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strychnos ignatia* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strychnos ignatii* BERG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strychnos maingayi* CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strychnos minor* DENNST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strychnos nux-bi* Kalam A.W.Hill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strychnos nux-vomica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strychnos potatorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strychnos rheedei* CL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Strychnos wallichiana* STEUD. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stylocoryne lucens* GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stylophorum lactuoides* (HOOK. F. & THOMS.) BENTH. & HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stylosanthes fruticosa* (RETZ.) ALST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Styrax benzoin* DRYAND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Styrax hookeri* CLARKE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Styrax officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Styrax serrulatum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Styrax tonkinensis* CRAIB EX. HARTWICH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Suaeda fruticosa* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Suaeda monoica* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Suregada angustifolia* (BAILL. EX MUELL. - ARG.) AIRY SHAW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Suregada multiflora* (JUSS.) BAILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Swertia affinis* CLARKE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Swertia alata* ROYLE EX. D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Swertia angustifolia* BUCH.-HAM. EX D. DON. PULCHELLA BURKILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Swertia angustifolia* HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Swertia chirata* (ROXB. EX. FLEM.) KAR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Swertia chirayita* ROXB. EX (FLEMING) KARST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Swertia ciliata* (G.DON) BURTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Swertia cordata* CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Swertia corymbosa* (GRISEB.) WT. EX CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Swertia decussata* NIMNO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Swertia densiflora* (GRISEB.) KASHYAPPA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Swertia densifolia* (GRISEB.) KASHYAPA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Swertia lawii* BURKILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Swertia minor* (GRISEB.) KNOBL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Swertia paniculata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Swertia perennis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Swertia petiolata* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Swertia pulchella* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Swertia purpurascens* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Swertia thomsonii* Cl. EX HK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Swietenia febrifuga* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Swietenia macrophylla* KING NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Swietenia mahagoni* (L.) JACQ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Symphorema involucreatum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Symphorema polyandrum* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Symphytum officinale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Symplocos beddomei* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Symplocos caudata* WALL. EX. G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Symplocos chinensis* (LOUR.) DRUCE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Symplocos cochinchinensis* S.MOORE laurina laurina (RETZ.) NOOTEBOOM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Symplocos cochinchinensis* S.MOORE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Symplocos crataegoides* BUCH.-HAM. EX.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Symplocos laurina* WALL. EX REHD. & E. H. WILS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Symplocos monantha* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Symplocos paniculata* (THUNB.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Symplocos racemosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Symplocos spicata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Symplocos sumuntia* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Symplocos theaefolia* BUCH.-HAM. EX DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Synadenium grantii* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Synantherias sylvatica* SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Synapis dichotoma* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Synedrella nodiflora* GAERTN. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Synnema uliginosum* (L.F.) O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Syringa emodi* WALL. EX ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Syringa persica* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Syzygium alternifolium* (WT.) WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Syzygium aromaticum* (L.) MERRILL & PERRY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Syzygium caryophyllaeum* AUCT.NON GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Syzygium caryophyllatum* (L.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Syzygium cerasoides* (ROXB.) CHATT. &

KANJI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Syzygium cerasoideum* (ROXB.) RAIZADA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Syzygium cumini* (L.) SKEELS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Syzygium hemisphericum* (WIGHT) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Syzygium heyneanum* WALL. EX DUTHIE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Syzygium jambolana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Syzygium jambolanum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Syzygium jambos* (L.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Syzygium malaccense* (L.) MERR. &

MERR. & PERRY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Syzygium neyneanum* (DUTHIE) GAMBLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Syzygium operculatum* (ROXB.) NIEDENZU obovatum (DUTHIE) GAMBLE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Syzygium operculatum* GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Syzygium Kalamrangense* (BL.) MERR. & PERRY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Syzygium travancoricum* GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Syzygium zeylanicum* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tabernaemontana alternifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tabernaemontana coronaria* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tabernaemontana crispa* ROBT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tabernaemontana dichotoma* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tabernaemontana divaricata* (L.) ROEM. & SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tabernaemontana heyneana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tabernaemontana sphaerocarpa* BLUME. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tabernaemontana wallichiana* STEUD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tacca aspera* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tacca integrifolia* KER-GAWL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tacca leontopetaloides* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tacca pinnatifida* J.R. & G. FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tagetes erecta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tagetes minuta* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tagetes patula* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tamarindus indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tamarix aphylla* (L.) KARST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tamarix ariculata* VAHL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tamarix dioica* ROXB. EX. ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tamarix ericoides* ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tamarix gallica* AUCT. NON.L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tamarix indica* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tamarix troupii* HOLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tanacetum dolichophyllum* KITAM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tanacetum fruticosum* LEDEB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tanacetum gracile* HOOK. F. & TH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tanacetum longifolium* WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tanacetum parthenium* (L.) SCHULTZ BIP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tanacetum tenuifolium* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tanacetum tibeticum* HK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tanacetum tomentosum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tanacetum vulgare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Taraktogenos kurzii* KING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Taraktogenos macrocarpa* (BEDD.) BALAK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Taraxacum officinale* WIGGERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Taraxacum officinale* WIGG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tarenna asiatica* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Taverniera cuneifolia* (ROTH) ARN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Taverniera nummularia* BAKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Taxillus tomentosus* (ROXB.) VAN TIEGHAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Taxillus umbellifer* (SCHULTES) DANSER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Taxus baccata* L. *wallichiana* Zucc. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Taxus wallichiana* ZUCC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tecoma capensis* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tecoma grandiflora* LOISEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tecoma radicans* JUSS. EX SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tecoma stans* JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tecoma undulata* G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tecomella undulata* (SM.)SEEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tectaria coadunata* (WALL.) CHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tectaria macrodonta* (FEE) CHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tectaria polymorpha* (WALL. & HOOK.) COPEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tectona grandis* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Telosma minor* CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Telosma pallida* (ROXB.) CRAIB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Teona ciliata* ROEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tephrosia candida* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tephrosia hamiltonii* J.R.DRUMM NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tephrosia hirta* (BUCH.-HAM.) GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tephrosia petrosa* BLATTER & HALBB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tephrosia procumbens* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tephrosia purpurea* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tephrosia purpurea* PERS. *pumila* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tephrosia rheedei* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tephrosia senticosa* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tephrosia spinosa* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tephrosia tinctoria* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tephrosia uniflora* PERS. *petrosa* (BLATT. & HALLB.) GILLET & ALI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tephrosia uniflora* PERS. *petrosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tephrosia villosa* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Teramnus labialis* (L.F.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Teramnus mollis* BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Terminalia alata* HEYNE EX ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Terminalia arjuna* (ROXB.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Terminalia bellerica* ROXB. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Terminalia bellerica* ROXB. *laurinoides* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Terminalia bellirica* (GAERTN.) ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Terminalia bialata* STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Terminalia catappa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Terminalia chebula* RETZ. *typica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Terminalia chebula* RETZ. & WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Terminalia citrina* FLEMING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Terminalia coriacea* (ROXB.) WIGHT &

ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Terminalia crenulata* ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Terminalia manii* KING NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Terminalia myriocarpa* HEURCK & MUELL-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Terminalia oSkini* BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Terminalia pallida* BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Terminalia paniculata* ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Terminalia pyrifolia* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Terminalia reticulata* ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Terminalia tomentosa* (ROXB.) WIGHT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Terminalia travancorensis* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Termitomyces microcarpus* (BERK. & BR.) HEIM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ternstroemia gymnanthera* (WT. & ARN.) BEDD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ternstroemia japonica* AUCT. NON THUNB) NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tetracera akara* (N.BURM.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tetracera indica* (HOUTT. EX CHRISTM. & PAUZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tetracera laevis* AUCT. NON VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tetracera scandens* (L.) MERR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tetrameles nudiflora* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tetranthera roxburghii* NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tetrastigma lanceolarium* (ROXB.) PLANCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tetrastigma leucostaphylum* (DENNST.) ALSTON EX MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tetrastigma serrulata* (ROXB.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Teucrium chamaedrys* LINN. NULL and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Teucrium polium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Teucrium scordium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Teucrium stocksianum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Thalictrum alpinum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Thalictrum cultratum* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Thalictrum dalzellii* HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Thalictrum foetidum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Thalictrum foliolosum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Thalictrum javanicum* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Thalictrum minus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Thalictrum pauciflorum* ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Thalictrum pedunculatum* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Thalictrum reniforme* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Thamnia vermicularis* (SWARTZ) ACH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Thea assamica* J.W.MAST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Thecagonium biflorum* (L.) BABU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Thelypteris gracilescens* (Bl.) Ching. glandulosis KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Themeda arguens* (L.) Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Themeda arundinacea* (Roxb.) Ridley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Themeda gigantea* Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Themeda triandra* Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Theobroma cacao* Linn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Theriophonum infaustum* N.E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Theriophonum minutum* Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Thespesia lampas* (CAV.) DALZ. EX DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Thespesia populnea* (L.) SOL. EX. CORREA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Theum tibeticum* MAXIM. EX HOOK. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Thevetia neriifolia* JUSS. EX. STEUDEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Thevetia peruviana* MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Thlaspi arvense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Thlaspi kotschyannum* BOISS. & HOHEN BROIGAR NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Thlaspi tetragona* HK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Thomsonia nepalensis* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Thonningia axillaris* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Thottea siliquosa* (LAM.) DING HOU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Thuja orientalis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Thunbergia alata* BOJER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Thunbergia erecta* (BENTH.) T. ANDERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Thunbergia fragrans* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Thunbergia grandiflora* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Thunbergia hawtayneana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Thunbergia laurifolia* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Thymus linearis* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Thymus serpyllum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Thymus vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Thysanolaena acarifera* NEES. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Thysanolaena agrostis* NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Thysanolaena maxima* (ROXB.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Thysanolaena procera* MEZ. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tiaridium indicum* LEHM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tiliacora acuminata* MIERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tiliacora racemosa* COLEBR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tinospora cordifolia* (WILLD.) HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tinospora crispa* (L.) HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tinospora malabarica* (LAM.) HOOK F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tinospora sinensis* (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tinospora tomentosa* (COLEBR.) HOOK. F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tithonia diversifolia* (HEMSLEY) A. GRAY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tithonia tagetiflora* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Toddalia aculeata* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Toddalia asiatica* (L.) LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Toddalia bilocularis* W. & A. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tonningia axillaris* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Toona ciliata* ROEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Torenia asiatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Torenia bicolor* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Torenia parviflora* BUCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Torenia polygonoides* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Torenia thouarsii* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Torenia travancorica* GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Torenia vagans* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tournefortia candollii* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tournefortia montana* LOUR. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tovara virginiana* (LINN.) RAFIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Toxocarpus villosus* DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trachelospermum fragrans* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trachelospermum lucidum* (DON) SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trachycarpus martianus* H.WANDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trachydium lehmanni* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trachyspermum ammi* (L.) SPRAGUE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trachyspermum khasianum* (Cl.) WOLFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trachyspermum roxburghianum* (DC.) CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tradescantia axillaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tragia bicolor* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tragia cannabina* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tragia cordata* MICHX. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tragia cordifolia* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tragia involucrata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tragia muelleriana* PAX & HOFFM. unicolor (MUELL.ARG.) PAX & HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tragia plukenetii* A.RADCLIFFE-SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tragopogon gracilis* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tragopogon porrifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tragopogon pratensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trapa bicornis* L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trapa bispinosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trapa natans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trapa natans* L. *bispinosa* (ROXB.) NAKIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trema cannabina* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trema orientalis* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trevesia palmata* (ROXB.) VIS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trewia nudiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trewia polycarpa* BTH. & HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trianthema decandra* L. MANT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trianthema govinda* BUCH.-HAM. EX G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trianthema govindia* BUCH-HAM EX G. DON. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trianthema monogyna* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trianthema pentandra* LINN. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trianthema portulacastrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trianthema triquetra* ROTTL. EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tribulus alatus* DEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tribulus lanuginosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tribulus terrestris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tricalysia singularis* (KORTH.) K. SCHUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tricalysia sphaerocarpa* (HOOK.F.) GAMBLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trichilia connaroides* (WT. & ARN.) BENTVELZEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trichilia spinosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trichodesma africanum* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trichodesma indicum* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trichodesma zeylanicum* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tricholepis angustifolia* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tricholepis glaberrima* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tricholepis montana* DLAZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tricholepis procumbens* WIGHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trichomanes javanicum* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trichopus zeylanicus* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trichopus zeylanicus* GAERTN. *travancoricus* (BED and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trichosanthes anaimalaiensis* BEDDOME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trichosanthes anguina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trichosanthes bracteata* (LAM.) VOIGT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trichosanthes cordata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trichosanthes cucumerina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trichosanthes dioica* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trichosanthes incisa* ROTTL. EX ROSENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trichosanthes laciniosa* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trichosanthes lobata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trichosanthes nervifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trichosanthes palmata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trichosanthes tricuspidata* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trichosanthes wallichiana* (SERINGE) WT.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tridax procumbens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trifolium alexandrinum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trifolium alexandrinum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trifolium fragiferum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trifolium indicum* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trifolium officinalis* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trifolium pratense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Triglochin maritima* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Triglochin palustris* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trigonella corniculata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trigonella emodi* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trigonella foenum-graecum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trigonella hamosa* (L.) WILLD. *uncata* (BOISS. & BOE) TOWNSEND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trigonella incisa* BENTHA. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trigonella occulta* DELILE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trigonella polycerata* L and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trigonella uncata* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trigonostemon longifolius* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trillium govanianum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trimufetta rhomboidea* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Triphasia trifolia* (BURM. F.) P. WILS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tripleurospermum maritimum* (LINN.) W.D.J. KOCH inodorum (LINN.) HYL. EX VAAR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Triticum aestivum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Triticum amyleum* SER. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Triticum durum* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Triticum pilosum* (DALZ. & GIBS) NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Triticum sativum* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Triticum spelta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Triticum vulgare* WILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Triumfetta annua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Triumfetta bartramia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Triumfetta rhomboidea* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Triumfetta rotundifolia* LAM. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Triumfetta semitriloba* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Triumfetta tomentosa* NORONHA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tropaeolum minus* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Trophis aspera* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tropidia curculigoides* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tuber cibarium* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tulipa stellata* HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Turbina corymbosa* (L.) RAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Turnera angustifolia* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Turnera diffusa* WILLD. *APHRODISIACA* (L.F. WARD)URB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Turnera ulmifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Turpinia nepalensis* WALL. EX WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Turpinia pomifera* (ROXB.) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Turraea villosa* BENN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tussilago farfara* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tylophora asthmatica* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tylophora dalzellii* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tylophora fasciculata* BUCH.-HAM. EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tylophora hirsuta* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tylophora indica* (BURM.F.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tylophora tenuis* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tylophora tenuissima* (ROXB.) WGT. & ARN. EX WGT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tylophora tetrapetala* (DENNST.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Typha angustata* BORY & CHAUB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Typha angustifolia* L. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Typha australis* SCHUM. & THONN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Typha elephantina* GRAH, NON ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Typha laxmannii* LEPECH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Typhonium divaricatum* DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Typhonium flagelliforme* (LODD.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Typhonium roxburghii* SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Typhonium trilobatum* (L.) SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ulmus campestris* L. NULL and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ulmus wallichiana* PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Uncaria cordata* (LOUR.) MERR. *ferruginea* (BL.) RIDSD. *FORMA NULL* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Uncaria gambier* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Uncaria sessilifructus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Unona narum* DUN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Uraria alopecuroides* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Uraria crinita* DESV and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Uraria hamosa* WALL. *EX WIGHT & ARN.* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Uraria lagopodioides* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Uraria picta* DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Uraria prunellaefolia* GREH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Uraria rufescens* (DC.) SCHINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Urena lobata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Urena repKalam* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Urena simiata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Urena sinuata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Urginea coromandeliana* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Urginea indica* (ROXB) KUNTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Urginea maritima* (L.) BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Urginea nagarjunae* Hemadri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Urtica ardens* LINK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Urtica dioica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Urtica hyperborea* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Urtica parviflora* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Urtica pilulifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Usena sikkimensis* BISWAS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Usnea flexilis* STIRT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Usnea florida* (L.) WIGG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Usnea hirta* (L.) WIGG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Usnea longissima* ACH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Usnea rubicunda* STIRT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Usnea sikkimensis* BISPAS. SP. NOV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Usnea venosa* MOT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Uteleria sallicifolia* BEDD. EX HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Utricularia salicifolia* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Utricularia bifida* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Utricularia gibbosa* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Utricularia reticulata* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Utricularia stellaris* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Uvaria dulcis* DUNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Uvaria ebracteolata* PRESL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Uvaria hookeri* KING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Uvaria micrantha* (A.DC.)Hook.f.Thoms.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Uvaria narum* (DUNAL) WALL EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Uvaria zeylanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vaccaria pyramidata* MEDIC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vaccinium leschenaultii* WIGHT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vaccinium macrocarpon* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Valeriana brunoniana* W. & A. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Valeriana dubia* BUNGE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Valeriana hardwickii* WALL. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Valeriana jatamansi* JONES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Valeriana leschenaultii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Valeriana officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Valeriana pyrolaefolia* DENE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Valeriana wallichii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vallisneria spiralis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vallisneria spiralis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vallisneria spiralis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vallisneria spiralis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *VKalam coerulea* GRIFF. EX LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *VKalam parviflora* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *VKalam roxburghii* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *VKalam spathulata* (L.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *VKalam teres* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *VKalam tessellata* (ROXB.) DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *VKalam testacea* (LINDL.) REICHB.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vandellia erecta* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vandellia pedunculata* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vandellia pyxidaria* MAXIM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vangueria pubescens* KUNTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vangueria spinosa* SENSU HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vanilla planifolia* ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vanilla wightiana* LINDL. EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vateria indica* L. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vateria macrocarpa* B.L.GUPTA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vateria malabarica* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vatica lancaefolia* BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ventilago calycina* TUL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ventilago calyculata* TULASNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ventilago denticulata* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ventilago madraspatana* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vepris bilocularis* (WIGHT & ARN.) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Veratrum album* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Veratrum viride* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Verbascum chinense* (L.) SANT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Verbascum coromandelianum* (VAHL) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Verbascum thapsus* PLENK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Verbena nodiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Verbesina calendulacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Verchellia farnesiana* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vernonia albicans* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vernonia anthelmintica* (L.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vernonia arborea* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vernonia aspera* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vernonia cinerea* LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vernonia patula* MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vernonia pyramidale* (D.DON) MITRA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vernonia revoluta* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vernonia roxburghii* LESS and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vernonia squarrosa* (D.DON) LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vernonia teres* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Veronica agrestis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Veronica anagallis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Veronica arvensis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Veronica beccabunga* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Veronica biloba* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Veronica hederifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Veronica serpyllifolia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vetiveria zizanioides* (L.) NASH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Viburnum acuminatum* WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Viburnum colebrookianum* WALL. EX CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Viburnum coriaceum* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Viburnum corylifolium* HK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Viburnum cotinifolium* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Viburnum cylindricum* BUCH.-HAM. EX D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Viburnum foetidum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Viburnum hebanthum* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Viburnum nervosum* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Viburnum obovatum* WALT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Viburnum punctatum* BUCH.- HAM, EX D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vicatia wolffiana* (WOLFF EX FEDDE) NORMAN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vicia faba* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vicia hirsuta* KOCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vicia sativa* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vicoa auriculata* CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vicoa indica* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vigna aconitifolia* (JACQ.) MARECHAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vigna adenantha* (MEYER) MARECHAI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vigna angularis* (WILLD.) OHWI. & OHASHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vigna catjang* ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vigna cylindrica* SKEELS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vigna dalzelliana* (O.KTZE) VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vigna grahmiana* (WT. & ARN.) VERD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vigna mungo* (L.) HEPPER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vigna pilosa* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vigna radiata* (L.) R. WILCZEK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vigna radiata* (L.) WILEZ sublobata (ROXB.) VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vigna trilobata* (L.) VERDCOURT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vigna umbellata* (THUNB.) OHWL & OHOSHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vigna unguiculata* (L.) WALP. *cylindrica* (L.) ESELT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vigna unguiculeta* (L.) WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vigna vexillata* (L.) A. RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vinca major* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vinca minor* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vinca parviflora* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vinca pusilla* MURR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vinca rosea* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vincetoxicum album* (MILL.) ASCHERS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vincetoxicum hirundinaria* MEDIC glaucum (WALL. EX WT.) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Viola biflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Viola caespitosa* D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Viola canescens* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Viola cinerea* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Viola diffusa* GING. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Viola odorata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Viola patrinii* GING. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Viola pilosa* BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Viola serpens* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Viola suffruticosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Viola sylvestris* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Viola tricolor* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Viscum album* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Viscum articulatum* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Viscum monoicum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Viscum nepalense* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Viscum orientale* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vitex agnus-castus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vitex altissima* L.F and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vitex glabrata* F. MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vitex leucoxydon* SCHAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vitex negundo* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vitex negundo* L. *incisa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vitex negundo* L. *negundo* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vitex negundo* L. *purpurascens* SIVARAJAN & MOLDENKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vitex paniculata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vitex peduncularis* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vitex pinnata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vitex pubescens* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vitex quinata* (LOUR.) F.N. WILLIAMS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vitex trifolia* L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vitis adnata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vitis araneosus* DALZ. & GIBS. EX M.LAWS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vitis carnosa* (ROXB.) WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vitis hastata* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vitis heyneana* ROEM. & SCULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vitis indica* W. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vitis lanata* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vitis latifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vitis objecta* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vitis pallida* W. & A. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vitis parvifolia* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vitis pedata* VAHL EX WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vitis planicaulis* HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vitis polystachya* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vitis quadrangularis* WALT EX WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vitis repens* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vitis rugosa* HOOK.F. & THOMS. EX M. LAWS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vitis setosa* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vitis tomentosa* HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vitis trifolia* L. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vitis vinifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vitis vitifera* HAINES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vittaria elongata* SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vittaria zosterifolia* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Viverra zibetha* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Volkameria inermis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Volutarella divaricata* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Wagatea spicata* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Wahlenbergia marginata* (THUNB.) A. DC.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Waldheimia glabra* (DECNE) REGEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Waldheimia stoliczki* (CL.) OSTENF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Waldheimia tomentosa* (DECNE) REGEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Wallichia disticha* T. ANDERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Walsura piscidia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Walsura trifoliata* (A.JUSS) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Waltheria indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Wattakaka volubilis* (L.F.) STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Webera corymbosa* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Webera tetrandra* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Wedelia biflora* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Wedelia calendulacea* LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Wedelia chinensis* MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Wedelia wallichii* LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Wendlandia exerta* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Wendlandia heynei* (R. & S.) SANTAPAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Wendlandia notoniana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Wendlandia pendula* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Wendlandia tinctoria* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Wikstroemia canescens* MEISSN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Wikstroemia indica* (L.) C. A. MEY. *viridiflora* (MEISSN.) HOOK. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Wikstroemia ridleyi* GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Wikstroemia viridiflora* MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Willughbeia edulis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Withania coagulans* DUNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Withania somnifera* DUNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Wolffia globosa* (ROXB.) HARTOG & PLAS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Wollastonia biflora* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Woodfordia floribunda* SALISB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Woodfordia fruticosa* (L.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Wrightia antidysenterica* GRAH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Wrightia arborea* (DENNST.) MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Wrightia coccinea* SIMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Wrightia tinctoria* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Wrightia tomentosa* R.& S. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Wrightia zeylanica* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Xanthium indicum* KOEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Xanthium strumarium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Xanthophyllum arnottianum* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Xanthophyllum flavescens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Xanthoxylum fraxineum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Xantolis tomentosa* (ROXB.) RAF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Xeromphis spinosa* (THUNB.) KEAY NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Xeromphis uliginosa* (RETZ.) MAHESH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ximenia aegyptiaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ximenia americana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Xylaria polymorpha* PERS. EX MERAT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Xylia dolabriformis* BENTH.& HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Xylia xylocarpa* (ROXB.) TAUB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Xylocarpus granatum* KOEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Xylopia parvifolia* HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Xylosma longifolium* CLOS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Xyris anceps* LAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Xyris auceps* AUCT. NON LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Xyris complanata* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Xyris indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Xyris pauciflora* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Youngia japonica* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Yucca aloifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Yucca filamentosa* WOOD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Yucca gloriosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zaleya decandra* (L.) BURM. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zaleya govindia* (DON) NAIR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zaleya pentandra* (L.) JEFFREY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zalia decandra* (L.) BURM. F. NULL and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zannichellia indica* ROTTL. EX ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zanonia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zantedeschia aethiopica* (L.) SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zanthoxylum acanthopodium* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zanthoxylum alatum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zanthoxylum armatum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zanthoxylum budrunga* (ROXB.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zanthoxylum hamiltonianum* WALL. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zanthoxylum hostile* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zanthoxylum limonella* (DENNST.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zanthoxylum nitidum* (ROXB.) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zanthoxylum ovalifolium* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zanthoxylum oxphyllum* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zanthoxylum rhetsa* (ROXB.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zanthoxylum tetraspermum* WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zanthoxylum triphyllum* WIGHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zataria multiflora* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zea mays* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zehneria hookeriana* ARN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zehneria indica* (LOUR.) KERN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zehneria maysorensis* (WT. & ARN.) ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zehneria scabra* (L.F.) SOND. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zehneria thwaitesii* (SCHWEIN.) JEFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zehneria umbellata* THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zephyranthes ajax* SPRENGER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zephyranthes grandiflora* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zephyranthes rosea* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zeuxine longilabris* (LINDL.) BENTH. EX HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zeuxine strateumatica* (L.) SCHLECHTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zeuxine sulcata* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zingiber capitatum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zingiber cassumunar* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zingiber cernuum* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zingiber chrysanthum* ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zingiber mioga* ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zingiber montanum* (KOEN.) LINK EX A. DIETRICH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zingiber officinale* ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zingiber officinalis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zingiber purpureum* ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zingiber roseum* ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zingiber rubens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zingiber squarrosus* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zingiber zerumbet* ROSC. EX SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zinnia elegans* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zizania caduciflora* HAND.-MAZZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zizania latifolia* TURCZ. EX STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ziziphora clinopodioides* M.BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ziziphora tenuior* L and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ziziphus glabarata* HEYNE, EX ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ziziphus glabrata* HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ziziphus jujuba* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ziziphus mauritiana* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ziziphus napeca* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ziziphus nummularia* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ziziphus oenoplia* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ziziphus oxyphylla* EDGEW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ziziphus rugosa* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ziziphus rugosa* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ziziphus sativa* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ziziphus sororia* ROEM. & SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ziziphus trinervia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ziziphus trinervius* ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anemone hupehensis* Lemoine ex Boynton var. *japonica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anemone rivularis* Buch.- Ham.ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aquilegia vulgaris* L. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Clematis gouriana* Roxb. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Clematis munroiana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Clematis smilacifolia* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Clematis theobromina* Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Clematis wightiana* Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Consolida ambigua* (L.) P. W. Ball and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Delphinium elatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Naravelia zeylanica* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ranunculus diffusus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ranunculus muricatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ranunculus reniformis* Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ranunculus wallichianus* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Thalictrum foliolosum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Thalictrum javanicum* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Thalictrum saniculaeforme* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Chimonanthus praecox*(L.) Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Acrotrema arnotianum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dillenia bracteata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dillenia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dillenia pentagyna* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dillenia retusa* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dillenia suffruticosa* (Griffith) Martelli and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tetracera akara* (Burm. f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Magnolia campbellii* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Magnolia grandiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Magnolia liliflora* Desr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Magnolia x alba* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Michelia champaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Michelia nilagirica* Zenk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alphonsea lutea* (Roxb.) Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alphonsea sclerocarpa* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Alphonsea zeylanica* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Annona cherimola* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Annona muricata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Annona reticulata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Annona squamosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Artabotrys hexapetalus* (L. f.) BhKalamri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Artabotrys zeylanicus* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cananga odorata* (Lam.) Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyathocalyx zeylanicus* Champ. ex Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Desmos lawii* (Hook. f. & Thoms.) Safford and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Desmos viridiflorus* (Bedd.) Safford and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Goniothalamus cardiopetalus* (Dalz.) Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Goniothalamus rhynchantherus* Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Goniothalamus salicina* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Goniothalamus thwaitesii* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Goniothalamus wightii* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Goniothalamus wynadensis* (Bedd.) Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Meiogyne pannosa* (Dalz.) Sinclair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Meiogyne ramarowii* (Dunn) Gandhi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Miliusa eriocarpa* Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Miliusa montana* Gard. ex Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Miliusa nilagirica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Miliusa tomentosa* (Roxb.) Sinclair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Miliusa wightiana* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mitrephora heyneana* (Hook. f. & Thoms.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Orophea erythrocarpa* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Orophea thomsonii* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Orophea uniflora* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polyalthia cerasoides* (Roxb.) Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polyalthia coffeoides* (Hook. f. & Thoms.) Benth. & Hook. f. ex Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polyalthia fragrans* (Diaz.) Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polyalthia korintii* (Dunal) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polyalthia longifolia* (Sonner.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polyalthia rufescens* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polyalthia suberosa* (Roxb.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polyalthia tirunelveli*ensis M. B. Viswan. & ManikKalamn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Popowia beddomeana* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sageraea dalzellii* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Uvaria macropoda* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Uvaria narum* (Dunnal) Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Uvaria zeylanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Xylopi*a *parvifolia* (Wight) Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Anamirta cocculus* (L.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cissampelos pareira* L. var. *hirsuta* (Buch.-Ham. ex DC.) Forman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cocculus hirsutus* (L.) Diels and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cocculus laurifolius* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cocculus pendulus* (Forst.) Diels and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Coscinium fenestratum* (Gaertn.) Coleb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyclea arnottii* Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cyclea peltata* (Lam.) Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Diploclisia glaucescens* (Blume) Diels and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pachygone ovata* (Poir.) Miers ex Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stephania japonica* (Thunb.) Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stephania wightii* (Arn.) Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tiliacora acuminata* (Lam.) Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tinospora cordifolia* (Willd.) Miers ex Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tinospora sinensis* (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Berberis lycium* Royle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Berberis nilghiriensis* Ahrendt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Berberis tinctoria* Lesch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Berberis wightiana* Schneid and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mahonia leschenaultii* (Wall. ex Wight & Arn.) Takeda and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nelumbo nucifera* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nymphaea nouchali* Burm. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nymphaea pubescens* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Nymphaea rubra* Roxb. ex Salisb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Argemone mexicana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Eschscholzia californica* Cham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Mecanopsis wallichii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Papaver caucasicum* Bait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Papaver fugax* Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Papaver rhoeas* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Papaver somniferum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Romneya coulteri* Harv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Corydalis lutea* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dicentra scandens* (D. Don.) Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fumaria indica* (Hassk.) Pugsley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Fumaria officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Barbarea intermedia* Boreau and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Barbarea verna* (Miller) Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Barbarea vulgaris* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Brassica juncea* (L.) Czern. & Coss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Brassica nigra* (L.) Koch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Brassica oleracea* L. var. *botrytis* L. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Brassica oleracea* L. var. *capitata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Brassica oleracea* L. var. *gemmifera* Zenk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Brassica oleracea* L. var. *gongylodes* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Brassica rapa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Capsella bursa-pastoris* (L.) Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cardamine africana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cardamine hirsuta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cardamine trichocarpa* Hochst. ex A. Rich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cheiranthus cheiri* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Coronopus didymus* (L.) Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Iberis amara* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Iberis umbellata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lepidium ruderales* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lepidium sativum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lepidium virginicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lobularia maritima* (L.) Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Matthiola incana* (L.) R. Br. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Raphanus sativus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rorippa indica* (L.) Hiern and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Rorippa nasturtium - aquaticum* (L.) Hayek and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sisymbrium volgense* Ledeb. ex Shmal. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Thlaspi arvense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cadaba fruticosa* (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cadaba trifoliata* (Roxb.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Capparis brevispina* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Capparis decidua* (Forsk.) Edgew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Capparis divaricata* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Capparis diversifolia* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Capparis fusifera* Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Capparis grandiflora* Wall ex. Hook.f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Capparis grandis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Capparis kollimalayana* Viswanathan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Capparis moonii* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Capparis nilgiriensis* Subbha Rao Kumari & Chandr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Capparis rheedii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Capparis rotundifolia* Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Capparis roxburghii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Capparis sepiaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Capparis shevaroyensis* Sundararaghavan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Capparis spinosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Capparis zeylanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cleome angustifolia* Forsk and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cleome aspera* Koen ex. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cleome burmannii* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cleome chelidonii* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cleome felina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cleome hassleriana* Chod. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cleome monophylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cleome rutidosperma* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cleome speciosa* Raf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cleome viscosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crateva adansonii* DC. subsp. *odora* (Buch. - Ham.) Jacobs and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Crateva magna* (Lour.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gynandropsis gynandra* (L.) Briq and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Maerua apetala* (Roth) Jacobs and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Maerua oblongifolia* (Forsk.) A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Steriphoma clemoides* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Reseda alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Reseda luteola* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hybanthus enneaspermus* (L.) F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hybanthus travancoricus* (Bedd.) Melch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Viola arcuata* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Viola betonicifolia* J. E. Smith subsp. *betonicifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Viola canescens* Wall. ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Viola hamiltoniana* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Viola pilosa* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bixa orellana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cochlospermum religiosum* (L.) Alston and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Aphloia theiformis* (Vahl) Benn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Casearia championii* Thwaites and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Casearia graveolens* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Casearia ovata* (Lam.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Casearia rubescens* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Casearia thwaitesii* Briq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Casearia tomentosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Casearia wynadensis* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Flacourtia indica* (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Flacourtia jangomas* (Lour.) Raeusch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Flacourtia montana* Graham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Homalium jainii* A. N. Henry & Swamin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Homalium travancoricum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Homalium ceylanicum* (Gard.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hydnocarpus alpina* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hydnocarpus macrocarpa* (Bedd.) Warb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hydnocarpus pentandra* (Buch. - Ham.) Oken and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Oncoba spinosa* Forsk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scolopia crenata* (Wight & Arn.) Clos var. *crenata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scolopia crenata* (Wright & Arn.) Clos var. *brevifolia* Mukherjee and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Xylosma latifolium* Hoof. F. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Xylosma longifolia* Clos and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Hymenosporum flavum* (Hook.) F.v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pittosporum anamallayense* Nayar & Giri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pittosporum bicolor* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pittosporum ceylanicum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pittosporum crassifolium* Soland.ex Putterl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pittosporum dasycaulon* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pittosporum eugenoides* A. Cunn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pittosporum napaulense* (DC.) Rehder & Wilson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pittosporum neelgherrense* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pittosporum tetraspermum* Wight & Arn.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pittosporum tobira* (Thunb.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pittosporum umbellatum* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pittosporum undulatum* Vent and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Pittosporum viridulum* Nayar, Giri & Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sollya heterophylla* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Muraltia juniperifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygala arillata* Buch.-Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygala arvensis* Willd. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygala bolbothrix* Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygala chinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygala elongata* Klein ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygala erioptera* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygala jacobii* Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygala javana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygala longifolia* Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygala myrtifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygala persicariifolia* DC. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygala rosmarinifolia* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygala sibirica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygala telephioides* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygala virgata* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polygala wightiana* Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Securidaca bracteata* Bennett and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Xanthophyllum flavescens* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Xanthophyllum manickamii* Murugan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Arenaria neelgerrensis* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cerastium glomeratum* Thuill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Cerastium indicum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Dianthus caryophyllus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Drymaria cordata* (L.) Willd. ex Roem. & Schultes subsp. *diandra* (Blume) Duke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Drymaria villosa* Cham. & Schlecht. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Gypsophila elegans* M. Bieb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Lychnis coronaria* (L.) Desr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polycarpaea aurea* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polycarpaea corymbosa* (L.) Lam. var. *corymbosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polycarpaea corymbosa* (L.) Lam. var. *longipetala* Sriniv. & D. Naras. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polycarpaea diffusa* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polycarpaea spicata* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polycarpon prostratum* (Forsk.) Asch. & Schweinf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Polycarpon tetraphyllum* (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Sagina saginoides* (L.) Karsten, Deutsch

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Saponaria officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Scleranthus annuus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Silene armeria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Silene coeli - rosa* (L.) Godron and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Silene gallica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Spergula arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stellaria media* (L.) Vill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stellaria monosperma* Buch. - Ham. ex D. Don var. *paniculata* (Edgew) Majumdar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Stellaria vestita* Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Vaccaria pyramidata* Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Portulaca oleracea* L. var. *oleracea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Portulaca oleracea* L. var. *linearifolia* Sivarajan & Manilal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Portulaca pilosa* L. subsp. *pilosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Portulaca pilosa* L. subsp. *pilosa* var. *tuberosa* (Roxb.) Sivar. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Portulaca pilosa* subsp. *grandiflora* (Hook.f.) Geesink and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Portulaca quadrifida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Portulaca wightiana* Wall ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Portulacaria afra* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Talinum portulacifolium* (Forsk.) Asch. & Schweinf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Talinum triangulare* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tamarix aphylla* (L.) Karsten and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tamarix ericoides* Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Tamarix indica* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bergia ammannioides* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Bergia capensis* L. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Elatine ambigua* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Elatine triandra* Schkuhr and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Calophyllum apetalum* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Calophyllum austroindicum* Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ziziphus vulgaris* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Ziziphus xylopyrus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zornia diphylla* (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zornia gibbosa* SPAN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zosima absinthifolia* (VENT.) LINK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota recurva* Lindl. (Allelopathically enriched), *Zosima orientalis* HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>,

(Where there are two or three same references of one species then consider the first one as purified through long duration purification method, second as purified through medium duration method and third through short duration purification method.)

For queries write at pankajoudhia@gmail.com